

## Technical Specifications

### SPECIFICATIONS:

Models	GXV3651_FHD
<b>Video Compression</b>	H.264, JPEG, Motion JPEG
<b>Image Sensor</b>	1/2.5", 5-Megapixel CMOS, <b>2592x1944 (pixels)</b> , exceptionally low noise levels and low-light sensitivity for superior video quality at very high resolution (1080p)
<b>Lens Type</b>	1/2", 4.5-10mm, Manual-Iris, CS
<b>Day &amp; Night</b>	Electronic, with integrated IR_CUT and light sensor
<b>Responsivity</b>	1.4V/lux-sec (550nm)
<b>Max Video Resolution</b>	Full HD (16:9): 1,920 x 1,080p
<b>Pixel Dynamic Range</b>	70.1dB, with SNR <sub>MAX</sub> 38.1dB (full resolution)
<b>Max Frame Rate in Max Resolution</b>	30fps
<b>Video Bit Rate</b>	32 Kbps – 8 Mbps
<b>Video Output</b>	BNC, Voltage 1.0V PP, Resistance 75Ω
<b>Audio Input</b>	3.5mm LINE-IN, built-in Microphone
<b>Audio Output</b>	3.5mm LINE-OUT
<b>Alarm Input</b>	Yes –One Interface, Normal Open
<b>Alarm Output</b>	Yes –One Interface, 125VAC/0.5A or 30VAC/2A
<b>Audio Compression</b>	G.711a/u
<b>Serial Ports</b>	RS485
<b>IRIS Control</b>	Manual IRIS (default lens), optional auto-iris lens
<b>Embedded Analytics</b>	Motion detection (up to 16 target areas), video loss (pending)
<b>Pre-/post-alarm Buffer</b>	24MB
<b>Snapshots</b>	Trigger upon events, send via email/FTP
<b>Multi-streaming-rate for Preview &amp; Recording</b>	Yes
<b>Security</b>	Video watermark (pending), HTTPS, Password
<b>Network Port</b>	10M/100M auto-sensing, RJ45
<b>Network Protocol</b>	TCP/UDP/IP, RTP/RTCP, RTSP, DHCP, PPPoE, DDNS, HTTP, HTTPS
<b>Power over Ethernet (PoE)</b>	Standard, IEEE 802.3af Class 0
<b>Peripheral Ports</b>	SDHC 2.0, USB 2.0
<b>SIP/VoIP Support</b>	Yes
<b>Dimensions (L x W x H)</b>	152mm x 68mm x 64mm (Lens not included)
<b>Weight</b>	0.51kg (Lens not included)
<b>Temperature / Humidity</b>	0°C – 45°C (32°F–113°F) Humidity 10–90% RH (non-condensing)
<b>Power Adaptor</b>	Output: 12VDC/1A; Input: 100–240VAC, 50–60Hz
<b>Compliance</b>	FCC Part 15, Subpart B Class B; EN 55022 Class B, EN 61000-3-2, EN 61000-3-3, EN 55024, EN 60950-1; C-tick AS/NZS CISPR 22, CISPR 24