

Akuvox SP-R59P IP Phone



Product Name: Akuvox SP-R59P IP Phone

Manufacturer: -

Model Number: SP-R59P

Please Note: This product is no longer available. To find an alternative, please see our VoIP Phone Comparison Charts.

Akuvox SP-R59P IP Phone

The Akuvox SP-R59P IP Phone is a cost-effective IP phone that is feature rich, easy to set up and a fantastic fit to help boost communication and productivity in any business environment. The SP-R59P offers a smooth user experience and clear HD Voice characteristics. Along with this, the Akuvox SP-R59P offers local 3-way conferencing, multi-Languages Support, Speed Dial, Call on Hold, Mute, Auto-answer, Redial and DND which are perfect for office based environments.

Akuvox SP-R59P IP Phone Key Features

� 6 Lines (Supports 6 SIP accounts)

าั¿½ 19 LED Lights (1 Power Light, 7 Account Lights, 1 Voice Mail Light and 10 extended key colour indicators)

� Phonebook (500 groups)

าั¿½ 4.3'' 480*272 Graphical LCD with Backlight, 4-bit Graylevel

าั¿½ HTTP/HTTPS Web Server for Management

ï¿1/2 Audiocodes Chipset

ï¿⅓ HD Voice

The SP-R59P supports 6 SIP accounts, offers auto provisioning using FTP/TFTP/HTTPS/PnP, Auto Redial and Call Return. It also operates with a Audiocodes Chipset and 49 Keys (with 4 Soft Keys). As a very cost-effective and powerful IP solution, the SP-R59P is perfect in busy business environments and work productivity.

Akuvox IP Phone SP-R59P - Technical Specifications

Phone Features:

� 6 Lines (Support 6 SIP accounts)

i¿½ Support Call Waiting, Call Forward, Call Transfer

� Call on Hold, Mute, Auto-answer, Redial, DND

� Local 3-Way Conference

تز1/2 Volume Adjustable, Ring tones Selectabler

ï¿1/2 Speed Dial, Hotline

� Daylight Saving Time

� Network Packet Capture

� Country Ringtone Signal

� Direct IP call

� Auto Redial, Call Return

آزِ½ Dial Plan

آزٰ½ XML Browser

آزار Hot Desking

ï¿1/2 Keypad Lock

ï¿1/2 Action URL/URI

آذِرُ Phonebook (500 groups), Blacklist (100 groups), Call logs (100 entries)

i¿½ 5 Remote Phone Book URL Supported

� LDAP

� Multi-Languages Support



Akuvox SP-R59P IP Phone

IP-PBX Features:

� SMS.Voicemail.MWI Message Noti?cation

ï¿1/2 Music on hold, Intercom

� BLF (Busy Lamp Field)

� Call Pickup, Group Call Pickup

� Call Recording

า๊¿1/2 Anonymous Call, Anonymous Call Rejection

Audio Features:

ï¿⅓ HD Voice

ï¿1/2 Wideband Codec: G.722

ī¿½ Narrowband Codec: PCMA, PCMU, G.729, G723_53, G723_63, G726_16, G726_24,

G726_32, G726_40

� VAD, CNG , Echo Canceller � Full-Duplex Speakerphone

Security Features:

ï¿⅓ Support HTTPS (SSL)

� Support SRTP for Voice Data Encryption

� Support Login for Administration

ï¿⅓ SIP Over TLS

Network Features:

� SIP V1(RFC2543), V2(RFC3261)

� Static IP/DHCP for IP configuration

ï¿1/2 3 DTMF modes: In-Band, RFC2833, SIP INFO

าั¿½ HTTP/HTTPS Web Server for Management

ï¿1/2 NTP for Auto Time Setting

� TFTP/FTP/HTTP/HTTPS Protocols

ï¿⅓ 802.1Q VLAN

Administration Features:

าั¿1/2 Auto provisioning using FTP/TFTP/HTTPS/PnP

� Dial through IP PBX Using Phone Number

ī సై Dial through IP PBX Using URL Address

ī¿½ Configuration Managements with Web, keypad on the phone, and Auto Provisioning

SNMP ½٪ 3

� TR069

Physical Features:

ï¿1/2 Audiocodes Chipset

آذِرًا 4.3'' 480*272 Graphical LCD with Backlight, 4-bit Graylevel

ï¿1/2 49 Keys (with 4 Soft Keys)

าั¿½ 19 LED Lights (1 Power Light, 7 Account Lights, 1 Voice Mail Light and 10 extended key color indicators)

� RJ9 Handset Jack and Headset Jack

� 2 RJ45 10/100M Ethernet Jacks

آذِرُ AC Power Adapter: Input: AC 100-240V; Output: DC 5V/1A

� POE: IEEE 802.3af



Akuvox SP-R59P IP Phone

ī¿½ RJ6 Expansion Socket ī¿½ GiftboxSize:285.5*224*96.2 (mm),weight: 1.23kg

Please Enquire

Options available for Akuvox SP-R59P IP Phone :

Akuvox EM53 Expansion Module

Not Required, Required (+£73.44).

EA40 Wireless Headset Adapter

Required (+£30.80), Not Required.