

Akuvox SP-R59P IP Phone



Product Name: Akuvox SP-R59P IP Phone Manufacturer: -Model Number: SP-R59P

Please Note: This product is no longer available. To find an alternative, please see our VoIP Phone Comparison Charts.

Akuvox SP-R59P IP Phone


The Akuvox SP-R59P IP Phone is a cost-effective IP phone that is feature rich, easy to set up and a fantastic fit to help boost communication and productivity in any business environment. The SP-R59P offers a smooth user experience and clear HD Voice characteristics. Along with this, the Akuvox SP-R59P offers local 3-way conferencing, multi-Languages Support, Speed Dial, Call on Hold, Mute, Auto-answer, Redial and DND which are perfect for office based environments.

Akuvox SP-R59P IP Phone Key Features

� 6 Lines (Supports 6 SIP accounts)
� 19 LED Lights (1 Power Light, 7 Account Lights, 1 Voice Mail Light and 10 extended key colour indicators)
� Phonebook (500 groups)
� 4.3'' 480*272 Graphical LCD with Backlight, 4-bit Graylevel
� HTTP/HTTPS Web Server for Management
� Audiocodes Chipset
� HD Voice

The SP-R59P supports 6 SIP accounts, offers auto provisioning using FTP/TFTP/HTTP/HTTPS/PnP, Auto Redial and Call Return. It also operates with a Audiocodes Chipset and 49 Keys (with 4 Soft Keys). As a very cost-effective and powerful IP solution, the SP-R59P is perfect in busy business environments and work productivity. Akuvox IP Phone SP-R59P - Technical Specifications Phone Features:

- ï¿1/2 6 Lines (Support 6 SIP accounts)
- ï¿1/2 Support Call Waiting, Call Forward, Call Transfer
- ï¿1/2 Call on Hold, Mute, Auto-answer, Redial, DND
- ï¿1/2 Local 3-Way Conference
- ï¿1/2 Volume Adjustable, Ring tones Selectabler
- ï¿1/2 Speed Dial, Hotline
- ï¿1/2 Daylight Saving Time
- ï¿1/2 Network Packet Capture
- ï¿¹∕₂ Country Ringtone Signal
- ï¿1/2 Direct IP call
- ï¿¹⁄₂ Auto Redial, Call Return
- � Dial Plan
- ï¿1/2 XML Browser
- ï¿1∕2 Hot Desking
- ï¿1/2 Keypad Lock
- ï¿1∕2 Action URL/URI
- ï¿¹/₂ Phonebook (500 groups), Blacklist (100 groups), Call logs (100 entries)
- ï¿¹/₂ 5 Remote Phone Book URL Supported
- � LDAP
- ï¿¹/₂ Multi-Languages Support





Akuvox SP-R59P IP Phone

IP-PBX Features:

� SMS.Voicemail.MWI Message Noti?cation
� Music on hold, Intercom
� BLF (Busy Lamp Field)
� Call Pickup, Group Call Pickup
� Call Recording
� Anonymous Call, Anonymous Call Rejection

Audio Features:

 $\ddot{i}_{2}\dot{i}_{2}$ HD Voice $\ddot{i}_{2}\dot{i}_{2}$ Wideband Codec: G.722 $\ddot{i}_{2}\dot{i}_{2}$ Narrowband Codec: PCMA, PCMU, G.729, G723_53, G723_63, G726_16, G726_24, G726_32, G726_40 $\ddot{i}_{2}\dot{i}_{2}$ VAD, CNG , Echo Canceller $\ddot{i}_{2}\dot{i}_{2}$ Full-Duplex Speakerphone

Security Features:

� Support HTTPS (SSL)
 � Support SRTP for Voice Data Encryption
 � Support Login for Administration
 � SIP Over TLS

Network Features:

i¿½ SIP V1(RFC2543), V2(RFC3261)
i¿½ Static IP/DHCP for IP configuration
i¿½ 3 DTMF modes: In-Band, RFC2833, SIP INFO
i¿½ HTTP/HTTPS Web Server for Management
i¿½ NTP for Auto Time Setting
i¿½ TFTP/FTP/HTTP/HTTPS Protocols
i¿½ 802.1Q VLAN

Administration Features:

Auto provisioning using FTP/TFTP/HTTP/HTTPS/PnP
 � Dial through IP PBX Using Phone Number
 � Dial through IP PBX Using URL Address
 � Configuration Managements with Web,keypad on the phone, and Auto Provisioning
 � SNMP
 � TR069

Physical Features:

Audiocodes Chipset
 4.3'' 480*272 Graphical LCD with Backlight, 4-bit Graylevel
 49 Keys (with 4 Soft Keys)
 19 LED Lights (1 Power Light, 7 Account Lights, 1 Voice Mail Light and 10 extended key color indicators)
 RJ9 Handset Jack and Headset Jack
 2 RJ45 10/100M Ethernet Jacks
 AC Power Adapter: Input: AC 100-240V; Output: DC 5V/1A
� POE: IEEE 802.3af



Akuvox SP-R59P IP Phone

� RJ6 Expansion Socket � GiftboxSize:285.5*224*96.2 (mm),weight: 1.23kg

Please Enquire

Options available for Akuvox SP-R59P IP Phone :

Akuvox EM53 Expansion Module Not Required, Required (+£73.44). EA40 Wireless Headset Adapter

Required (+£30.80), Not Required.