




## Polycom Solution Portfolio

#### **Immersive** Telepresence

#### Polycom® RealPresence™ Experience (RPX™)



- Realize low TCO with H.264 High Profile for lower bandwidth requirements - ITP v2.7
- Seating capacity from 4 28 participants
- Full screen, cinematic view supporting 2 to 4 screens
- Superior realism delivered with high definition video and audio
- HD video, audio and flexible HD content sharing
- · Purpose built for executive and boardroom meetings, corporate trainings and higher education
- · Investment protection is ensured as a standards-based, interoperable solution

#### **Immersive** Telepresence

#### Polycom® Open Telepresence Experience<sup>T</sup> **High Definition 300**

Immersive Telepresence solution combining high performance with unique design elements for small groups

- Realize low TCO with H.264 High Profile for lower bandwidth requirements – ITP v2.7

  Multipurpose design seats – seats 6 people in telepresence
- call or 10 when not in a call
- HD video, audio and flexible HD content sharing
- Three 65-inch LCD displays create the illusion of sitting across the table from distance colleagues
- Easy to use simple and consistent touch-screen user interface across all locations
- Three large 21.5" color content displays
- · Optional Complete Experience Kit includes rear wall and lighting package
- Investment protection is ensured as a standards-based, interoperable solution

#### **Immersive** Telepresence

#### Polycom<sup>®</sup> Architected Telepresence

### Experience™ High Definition 300

Customized Immersive Telepresence designed for integrators to create unique telepresence solutions

- Three-codec kit to create unique and powerful telepresence rooms
- Clear, crisp HD video up to 1080p resolution, HD audio and flexible content sharing
- Highly customizable solutions, flexible designs leverage existing space, furniture and decor
- Partner skills and services ensure specific application requirements are met
- Investment protection is ensured as a standardsbased, interoperable solution

#### Room Telepresence for A/V Integrators

#### Polycom® HDX® 9000 Series

The ultimate high definition integrator's codec, designed to be the core of any visual communication deployment.

- Dual Stack H.323/SIP & H.320 standards support
- HD 1080p30, 720p 30 & 60 fps resolution
- H.264 High Profile with Rev B and HDX v2.6
- Up to 6 Mbps
- H.239 People+ Content™ & People+Content™ IP
- Polycom People On Content chroma key
- Support for Polycom Conferencing for MS Outlook
- AES, HTTPS, TLS
- VCR/DVD input/output
- 4-Way HD embedded multipoint support
- H.320 BRI, PRI or serial modules available
- · Analog port for audio-only participants
- · Serial port API support
- Dual 50-inch displays on executive stand

#### Room Telepresence

### Polycom® HDX® 8000

HD video, voice and content sharing capabilities to conference rooms, classrooms and meeting spaces across the enterprise



- HD 1080p30, 720p 30 & 60 fps resolution
- H.264 High Profile with Rev B and HDX v2.6
- Up to 6 Mbps
- H.239 People+Content™ & People+Content™ IP
- Polycom People On Content Chroma Key
- Support for Polycom Conferencing for MS Outlook
- VCR/DVD input/output

- Single or dual 42-inch displays on HDX solution
- · Single 50-inch on HDX pedestal or wall mount

#### Room Telepresence

### Polycom® HDX® 7000

Mainstream Telepresence solution for organizations


collaboration by linking dispersed team members

- Dual Stack H.323/SIP & H.320 standards support
- HD 1080p, 720p 30 & 60 fps resolution
- H.264 High Profile with Rev C and HDX v2.6
- H.239 People+Content™ & People+Content™ IP
- Support for Polycom Conferencing for MS Outlook
- VCR/DVD input/output
- 4-way SD embedded multipoint
- H.320 BRI, PRI or serial modules available
- Single or dual 42-inch displays on HDX solution
- Single 50-inch on HDX pedestal or wall mount
- Single 50-inch on executive stand

#### Room Telepresence

#### Polycom® HDX® 6000 Series

A fully featured low-cost small group Telepresence system that allows teams of people to easily connect over distance and enjoy high definition voice, video and content sharing



- Dual Stack H.323/SIP standards support
- HD 1080p, 720p 30 & 60 fps resolution
- H.264 High Profile with HDX v2.6
- Up to 2 Mbps
- H.239 People+Content™ & People+Content™ IP
- Support for Polycom Conferencing for MS Outlook
- · AES, HTTPS, TLS
- Single 42-inch View Media Center
- · Single 42-inch on HDX pedestal or wall mount
- Single 50-inch display on HDX pedestal
- Single 50-inch display on HDX wall mount

#### Series Advanced solution bringing





- · AES, HTTPS, TLS
- 4-Way HD embedded multipoint
- H.320 BRI, PRI or serial modules available
- · Analog port for audio-only participants
- Serial port API support

#### Personal Telepresence

Polycom® HDX® 4000 Series High definition video solution for executives to regularly communicate over video from their offices and require the best high definition experiences, with the option to easily share content with others.

- Dual Stack H.323/SIP & H.320 standards support
- HD 720p 30 fps
- Up to 6 Mbps
- 20.1-inch widescreen display with keypad
- H.239 People+Content™ & People+Content™ IP
- · People On Content chroma key technology
- Support for Polycom Conferencing for MS Outlook AES, HTTPS, TLS
- 4-Way SD embedded multipoint
- · H.320 BRI, PRI or serial modules available
- Analog port for audio-only participants


## Series

seeking to quickly and easily enhance


- AES, HTTPS, TLS

#### Personal Telepresence Polycom® VVX® 1500

Unifies voice, video and applications capabilities in a simple-to-use business media phone. Unique touch screen interface makes video calls as



- · Six-line, feature-rich Polycom IP phone with a
- certified call control system Up to CIF (768k), H.264 video with HD Voice™
- · Record audio calls locally via USB port
- · Highly customizable application platform
- · Polycom's Open API for third party applications
- AES, HTTPS, TLS
- · Adjustable camera, base, and display
- Polycom Productivity Suite bundle included
- · Integrated gigabit switch with PoE



#### Management Application

#### Polycom<sup>®</sup> Converged Management Application<sup>™</sup> (CMA<sup>™</sup>) 5000 & CMA<sup>™</sup> 4000

Highly scalable and fully redundant application that manages and deploys highly scalable video throughout the enterprise. Allows organizations to fully video-enable personal workspaces, desktops, confernence rooms, mobile devices and more.

#### Management

- · Profile provisioning
- · Account management
- C. fl
- Software upgrades
- Centralized diagnostics
- · Real-time conference monitoring
- RMX Portal

#### Gatekeeper

- Policy and BW management
- Participant admission
- · Least cost routing
- Up to 5000 registered users
- Standards-based presence
- One-dial easy call solution

#### Directory

- LDAP/H.350 service
- Microsoft AD support Global address book (GAB)

#### Scheduling

- Multiple scheduling options
- Web, Outlook & Lotus Notes

### Polycom<sup>®</sup> Converged Management Application<sup>™</sup> (CMA<sup>™</sup>) Desktop

Video conferencing application for knowledge workers enabling high-quality video and voice communication and standards-based content sharing.

CMA Desktop application is supported on PC's and MAC's



#### Advance Conferencing Platforms

#### Polycom® RMX® 4000

The ultimate collaboration solution featuring highly scalable design with redundancy built-in, ideal for large enterprise and service provider environments.

Resolution	Resources
Voice	1600
CIF/HD video switching	320
SD/4CIF	120
HD 720p 30fps	80
HD 720p 60fps	40
HD 1080p 30fps	40

- · Standards-based multipoint conferencing
- Resolutions up to 1080p
- H.323, SIP, PSTN and ISDN on a single chassis
- Integrated dial-through gateway capabilities
- Variety of immersive Telepresence layouts
- On demand or scheduled calls
- Support of Polycom Conferencing for MS Outlook
- Video Clarity<sup>™</sup> up-scales non-HD video streams
- Lost Packet Recovery<sup>™</sup> protects conference quality
- H.239 cascade links between Polycom MCUs
- Modular with hot-swappable parts
- Flexible and fixed resource capacity options
- Redundant AC/DC power supplies
- Integration with Polycom DMA 7000
- Linux OS

#### Polycom® RMX® 2000

Standards-based collaboration solution, ideal for medium-to-large organizations.



- · Standards-based multipoint conferencing
- H.323, SIP, PSTN and ISDN on a single chassis
- · Integrated dial-through gateway capabilities
- Variety of immersive Telepresence layouts
- On demand or scheduled calls
- Support for Polycom Conferencing for MS Outlook
- Video Clarity<sup>™</sup> up-scales non-HD video streams
- Lost Packet Recovery<sup>™</sup> protects conference quality
- H.239 cascade links between Polycom MCUs
- Modular with hot-swappable parts
- Flexible and fixed resource capacity options
- Integration with Polycom DMA 7000
- Linux OS

#### Polycom® RMX® 1000

Easy to set up, easy to use and a powerful tool for collaboration for small to mid-size organizations.



Resolution	Resources
Voice	20
CIF/HD video switching	20
HD/SD/4CIF	10

- · Standards-based multipoint conferencing
- IP-only System
- Video Clarity<sup>™</sup> up-scaling non HD video streams
- Lost Packet Recovery<sup>™</sup> QoS technology
- Cost-effective multipoint solution
- On demand or scheduled calls
- H.239 cascade links between Polycom MCUs
- Linux OS

#### Distributed Media Application

# Polycom® Distributed Media Application™ (DMA™) 7000




Fully redundant and resilient platform that utilizes advanced routing policies to distribute audio and video calls to multiple media servers. Optimizes conference experiences and uptime by automatically circumventing bridge issues, network outages, and downtime during upgrades and maintenance. Routing happens in real time, not beforehand

- Redundancy with no Single Points of Failure
- Centralized Administration and Provisioning
- Manages port allocation across multiple MCU's
- Support for Polycom Conferencing for MS Outlook
- Less impact in fault scenarios
- Uneven usage less likely
- Load Balancing to Maximize Utilization
- Intelligent Routing = Better Resource Utilization
- · Routing happens in real-time, not beforehand
- Up to 10 MCU's & 1200 Concurrent calls
  Linux OS

#### Security and Remote Access

Polycom<sup>®</sup> Video Border Proxy™ (VBP™) E Series



- VBP E Application Layer Gateway
- No external registration required
- 1Mbps, 3Mbps, 10Mbps, 25Mbps or 85Mbps
- H.323 application-aware firewall
- NAT/PAT server hides enterprise LAN topology
- Media routing via the shortest possible path
- Traffic management capabilities
- AES, HTTPS and SSH
- Embedded gatekeeper support
- External LAN/WAN gatekeeper support
- Linux OS



Enables remote users the same services and experience as the internal users. Bandwidths throughput from 10 Mbps to 85 Mbps. VBP ST series are ideal for centralized dial plans.

- VBP ST Access Proxy
- Requires external registration
- 10Mbps, 25Mbps or 85Mbps
- ITU-T H.460 18/19 standard supportFirewall traversal for H.323 devices
- Call directory services from Polycom CMA server
- XMPP presence via Polycom CMA Server
- AES, HTTPS, TLS, SSH
- Protects devices from network-based attacks
- Access proxy for CMA Desktop (no VPN required)
- Linux OS

#### Recording And Streaming

#### Polycom® RSS™ 4000



Network-based appliance that records, archives, and streams Telepresence and video conferences to desktops, conference rooms, and more

- Stream to live audiences in up to HD 720p
- · Automatically archive in HD 1080p
- Record directly from H.323 endpoints and MCUs
- Record up to 15 simultaneous conferences
- · Full management and authentication with AD
- · Redundant RAID hard drives & Power supplies

#### Video Asset Management

Polycom<sup>®</sup> Video Media Center™ (VMC™) 1000



Content management system that streams Telepresence and video conferences, live broadcasts, training sessions and more to thousands of employees, customers and partners

- Upload content from multiple sources
- Organize, manage and track large libraries of video
- Video-on-demand media man-agement
- · Unicast and multicast support
- Management of multiple Polycom RSS servers
- · Create and scheduled live broadcasts

#### Video Distribution

Polycom® Video Edge™ (PVE™) 1000



Appliance for cost effective and reliable delivery of Live Streaming and Video on Demand. Provides an alternative/supplement to Multicast on corporate networks

- · Minimize network bandwidth consumption for streaming video
- Ensures reliability of live streams
- · Intelligently caches video to minimize network and playout responses

#### Recording Studio

#### Polycom® Recording Studio (PRS) 1000



In house capability to

mix/match a/v sources - produce their own videos - live and VOD. Permanent install in production room or move from one event to another

- · Mini Production Studio in a box
- Easy capture & streaming of video / audio sources, mixing pallet
- · Captures presenters PC (VGA in) as well as 5 other video feeds and 3 audio feeds

#### Digital Signage

Polycom<sup>®</sup> Digital Signage™ (PDS™) 2000



Video Enablement of key communication and messaging to target groups. Applicable to multiple industries / verticals and applications

- Broadcast quality media
- · Highly Scalable and Reliable Solution
- · Minimizes network impact
- · Easy to use system ease content changes, customer templates and style sheets

#### Standard Definition Conferencing

Polycom<sup>®</sup> Quality Definition Experience™ (QDX™) 6000



Delivering life-like meeting experiences and powerful content sharing capabilities, the QDX provides an optimal price-toperformance ratio for non-HD video applications.

- · Simplified installation and ease of use
- Natural life-like communication at low BW
- Superb audio clarity
- People+Content Support
- · Quality, performance, simplicity and affordability

#### **Industry Solutions**

#### Polycom<sup>®</sup> Instructor<sup>™</sup> FS

Combines video conferencing and interactive white boarding into a single cost-effective, powerful package

- HD 1080p 30 fps or 720p 30/60 fps
- 50-inch flat-panel plasma display
- Powered by HDX and Smart Technologies
- Small size and weight makes it easy to move
- Simple touch-screen controls

#### **Industry Solutions**

#### Polycom® Practitioner Cart®

A mobile solution that brings high definition video, audio and image sharing to medical professionals and patients located anywhere

- HD 1080p 30 fps or 720p 30/60 fps
- 26-inch LCD with integrated speakers
- · Highly mobile, small footprint
- AES encryption for HIPAA Com¬pliancy
- · Height is adjustable to maintain eye contact

#### **Industry Solutions**

#### Polycom Judicial Wall Unit

Video system that support one-to-one and one-to-many communication in courtrooms,

offices, conference rooms, prisons, visitation centers and other meeting areas

- 24"W x 24"H x 10"D (61cm x 61cm x 25cm)
- 17-inch display in a fully lockable cart
- 80-lb. (36 kg), 14-gauge steel cabinet
- 3/8" unbreakable transparent Lexan<sup>®</sup> window

#### Microsoft Solution

#### Polycom CX5000

collaboration for Microsoft UC environments



- automatically focuses on the person currently talking
- 360° panoramic view of entire meeting room
- Easy to setup and use as simple as a webcam • Use as analog speakerphone for voice-only calls
- Work with Microsoft OCS 2007 and Live Meeting 2007

#### Microsoft Solution

Polycom CX100, 200, 300, 500, 600, 700 & 3000



The Polycom CX product family is optimized with MS Communications Server to deliver a rich, seamless unified communications experience.

- Optimized for MS Office Communicator 2007/2007 R2 and MS Communicator "14"
- · Broad portfolio including plug and play USB devices as well as standalone IP phones
- Rich UC with advanced presence-enabled telephony
- · HD audio for best possible voice and video calls
- · Easy to deploy, use and manage.

### Cisco Certified Solutions

#### Polycom HDX Series, VVX 1500 C & 1500 D





standards-based communication solutions and open interoperability, providing customers with the broadest support for leading UC environments.

- · Integrates seamlessly into a Cisco UC environment
- Connects to CUCM via SIP
- Dual-stack SIP/H.323 connection on VVX 1500 D
- · As easy as making a telephone call

#### Installed Audio Solutions

#### Polycom<sup>®</sup> SoundStructure<sup>®</sup>

System that delivers clear and immersive audio for more productive voice and video conferences

- Deep robust integration with HDX systems
- · Breakthrough Feedback Elimination
- Modular PSTN telephony Cards
- Stereo Echo Cancellation from 20Hz 22 kHz
- AEC with no Compromises
- Supports the HDX remote control

#### Integrated Video and Voice Solutions

#### Polycom® SoundStation® IP 7000

Table top solution that integrates with Polycom HDX Room

Telepresence solutions for high quality conferencing

- Connects directly to any HDX
- · Replaces HDX Microphone Arrays
- Dial Audio or Video Calls from IP 7000 phone
- · Start content sharing right from the phone
- 20-foot Microphone Pickup Range
- Use HDX table Mic arrays as extension Mics

#### Accessories

#### Polycom Ceiling Microphone Array

Conferencing accessory that delivers high quality audio across a 360-degree area, giving focus to the active speaker without physical intervention

- Connects Directly to any HDX
- 360-degree Voice Pickup
- Three Microphone Elements
- Easy and Flexible Installation
- Unobtrusive Design
- · Available in black or white

#### **Business Communications**

#### Polycom® SoundStation® & VoiceStation®





Polycom conference phones are the industry standard for clear, productive conference calls, and are a fixture in meeting rooms worldwide.

- Expansive 360-degree microphone coverage
- · Latest models feature HD Voice technology
- · Models designed for large rooms, standard conference rooms and private offices
- Analog, VoIP and Digital PBX versions available

#### Mobile Communications

#### Polycom® SpectraLink® and KIRK® Handsets







Polycom offers the industry's most versatile Wireless telephony solutions for the workplace that deliver the power of a desk phone on a mobile device. Polycom Wireless Telephones provide a wide range of IP, digital and analog interfaces ensuring connectivity to the majority of PBX systems for businesses worldwide. Simple to learn and use

- Broadest PBX and WLAN interoperability
- Guaranteed voice quality
- Industry's most durable handsets
- Extensive application and strategic partnerships
- · Best in class service and support

#### **Business Communications**

#### Polycom® SoundPoint® Family







Polycom's family of SoundPoint IP phones leverage the capabilities of SIP-based VoIP networks to deliver breakthrough voice quality and advanced features that make calls more efficient and productive.

- · High-performance IP phone featuring Polycom HD Voice<sup>™</sup> Technology
- · Cutting-edge SIP features and applications
- · Interoperability with leading SIP based IP PBX and Softswitch platforms

#### **Upcoming Accessory**

#### Polycom® Touch Control™

- 7 inch Capacitive Screen
- · Navigation by slide, tabs or arrows Quick-Access Control
- USB type A & B support
- Power over Ethernet (PoE)

#### Planned for availability in Q4 2010

- 7-inch, high-resolution screen is controlled by user touch
- Supported by all Polycom HDX<sup>™</sup> room Telepresence systems
- · Intuitive graphic interface eliminates remote control confusion
- Customizable front screen offers consistent experience for all users

Premier

Adjust near/far-side cameras; adjust volume, mute, and more.





### Polycom Global Support Services

	Elite*	Plus	Premier
Elite Service, Manager	•		
Elite Service, Engineer	•		
Account-Specific Tech Support Access 24x7	•		
Regular Business Review Meetings	•		
Version Control	•		
On-Site Support	Optional	•	
Unlimited Technical Phone Support	•	•	•
Software Updates and Upgrades	•	•	•
Advanced Parts Replacement	•	•	•
Escalation Support	•	•	
e-Support			

\*Elite Service is sold as an upgrade to either Premier or Premier Plus

#### Services for Telepresence and Video Solutions

#### **Immersive Telepresence Solutions Services**

- Implementation Service provides a comprehensive preinstallation planning process, network assessments and on-site installation configuration.
- Maintenance Service for exceptional levels of support to optimize the Immersive Telepresence experience. Elite Service augments standard Maintenance deliverables with accountspecific resources.
- Immersive Telepresence Conference and Operations Management Services.

#### **Additional Services for Polycom Solutions**

- Professional Services Unified Communications Services, Network Consulting, Go Green, Performance Benchmarking and Best Practices, Project Management, and Wireless Application Integration
- Infrastructure Implementation Services
- Training User, Administrator and Support Staff audiences
- Partner Certification Programs



© 2010 Polycom, Inc. All rights reserved. POLYCOM®, the Polycom "Triangles" logo and the names and marks associated with Polycom's products are trademarks and/or service marks of Polycom, Inc. and are registered and/or common law marks in the United States and various other countries. All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of Polycom. 1512 0610