


Yealink IP series offers a comprehensive line of affordable IP phones at various price points meeting the need of enterprise, SMB and home application. Based on innovative and proprietary technology, superb video & audio quality, abundant telephone features and the ability to work with other popular VoIP products will absolutely improve users' experience on IP communication.





VP-2009

IP Video Phone

- TI DaVinci chipset, 300K CMOS Sensor Camera
- 7-inch 800x480 digital LCD, Touch screen
- H.264 and H.263 Video Codec, A/V out
- Headset, PoE, 2x LAN, 1x USB port, 1x SD slot
- Voice Codecs: G.722, G.711, G.729AB, G.726, G.723.1
- Full-duplex speakerphone with enhanced AEC
- Icon driven GUI and Color Ring/Image support
- Online Advertisement when idle/ring back/talking status
- SIPs/HTTPS/TLS/SRTP, VLAN, QoS/ToS/DSCP
- TR069, FTP/TFTP/HTTP, PnP Auto-provision



SIP-T28P

Executive IP Phone

- TI TITAN chipset and TI voice engine
- 320x160 graphic LCD with 4-level grayscales
- 6 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 48 keys including 16 programmable keys
- BLA/BLF, SMS, Voicemail, Intercom/Paging
- Hot-desking, Localized language
- XML screen/browser, XML phonebook
- FTP/TFTP/HTTP/PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Expansion module



SIP-T26P

Advanced IP Phone

- TI TITAN chipset and TI voice engine
- 132x64 graphic LCD with backlight
- 3 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 45 keys including 13 programmable keys
- BLA/BLF, SMS, Voicemail, Intercom/Paging
- Hot-desking, Localized language
- XML screen/browser, XML phonebook
- FTP/TFTP/HTTP/PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Expansion module



SIP-T22P

Professional IP Phone

- TI TITAN chipset and TI voice engine
- 132x64 graphic LCD with backlight
- 3 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 32 keys including 4 soft keys
- BLF, SMS, Voicemail, Intercom/Paging
- Hot-desking, Localized language
- XML screen/browser, XML phonebook
- FTP/TFTP/HTTP/PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Wall-mounted



SIP-T20P

Entry Level IP Phone

- TI TITAN chipset and TI voice engine
- 3-line LCD(2 x 15 characters and an icon line)
- 2 VoIP accounts, Broadsoft validated
- HD Voice: HD Codec, HD Handset, HD Speaker
- 31 keys including 9 function keys
- Voicemail, Call pickup, Intercom/Paging
- Call completion, Call recording
- Localized language, Phonebook
- FTP/TFTP/HTTP, PnP Auto-provision
- SRTP/HTTPS/TLS, VLAN/QoS, VPN
- PoE, Headset, 2xRJ45, Wall-mounted



SIP-T18P

Simply IP Phone

- TI TITAN chipset and TI voice engine
- 20 keys including 2 programmable keys
- Voicemail, Call transfer, 3-way conferencing
- Integrated voice response (IVR) system
- Voice codec: G.722, G.711μ/A, G.726, G.729AB, G.723.1
- Auto provision via TFTP/FTP/HTTP/PnP
- Volume control, Ringtone selection, Distinctive ringtone
- 1xRJ45, 1x dual-color LED, Phone label
- Power over Ethernet (PoE): IEEE 802.3af class 1
- Desktop with footstand (detachable), Wall-mountable



EXP38

Expansion Module

- 38 programmable keys each with a dual-color LED
- Daisy-chain 6 modules for 228 programmable keys
- Dual color (red or green) LEDs for line status information
- Supports Busy Lamp Field(BLF), Bridge Line Appearance(BLA)
- Programmable for speed dialing, call pickup, Intercom, hold, transfer, voicemail, forward, DND...
- Applies to Yealink IP Phone SIP-T28P and SIP-T26P
- Expansion module(<2) is powered by the host phone



YHS32

Yealink Headset

- Ultra noise cancelling microphone, superb sound quality
- Quick disconnection cord , 1x RJ9 headset jack
- Ultra light weight 50g, comfortable wearing for all day use
- 330° rotatable microphone boom
- Strong design, the life of boom rolling even to 30,000 times
- Over-the-head style, can be used with right or left ear
- Pliable steel headband, large size ear pad and padded T-bar
- ActiveProtection™ safeguards the user from acoustic burst
- Accessories: leatherette ear cushion, foam ear cushion, adjustable clothing clip, headset hanger

Table of Yealink Enterprise HD IP Phones

Description	SIP-T28P	SIP-T26P	SIP-T22P	SIP-T20P	SIP-T18P
Chipset	TI TITAN	TI TITAN	TI TITAN	TI TITAN	TI TITAN
LCD	320x160 graphic	132x64 graphic	132x64 graphic	2x15 characters	—
Programmable Keys	16	13	3	2	2
User Accounts	6	3	3	2	1
HD Voice	HD Codec HD Handset HD Speaker	HD Codec HD Handset HD Speaker	HD Codec HD Handset HD Speaker	HD Codec HD Handset HD Speaker	HD Codec — —
Wideband Codec	G.722	G.722	G.722	G.722	G.722
Narrowband Codec	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB	G.711, G.723.1, G.726, G.729AB
Speakerphone	Full-duplex	Full-duplex	Full-duplex	Full-duplex	—
Broadsoft Validated	✓	✓	✓	✓	✓
3-way conferencing	✓	✓	✓	✓	✓
BLF/BLA	✓	✓	BLF	—	—
Intercom/Paging	✓	✓	✓	✓	—
Call Completion	✓	✓	✓	✓	—
Call Recording	✓	✓	✓	✓	—
XML Screen/Browser	✓	✓	✓	—	—
XML Phonebook	✓	✓	✓	—	—
Hot-desking	✓	✓	✓	—	—
OpenVPN	✓	✓	—	—	—
SRTP/TLS/HTTPS	✓	✓	✓	✓	—
802.1x	✓	✓	✓	✓	—
Auto Provision	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/HT TPS/PnP	TFTP/FTP/HTTP/PnP
Expansion Module	✓	✓	—	—	—
Wall Mounted	—	—	✓	✓	✓
PoE/Headset	✓	✓	✓	✓	PoE

How to configure Yealink phones with IP-PBX

[Http://www.yealink.com/en/solution/IPphone.asp](http://www.yealink.com/en/solution/IPphone.asp)

