

Grandstream GXV3480 16-Line IP Video Phone



Product Name: Grandstream GXV3480 16-Line IP Video Phone Manufacturer: Grandstream Model Number: GXV3480

Grandstream GXV3480 16-Line IP Video Phone

The GXV3480 is a powerful High-End Smart Video Phone for Android that combines a 16 line IP phone with a multi-platform video collaboration solution and the functionality of an Android tablet to offer an all-in-one communication solution. It is the ideal desktop device for busy professionals and executives and also offers a powerful yet cost-effective device for any conference room. Grandstream GXV3480 16-Line IP Video Phone Key Features:

- ï¿1/2 16 lines with up to 16 SIP accounts
- ï¿1/2 Built-in 2 megapixel camera for video calling with privacy shutter
- ï¿1/2 Runs on the Android 11 operating system
- ïزئ Built-in Bluetooth 5.0 for syncing with mobile devices and connecting Bluetooth headsets
- ï¿1/2 Dual-switched auto-sensing 10/100/1000Mbps network ports
- ï¿¹/₂ Integrated dual-band Wi-Fi 6 (2.4GHz & amp; 5GHz)
- i¿1/2 Built-in PoE/PoE+ for power and network connections

ï¿¹/₂ Dual-mic HD speakerphone with noise shield 2.0, advanced echo cancellation & amp; excellent double-talk performance

i¿1/2 Quad-core 2.0GHz ARMCortex-A55 processor with 4GB RAM and 16GB eMMC Flash

ï¿1/2 8' ' (1280x800) capacitive 10-point touch screen IPS LCD

i¿1/2 12-way HD audio conferencing & amp; 3-way 1080p 30fps HD video capability

The GXV3480 phone features an 8" 1280x800 capacitive touch screen IPS LCD, 2 Megapixel camera, dual microphone, dual Gigabit ports with PoE/PoE+, HD audio and HD video, integrated Wi-Fi 6 (802.11 a/b/g/n/ac/ax) & amp; Bluetooth 5.0, rich peripheral interfaces.

Grandstream GXV3480 16-Line IP Video Phone Technical Specifications Network Interfaces

ï¿1/2 Dual Switched 10/ 100/ 1000 Mbps Ports with Integrated PoE/PoE+

Graphic Display

ïزز 8.0 inch 1280 × 800 Capacitive Touch Screen IPS LCD

Camera

ïزئ Tiltable 2 Mega Pixel CMOS Camera with Privacy Shutter.

Bluetooth

ï¿1/2 Integrated Bluetooth 5.0

Wi-Fi

ïزئ Dual Band (2.4GHz and 5GHz) with 802.11 a/b/g/n/ac/ax, 2T2R, Wi-Fi Display & amp; AirPlay

Auxiliary Ports

ï¿¹/₂ RJ9 Headset Jack (Allowing EHS with Plantronics / Poly Headsets), 3.5mm Headset Jack, USB 3.0 port, Type-C, HDMI-out, HDMI-in



Grandstream GXV3480 16-Line IP Video Phone

>Feature Keys

 $\ddot{\imath}_{\dot{\imath}}$ 2 Function Touch Keys VOLUME+/-, 3 Dedicated Android Touch Keys HOME, MENU and BACK

Voice Codecs and Capabilities

� Wideband Opus, Wideband G.722, G.711μ/a, G.729A/B, G.726-32, iLBC, in-band and out-of-band DTMF (In audio, RFC2833, SIP INFO), VAD, CNG, AEC, PLC, AJB, AGC, ANS, Noise Shield 2.0

Telephony Features

� Hold, Transfer, Forward (Unconditional/No Answer / Busy), Call Park / Pickup, 12 Way Audio Conference (Including theHost), Shared Call Appearance (SCA) / Bridged Line Appearance (BLA), Nirtual MPK, Downloadable Contacts (XML, LDAP, Up to 2000 Items), Call Record (Local and Server), Call Log (Up to 2000 Records), Call Waiting, Auto Answer, XML Customisation of Screen, Flexible Dial Plan, Personalised Music Ringtones and Music on Hold, Server Redundancy & amp; Fail Over

Sample Applications

� Local Apps - Contacts, Call History, File Manager, Programmable Key, Settings, Browser, Clock, Voicemail, Calculator, Recorder, GS Market, etc

Android

ï¿1/2 Runs on Android 11 Operating System ï¿1/2 HD Audio

Base Stand

ï¿1/2 Integrated Stand with Multiple Adjustable Angles

Security

� User and Administrator Level Passwords, Random Default Admin Password, MD5 and MD5-sess based Authentication, 256-bit AES Encrypted Configuration File, TLS, SRTP, HTTPS, 802.1x Media Access Control, Kensington Security Slot (Kensington Lock) Support, Anti-hacking Secure Boot

Multi-Language

� English, German, Italian, French, Spanish, Portuguese, Russian, Croatian, Chinese, Korean, Japanese, and moreUpgrade / ProvisioningFirmware Upgrade via TFTP / HTTP / HTTPS or local HTTP Upload, Mass Provisioning using TR-069 or AES Encrypted XML Configuration File, GDMS

Power & amp; Green Energy Efficiency

i¿½ Universal Power Adapter Included - Input: 100-240VAC 50-60Hz; Output 12VDC 1.5A (18W) Integrated PoE* 802.3af Class 3, PoE+ 802.3at, Class 4 *Must use PSU or PoE+ to Power up the Phone when using USB Devices*

Package Contents



Grandstream GXV3480 16-Line IP Video Phone

 $\ddot{\imath}_{\dot{\ell}} ^{1\!\!2}$ Grandstream GXV3480 IP Video Phone with Integrated Base Stand

ï¿1⁄₂ Handset with Curly Cord

ï¿1/2 Universal Power Supply

ï¿1/2 Screen Cleaning Cloth

Price: \$568.19