

# Grandstream GWN7702 Unmanaged Network Switch

\*\*\*\*\*\*\*

Product Name: Grandstream GWN7702 Unmanaged Network Switch

Manufacturer: Grandstream Model Number: GWN7702

#### Grandstream GWN7702 Unmanaged Network Switch

The Grandstream GWN7700 series introduces unmanaged network switches, providing a cost-effective method to add high-speed Gigabit connectivity to home offices and small/medium businesses. These switches require no configuration, offering a desktop or rack-mountable design with auto MDI/MDIX to eliminate crossover cable needs. Each port supports auto-negotiation, allowing compatibility with 10/100/1000Mbps devices.

Grandstream GWN7702 Key Features:

ï¿1/2 16× gigabit ports.

ï¿1/2 Green tech reduces power use.

า๊¿½ LED Indicators for Link, Activity, Speed, and Power.

� Auto MDI/MDIX for all ports.

Title Storm Control (fixed to 100Mbps) for traffic monitoring.

آذِ QoS: Supports Default Strict Priority (when present).

In summary, the GWN7700 series of unmanaged network switches efficiently enhances connectivity. Its features like auto MDI/MDIX, and auto-negotiation cater to diverse networking needs, making it an ideal choice for various setups.

Grandstream GWN7702 Technical Specifications

General

ï¿1/2 16× 2.5 gigabit ports

� Enclosure: metal

� Mount: Deskop/Rack mount

### Standards and Protocols

ï¿⅓ IEEE 802.3i

ï¿1/2 IEEE 802.3u

ï¿⅓ IEEE 802.3ab

ï¿⅓ IEEE 802.3x

ï¿⅓ IEEE 802.1p

ï¿⅓ IEEE 802.3af

ï¿⅓ IEEE 802.3at

### Port Features

ï¿1/2 16/24× 10/100/1000Mbps RJ45 Ports

� AUTO Negotiation � AUTO MDI/MDIX

Network Media

าั¿½ 1000Base-T/100Base-TX/10Base-T, Half/Full-Duplex

**LED Indicators** 

� Per port: Link/Activity Green � Per device: Power Green



# Grandstream GWN7702 Unmanaged Network Switch

Mac Address Table

ï¿1/2 8K entries

**Switching Capacity** 

ï¿⅓ 32Gbps

Jumbo Frame

10KB ½ ئi

Advanced Features

ï¿1/2 Mac Address Auto-Learning And Auto-Aging

ï¿⅓ IEEE 802.3x Flow Control

ï¿1/2 Half duplex backpressure

Power Adapter

ï¿1/2 Internal 100-240V AC

ï¿1/2 50/60Hz,18W

Max Power Consumption by Base System

ï¿1/2 8W@220V/50Hz

Environmental

i<br/>¿½ Operating Temperature: 0 to 40 &deg;C (32 to 104 &deg;F)

ī¿½ Storage Temperature: -20 to 60 °C (-4 to 140 °F)

าั¿1/2 Operating Humidity: 10% to 90% Non-condensing

า๊¿½ Storage Humidity: 10% to 90% Non-condensing

Dimensions (L x W x H)

ī¿½ Unit: 280 x 180 x 44mm ī¿½ Package: 366 x 211 x 53mm

Weight

ï¿⅓ Unit: 1.23KG

ï¿1/2 Entire Package: 1.83KG

Package

� 1x Switch

� 1x 1.2m AC Cable

� 1x Quick Installation Guide (QIG)

� Rack-mounting Standard Brackets

4x Rubber Feet

Compliance

۲¿⅓ FCC الخ



# Grandstream GWN7702 Unmanaged Network Switch

� CE � RCM � IC � UKCA

Price: \$63.86