

Grandstream GWN7702 Unmanaged Network Switch



Product Name: Grandstream GWN7702 Unmanaged Network Switch

Manufacturer: Grandstream

Model Number: GWN7702

Grandstream GWN7702 Unmanaged Network Switch

The Grandstream GWN7700 series introduces unmanaged network switches, providing a cost-effective method to add high-speed Gigabit connectivity to home offices and small/medium businesses. These switches require no configuration, offering a desktop or rack-mountable design with auto MDI/MDIX to eliminate crossover cable needs. Each port supports auto-negotiation, allowing compatibility with 10/100/1000Mbps devices.

Grandstream GWN7702 Key Features:

- 16x gigabit ports.
- Green tech reduces power use.
- LED Indicators for Link, Activity, Speed, and Power.
- Auto MDI/MDIX for all ports.
- Storm Control (fixed to 100Mbps) for traffic monitoring.
- QoS: Supports Default Strict Priority (when present).

In summary, the GWN7700 series of unmanaged network switches efficiently enhances connectivity. Its features like auto MDI/MDIX, and auto-negotiation cater to diverse networking needs, making it an ideal choice for various setups.

Grandstream GWN7702 Technical Specifications

General

- 16x 2.5 gigabit ports
- Enclosure: metal
- Mount: Desktop/Rack mount

Standards and Protocols

- IEEE 802.3i
- IEEE 802.3u
- IEEE 802.3ab
- IEEE 802.3x
- IEEE 802.1p
- IEEE 802.3af
- IEEE 802.3at

Port Features

- 16/24x 10/100/1000Mbps RJ45 Ports
- AUTO Negotiation
- AUTO MDI/MDIX

Network Media

- 1000Base-T/100Base-TX/10Base-T, Half/Full-Duplex

LED Indicators

- Per port: Link/Activity Green
- Per device: Power Green

Grandstream GWN7702 Unmanaged Network Switch

Mac Address Table

1/2 8K entries

Switching Capacity

1/2 32Gbps

Jumbo Frame

1/2 10KB

Advanced Features

1/2 Mac Address Auto-Learning And Auto-Aging

1/2 IEEE 802.3x Flow Control

1/2 Half duplex backpressure

Power Adapter

1/2 Internal 100-240V AC

1/2 50/60Hz, 18W

Max Power Consumption by Base System

1/2 8W@220V/50Hz

Environmental

1/2 Operating Temperature: 0 to 40 °C (32 to 104 °F)

1/2 Storage Temperature: -20 to 60 °C (-4 to 140 °F)

1/2 Operating Humidity: 10% to 90% Non-condensing

1/2 Storage Humidity: 10% to 90% Non-condensing

Dimensions (L x W x H)

1/2 Unit: 280 x 180 x 44mm

1/2 Package: 366 x 211 x 53mm

Weight

1/2 Unit: 1.23KG

1/2 Entire Package: 1.83KG

Package

1/2 1x Switch

1/2 1x 1.2m AC Cable

1/2 1x Quick Installation Guide (QIG)

1/2 Rack-mounting Standard Brackets

1/2 4x Rubber Feet

Compliance

1/2 FCC

Grandstream GWN7702 Unmanaged Network Switch

iç½ CE
iç½ RCM
iç½ IC
iç½ UKCA

Price: 56.34EUR
