

Grandstream GWN7706 Unmanaged Network Switch

.....

Product Name: Grandstream GWN7706 Unmanaged Network Switch

Manufacturer: Grandstream Model Number: GWN7706

Grandstream GWN7706 Unmanaged Network Switch

The Grandstream GWN7700 series introduces unmanaged network switches, providing a cost-effective method to add high-speed Gigabit connectivity to home offices and small/medium businesses. These switches require no configuration, offering a desktop or wall-mountable design with auto MDI/MDIX to eliminate crossover cable needs. Each port supports auto-negotiation, allowing compatibility with 10/100/1000Mbps devices.

Grandstream GWN7703 Key Features:

ï¿1/2 48× gigabit ports.

� Green tech reduces power use.

า๊¿½ LED Indicators for Link, Activity, Speed, and Power.

� Auto MDI/MDIX for all ports.

าั¿½ Storm Control (fixed to 100Mbps) for traffic monitoring.

า๊¿½ QoS: Supports Default Strict Priority (when present).

In summary, the GWN7700 series of unmanaged network switches efficiently enhances connectivity. Its features like auto MDI/MDIX, and auto-negotiation cater to diverse networking needs, making it an ideal choice for various setups.

Grandstream GWN7706 Technical Specifications

General

ï¿⅓ Gigabit Ports 48

تزريط Enclosure: Metal

ï¿1/2 Mounting: Desktop/ Rack-Mount

Standards and Protocols

ï¿⅓ IEEE 802.3i

ï¿1/2 IEEE 802.3u

ï¿⅓ IEEE 802.3ab

ï¿⅓ IEEE 802.3x

ï¿⅓ IEEE 802.1p

Port Features

ï¿1/2 48× 10/100/1000 Mbps RJ-45 Ports

آزٰ 2× SFP Fiber Ports

ï¿1/2 AUTO Negotiation, AUTO MDI/MDIX

Network Media

آزا 1000Base-X, 1000Base-T/100Base-TX/10Base-Te, Half/Full-Duplex

LED Indicators

� Per port: Link/Activity Green � Per device: Power Green

Mac Address Table



Grandstream GWN7706 Unmanaged Network Switch

16K %غï

Switching Capacity

� 100Gbps

Jumbo Frame

8X9 ⅓;ï

Advanced Features

� Mac Address Auto-Learning And Auto-Aging � IEEE 802.3x Flow Control � 802.1p/DSCP QoS

Power Adapter

ï¿1/2 Internal 100-240V AC,50/60Hz,40W

าั¿½ Max Power Consumption by Base System: 30W@220V/50Hz

Environmental

آذِيًّ Operating Temperature: 0 to 40 °C (32 to 104 °F)

� Storage Temperature: -20 to 60 °C (-4 to 140 °F)

� Operating Humidity: 10% to 90% Non-condensing � Storage Humidity: 10% to 90% Non-condensing

Dimensions

T¿½ Unit: 440 x 200 x 44mm T¿½ Package: 500*335*89mm

Weight

ï¿⅓ Unit: 2.80Kg

ï¿1/2 Entire Package: 3.60Kg

Package

ï¿⅓ 1x Switch

ï¿1/2 1x 1.2m AC Cable

� Rack-mounting Standard Brackets

ï¿⅓ 4x Rubber Feet

ï¿1/2 1x GND Cable

ï¿⅓ 1x QIG

Compliance

ï¿⅓ FCC

CE ½′¿ï

� RCM

IC ½'¿ï

� UKCA



Grandstream GWN7706 Unmanaged Network Switch

Price: £171.75