

Grandstream GWN7806P Layer 2+ Managed Network Switch



Product Name: Grandstream GWN7806P Layer 2+ Managed Network Switch

Manufacturer: Grandstream

Model Number: GWN7806P

Grandstream GWN7806P Managed Network Switch

The Grandstream GWN7806P is a layer 2+ stackable (pending) managed network switch tailored for small-to-medium enterprises. It enables the creation of scalable, secure, and high-performance business networks, featuring advanced VLAN for flexible traffic segmentation, advanced QoS for traffic prioritization, and IGMP/MLD Snooping for optimized network performance. It also offers robust security features against potential cyber threats.

Grandstream GWN7806P Key Features:

- Powerful processing capabilities
- Enterprise Grade Reliability
- Multi-Layer Security Protection
- Easy Management and Maintenance
- IPv4/IPv6 Dual Protocol Stack
- Power & Green Energy Efficiency
- Smart PoE Capabilities

The GWN7806P provides intelligent dynamic PoE output, powering various PoE endpoints like IP phones and cameras. Its deployment and management are user-friendly through the local Web interface, CLI, and integration with GWN.Cloud and GWN Manager. This makes it an efficient choice for businesses seeking comprehensive network administration.

In the realm of small-to-medium businesses, the GWN7806P is a cost-effective enterprise-grade managed switch, delivering enhanced performance, scalability, and management capabilities. It embodies Grandstream's commitment to providing value and serves as an ideal networking solution for businesses aiming for efficient operations.

Grandstream GWN7806P Technical Specifications

General

- Gigabit ports: 48
- SFP+ Ports: 6
- Console: 1
- PoE ports: 48
- Integrated Power Supply: 470W
- Maximum Output Power Per PoE Port: 30W
- Max Total PoE Output Power: 400W
- PoE Standards: IEEE 802.3af/at
- Auxiliary Port: 1x Reset Pinhole
- Forwarding Mode: Store-and-forward
- Total non-blocking throughput: 108Gbps
- Switching Capability: 216Gbps
- Forwarding Rate: 160.704Mpps
- Packet Buffer: 16Mb

Network Protocol

- IPv4
- IPv6
- IEEE 802.3
- IEEE 802.3i
- IEEE 802.3u
- IEEE 802.3ab

Grandstream GWN7806P Layer 2+ Managed Network Switch

- IEEE 802.3z
- IEEE 802.3ae
- IEEE 802.3az
- IEEE 802.3ad
- IEEE 802.3x
- IEEE 802.3af/at
- IEEE 802.1p
- IEEE 802.1Q
- IEEE 802.3AB
- IEEE 802.1p
- IEEE 802.1D
- IEEE 802.1s
- IEEE 802.1w
- IEEE 802.1x

Switching

- 32K static, dynamic and filtering MAC addresses
- 4K VLANs, port-based VLAN, IEEE 802.1Q VLAN tagging, voice VLAN
- VLAN virtual interface
- GVRP (pending)
- 27 link aggregation
- Spanning tree, 64 instances for STP/RSTP/MSTP

Routing

- Static routing

Multicast

- IGMP Snooping
- MLD Snooping
- MVR (pending)

QoS/ACL

- Port priority
- Priority mapping
- Queue scheduling, including SP, WRR, WFQ, SP-WRR and SP-WFQ
- Traffic shaping
- Rate limit
- 4K ACL for Ethernet, IPv4 and IPv6

DHCP

- DHCP server
- DHCP relay
- DHCP Option 82, 60, 160 and 43

Maintenance

- CPU and memory monitoring
- SNMP
- RMON
- LLDP & LLDP-MED

Grandstream GWN7806P Layer 2+ Managed Network Switch

- Backup and restore
- Syslog
- Diagnostics including Ping, Traceroute, port mirroring, UDLD(TBD) and copper test

Security

- User hierarchical management and password protection, HTTPS, SSH, Telnet
- 802.1X authentication
- AAA authentication including RADIUS, TACACS+
- Storm control
- Port isolation, port security, sticky MAC
- Filtering MAC address
- IP source guard, DoS attack prevention, ARP inspection
- DHCP Snooping
- Loop protection including BPDU protection, root protection(pending) and loopback protection(pending)
- Kensington Security Slot (Kensington Lock) support

Mounting

- Desktop
- Rack-Mount (rack-mounting kits included)

LEDs

- 1x tri-color LED for device tracking and status indication
- 54x green-color LEDs for data transferring
- 48x yellow-color LEDs for PoE powered (GWN7806P)

Fan

- 3

Environmental

- Operation: 0°C to 45°C, humidity: 10% to 90% RH (Non-condensing)
- Storage: -10°C to 60°C, humidity: 10% to 90% RH (Non-condensing)

Dimensions

- 440mm (L) x 301mm (W) x 44mm (H)

Unit Weight

- 5.1Kg

Package Content

- Switch
- 1x 1.2m (10A) AC Cable
- 1x 25cm Ground Cable
- 4x Rubber Footpads
- 2x Rack-Mounting Kits
- 8x Screws (PM 3*6)
- 1x Power Cord Anti-Trip

Grandstream GWN7806P Layer 2+ Managed Network Switch

1x Quick Installation Guide
1x Console Cable (Optional)

Compliance

1x FCC
1x CE
1x RCM
1x IC
1x UKCA

Price: \$565.80
