Yealink MVC940 Gen 3 Microsoft Teams Room System for X-Large Rooms

Product Name: Yealink MVC940 Gen 3 Microsoft Teams Room System for X-Large Rooms
Manufacturer: Yealink
Model Number: MVC940-C5-008

Yealink MVC940 Gen 3 Microsoft Teams Room System for X-Large Rooms
The Yealink MVC940 is specifically crafted for larger conference rooms and training spaces. This comprehensive set comprises the latest high-performance MINI-PC MCore Pro, the MTouch Plus touch panel, the intelligent 4K PTZ camera UVC84, and the AVHub designed for audio and video processing. The AVHub facilitates screen layout adjustments and implements Yealink's exclusive multi-camera solution, supporting up to 9 connected cameras simultaneously. It caters to the diverse audio and video conferencing requirements of large and extra-large meeting rooms, classrooms, and training environments, offering multi-speaker tracking with voice incentive mechanism functions.
Yealink MVC940 Key Features:

ï¿½ Multi-cam solution, Flexible layout
ï¿½ Big and flexible conference control experience
ï¿½ Flexible audio, Flexible connectivity
ï¿½ Convenient screen sharing

The MVC940 package is equipped with two UVC84 cameras, featuring 12x optical zoom and intelligent follow-up shooting capabilities. On the MTouch Plus control panel, Yealink RoomConnect enables independent camera control and layout switching. When paired with the MVC-BYOD-Extender, connecting the USB cable to the PC allows seamless utilisation of the entire system's audio and video equipment, transforming a Microsoft Teams meeting room into a versatile, multi-functional space. Additionally, multiple MVC940 series sets can be interconnected via a network cable, facilitating the flexible merging and division of conference room systems.
Yealink MVC940 Technical Specifications
Package Content

ï¿½ MCore Pro, Gen-3 Mini-PC
ï¿½ MTouch Plus, Gen-3 touch panel
ï¿½ AVHub, audio and video processor
ï¿½ 2 x UVC84 USB PTZ Camera
ï¿½ 2 x WPP30 wireless presentation pod
ï¿½ RoomSensor, meeting room sensor

Preload

ï¿½ Windows 10 IoT Enterprise X64 / Windows 11* IoT Enterprise X64
ï¿½ Windows 10 IoT Enterprise License
ï¿½ Microsoft Teams Rooms App, support Skype for Business on-premise/online and Teams meetings
ï¿½ Yealink RoomConnect

MCore Pro, Gen-3 Mini-PC

ï¿½ 11th Gen Intel® Core i5
ï¿½ Memory: 8 GB (2 x 4GB)
ï¿½ Storage: 128 GB SSD
ï¿½ 3x HDMI video output with CEC supported
ï¿½ TPM2.0

Yealink MVC940 Gen 3 Microsoft Teams Room System for X-Large Rooms

ï¿½ Kernel DMA
ï¿½ EDID
ï¿½ Wi-Fi: IEEE 802.11 a/b/g/n/ac/ax
ï¿½ Bluetooth: BT 5.2
ï¿½ 1 x Yealink MTouch port (RJ45), connect to MTouch Plus / MTouch E2
ï¿½ 4 x USB 3.0 Type-A
ï¿½ 1 x 10/100/1000M Ethernet port
ï¿½ 1 x Power port
ï¿½ 1 x Security lock slot, Integrated cable management

MTouch Plus

ï¿½ 11.6-inch narrow bezel IPS display
ï¿½ 1920 x 1080 video resolution
ï¿½ Angle between screen and desktop (30° ~ 70°)
ï¿½ Adjustable angle of support frame (50° ~ 180°)
ï¿½ Support wired and wireless (with WPP30) content sharing
ï¿½ Support multi-screen control*
ï¿½ Support third-party screen sharing*
ï¿½ Support wireless BYOD*
ï¿½ Support external PD power supply to power the sharing device
ï¿½ Support HDMI/USB-C video input
ï¿½ Support desktop placement, desktop fixed, wall-mounted deployment
ï¿½ *This feature will be supported in future versions

RoomSensor

ï¿½ Detection angle: 120°
ï¿½ Adjustable detection angle: ±20°
ï¿½ Operating temperature: 0-40℃
ï¿½ Operating humidity: 10-95%
ï¿½ Power: Battery powered, 4 year life

UVC84 USB PTZ camera

ï¿½ 4K Sensor
ï¿½ 12x optical zoom
ï¿½ Field of view (diagonal): 80°
ï¿½ Auto Framing
ï¿½ Camera presets
ï¿½ Pan range: 200°
ï¿½ Tilt range: 130°
ï¿½ 1 x Line-out (3.5mm)
ï¿½ 1 x Yealink Microphone port (RJ-45)
ï¿½ 1 x USB 2.0 Type-B
ï¿½ 1 x Power port
ï¿½ 1 x Security lock slot
ï¿½ 1 x Reset slot

AVHub, audio and video processor

ï¿½ 2 x USB-A port
ï¿½ 1 x USB-B port

Yealink MVC940 Gen 3 Microsoft Teams Room System for X-Large Rooms

ï¿½ 1 x Codec port
ï¿½ 7 x Yealink VCH port(RJ-45)
ï¿½ 1 x RCA in/out interface
ï¿½ 1 x 6.3mm Line in interface
ï¿½ 1 x 6.3mm Line out interface
ï¿½ 1 x power interface
ï¿½ Dividable and merging meeting rooms are supported
ï¿½ Support intelligent multi-speaker tracking

Package Features

ï¿½ N.W/CTN: 12.1 kg
ï¿½ G.W/CTN: 13.8 kg
ï¿½ Carton Meas: 935mm x 413mm x 312mm

Please Enquire