

Fanvil V63 Prime Business VoIP Phone



Product Name: Fanvil V63 Prime Business VoIP Phone

Manufacturer: Fanvil

Model Number: V63

Fanvil V63 Prime Business VoIP Phone

The Fanvil V63 VoIP Phone is tailored for businesses, ensuring seamless and smart communication. With its 2.8-inch colour screen and VoIP capabilities, among other advanced features, the V63 offers both elegance and robust performance.

Fanvil V63 Key Features:

- 2.8" colour screen
- Supports audio codec G.722 and Opus, HD audio on speakerphone and handset
- Supports 6-way audio conference
- Available to link with security products, can be easily customised into various security solutions for reducing investment
- Dual Gigabit ports, integrated PoE
- Two installation methods of desktop stand and wall mountable
- Up to 21 DSS keys, every DSS key can be set as Line/BLF/ Speed Dial Key

This phone boasts an array of features, including a local phonebook with up to 1000 entries, remote phonebook support via XML/LDAP, and call logs for up to 1000 entries. It also offers intelligent features like DSS keys for easy call management and various advanced call functions like call forwarding, call waiting, call transfer, and more.

With its advanced protocols and deployment options, including auto-provisioning and remote management, the Fanvil V63 is a powerful and versatile communication solution for businesses.

Fanvil V63 Technical Specification

Generic

- 6 SIP lines
- HD voice
- PoE enabled
- Intelligent DSS keys
- 2.8-inch (320x240) color screen
- Handset / hands-free / headset mode
- Desktop Stand / Wall-mounted (optional)
- Optional external power supply

Phone Features

- Local Phonebook (1000 entries)
- Remote Phonebook (XML/LDAP, 1000 entries)
- Call logs (In/out/missed, 1000 entries)
- Blocked List/Allowed List
- Screen saver
- Voice Message Waiting Indication (VMWI)
- Programmable DSS/Soft keys
- Network Time Synchronization
- Support Bluetooth headset (Via BT dongle BT20)
- Support Wi-Fi Dongle (Via WF20)
- Support Poly wireless headset (Through Poly APD-80 EHS Cable)
- Support Jabra wireless headset (Through Fanvil EHS20 EHS Cable)
- Support Recording (through server)
- Action URL / Active URI

Fanvil V63 Prime Business VoIP Phone

- 1/2 uaCSTA
- 1/2 Dial Plan
- 1/2 SIP Hotspot
- 1/2 Multicast
- 1/2 Action Plan
- 1/2 Group listening

Call Features

- 1/2 Call out / Answer / Reject
- 1/2 Mute / Unmute (Microphone)
- 1/2 Call Hold / Resume
- 1/2 Call Waiting
- 1/2 Intercom
- 1/2 Caller ID Display
- 1/2 Speed Dial
- 1/2 Anonymous Call (Hide Caller ID)
- 1/2 Call Forwarding (Always/Busy/No Answer)
- 1/2 Call Transfer (Attended/Unattended)
- 1/2 BLF
- 1/2 Call Parking/Pick-up (Depending on server)
- 1/2 Redial
- 1/2 Do-Not-Disturb
- 1/2 Auto-Answering
- 1/2 Voice Message (With server)
- 1/2 6-way Audio Conference
- 1/2 Hot Line
- 1/2 Hot Desking

Audio

- 1/2 HD Voice Microphone/Speaker (Handset/Hands-free, 0 ~ 7KHz Frequency Response)
- 1/2 HAC handset
- 1/2 Wideband ADC/DAC 16KHz Sampling
- 1/2 Narrowband Codec: G.711a/u, G.723.1, G.726, G.729A/B, iLBC
- 1/2 Wideband Codec: G.722, Opus
- 1/2 Full-duplex Acoustic Echo Canceller (AEC)
- 1/2 Voice Activity Detection (VAD) / Comfort Noise Generation (CNG) / Background Noise Estimation (BNE) / Noise Reduction (NR) / Automatic Gain Control (AGC)
- 1/2 Packet Loss Concealment (PLC)
- 1/2 Dynamic Adaptive Jitter Buffer
- 1/2 DTMF: In-band, Out-of-Band (RFC2833/ SIP INFO)
- 1/2 VQM voice quality monitoring

Network

- 1/2 Physical: 10/100/1000 Mbps Ethernet, dual bridged port for PCbypass
- 1/2 IP Mode: IPv4/IPv6/IPv4&IPv6
- 1/2 IP Configuration: Static IP / DHCP / PPPoE
- 1/2 Network Access Control: 802.1x
- 1/2 VPN: L2TP / OpenVPN
- 1/2 VLAN
- 1/2 LLDP
- 1/2 CDP
- 1/2 QoS

Fanvil V63 Prime Business VoIP Phone

• RTCP-XR (RFC3611), VQ-RTCPXR (RFC6035)
• WIFI:Wi-Fi Security Mode#65306;WPA /WPA2-PSK/802.X EAP

Protocols

• SIP2.0 over UDP/TCP/TLS
• RTP/RTCP/SRTP
• STUN
• DHCP
• CDP
• LLDP
• PPPoE
• 802.1x
• OpenVPN
• SNTP
• FTP/TFTP
• HTTP/HTTPS
• TR-069
• AES128 & AES256

Deployment & Management

• Auto-Provisioning via FTP/TFTP/HTTP/HTTPS/DHCP OPT66/SIPPNP/TR-069
• Web Management Portal
• Web-based Packet Dump
• Configuration Export / Import
• Phonebook Import/Export
• Firmware Upgrade
• Syslog

Physical Specifications

• LCD:2.8-inch (320x240) color screen
• Keypad: 39 keys, including- 7 DSS keys and 1 Page key (with LED indicator light)- 6 Function keys (Contact, Hold, MWI, Mute, Headset, Redial)- 4 Soft-keys- 4 Navigation keys- 1 OK key- 1 Return key- 12 Standard Phone Digits keys- 2 Volume Control keys, Up/Down- 1
• Hands-free key
• HD Handset (RJ9) x1
• Standard RJ9 Handset Wire x1
• 1.5M CAT5.E Ethernet Cable x1
• Desktop Stand x1
• Status Indicator Light x1 (Red)
• RJ9 Port x2: Handset x1, Headset x1
• RJ45 Port x2: Network x1, PC x1 (Bridged to Network)
• USB2.0 Port x1: Standard A, Connect with Flash Driver&USBheadset and USB dongle
• Security Slot x1
• Power: DC5V/2A or PoE
• Power Consumption (Adapter): 0.816~4.36W
• Power Consumption (PoE): 1.28~6.3W
• Working Temperature: 0~45℃
• Working Humidity: 10~95%
• Installation:- Desktop Stand- Wall-mounted (optional)
• Color: Gunmetal
• Device Dimensions:-Desktop Stand (45°): 203.85x170.76x166.7 mm-Desktop Stand (50°): 203.85x162.5x173.8 mm-Wall mountable: 203.85x91x212.5 mm

Fanvil V63 Prime Business VoIP Phone

Price: Â£70.70
