

Fanvil X305 Big Button Phone



Product Name: Fanvil X305 Big Button Phone

Manufacturer: Fanvil

Model Number: X305

Fanvil X305 Big button phone

The Fanvil X305 Big button phone is a specialised IP phone with large buttons, tailored for use in nursing homes, hospitals, and various other settings. Equipped with a 3.5-inch colour screen and prominently sized buttons, it supports 2 SIP lines and PoE power supply, ensuring a user-friendly experience.

Fanvil X305 Big button phone Key Features

- 3.5-inch (320x240) color screen
- 10-digit keys with Braille dots to meet special needs
- Support 433 MHz wireless buttons (Fanvil KT 1x/2x/3x Series)
- Four speed dial buttons, support image customization
- Support HD audio, with adjustable volume key
- Built-in Bluetooth 4.2 and 2.4GHz/5GHz Wi-Fi
- Hearing Aid compatible (HAC)
- Dual Gigabit ports, integrated PoE
- Desktop/wall-mounted installation

Additionally, the X305 is outfitted with built-in 2.4GHz & 5GHz Wi-Fi and is compatible with 433MHz wireless buttons, delivering an efficient and high-quality communication solution specifically designed for seniors.

Fanvil X305 Big button phone - Technical Specifications

Generic

- 2 SIP Lines
- HD Voice
- PoE Enabled
- 3.5-inch color screen
- DSS keys (support image customization)
- Handset / Hands-free / Headset mode
- Optional External Power Supply

Phone Functions

- Local Phonebook (1000 entries)
- Remote Phonebook (XML/LDAP, 1000 entries)
- Call logs (In/Out/Missed, 600 entries)
- Black/White List Call Filter
- Screen saver
- Voice Message Waiting Indication (VMWI)
- Programmable DSS/Soft keys
- Network Time Synchronization
- Support Bluetooth 4.2
- Built-in Wi-Fi

- 2.4G, 802.11 b/g/n
- 5G, 802.11 a/n

- Support Plantronics wireless headset (Through Plantronics APD-80 EHS Cable)
- Support Jabra wireless headset (Through Fanvil EHS20EHSCable)

Fanvil X305 Big Button Phone

- Support 433MHz wireless buttons (Fanvil KT 1x/2x/3x Series)
- Support Recording (Through Server & Flash Driver)
- Action URL / Active URI
- uaCSTA

Call Functions

- Call out / Answer / Reject
- Mute / Unmute (Microphone)
- Call Hold / Resume
- Call Waiting
- Intercom
- Caller ID Display
- Anonymous Call (Hide Caller ID)
- Call Forward (Always/Busy/No Answer)
- Call Transfer (Attended/Unattended)
- Call Parking/Pick-up (Depending on server)
- Redial
- Do-Not-Disturb
- Auto-Answering
- Voice Message (With server or flash driver)
- Hot Line
- Hot desking

Audio

- HD Voice Microphone/Speaker (Handset/Hands-free, 0 ~ 7KHz Frequency Response)
- HAC handset
- Wideband ADC/DAC 16KHz Sampling
- Narrowband Codec: G.711a/u, G.723.1, G.726, G.729A/B, iLBC
- Wideband Codec: G.722, Opus
- Full-duplex Acoustic Echo Canceller (AEC)
- Voice Activity Detection (VAD) / Comfort Noise Generation (CNG) / Background Noise Estimation (BNE) / Noise Reduction (NR) / Automatic Gain Control (AGC)
- Packet Loss Concealment (PLC)
- Dynamic Adaptive Jitter Buffer
- DTMF: In-band, Out-of-Band (RFC2833/ SIP INFO)
- VQM: voice quality monitoring
- Support sidetone

Network

- Physical: 10/100/1000Mbps Ethernet, dual bridged port for PC bypass
- IP Mode: IPv4/IPv6/IPv4&IPv6
- IP Configuration: Static IP / DHCP / PPPoE
- Network Access Control: 802.1x
- Wi-Fi Encryption: WPA/WPA2-PSK /802.X EAP
- VPN: L2TP / OpenVPN
- VLAN
- LLDP
- QoS
- RTCP-XR (RFC3611), VQ-RTCPXR (RFC6035)

Protocols

Fanvil X305 Big Button Phone

- SIP2.0 over UDP/TCP/TLS
- RTP/RTCP/SRTP
- STUN
- DHCP
- IPv6
- LLDP
- PPPoE
- 802.1x
- L2TP
- OpenVPN
- SNTP
- FTP/TFTP
- HTTP/HTTPS
- TR-069
- AES128 & AES256

Deployment & Management

- Auto-Provisioning via FTP/TFTP/HTTP/HTTPS/DHCP OPT66/SIP PNP/TR-069
- Web Management Portal
- Web-based Packet Dump
- Configuration Export / Import
- Phonebook Import/Export
- Firmware Upgrade
- Syslog

Physical Specifications

- LCD: 3.5-inch (320x240) Color Screen
- Up to 10 wireless emergency buttons supported
- 433 wireless emergency buttons specification:

- Communication mode: FSK
- Working frequency: 433MHz
- Communication protocol: Ebelong1.1

Keypad:

- 4 DSS keys
- 3 Soft-keys
- 3 Function keys (MWI, Redial, HELP)
- 10 Standard Phone Digit keys
- 2 Volume Control keys (Up/Down)
- 1 Hands-free key

- HD Handset (RJ9) x1
- Standard RJ9 Handset cord x1
- 1.5M CAT.5E Ethernet cable x1
- Back Rack x1
- Status Indicator Light x1 (Red)
- RJ9 Port x2: Handset x1, Headset x1
- RJ45 Port x2: Network x1, PC x1 (Bridged to Network)
- USB2.0 Port x1: Standard A, connect with flash driver & USB headset

Fanvil X305 Big Button Phone

- Security Slot x1
- DC Power Input: DC5V / 2A
- Power Consumption (PoE): 1.65W~9.07W
- Power Consumption (Adapter): 1.09W~6.76W
- Working Temperature: 0~45°C
- Working Humidity: 10~95%
- Installation:

- Desktop Stand
- Wall-mounted (optional)

- Color: White
- N.W/CTN: 12.1 kg
- G.W/CTN: 12.7 kg
- Device Dimensions:

- Desktop Stand (Angles 1: 45 degrees): 236x157.4x162.4mm
- Desktop Stand (Angles 2: 55 degrees): 236x142.3x179mm
- Wall-mounted: 236x98.9x204.2mm

- Gift Box Dimensions: 340x195x72mm
- Outer CTN Dimensions: 410x385x360mm (10 PCS)

Price: Â£91.40