

## Yealink AX83H Wi-Fi Handset (AX83H)



Product Name: Yealink AX83H Wi-Fi Handset (AX83H) Manufacturer: Yealink Model Number: AX83H

#### Yealink AX83H Wi-Fi Handset

Yealink AX83H is an enterprise portable Wi-Fi IP color screen phone that meets wireless communication needs. The AX83H supports registering up to four SIP accounts and features a 2.4-inch color display. It integrates Yealink's Optima HD Audio and Smart Noise cancellation technology to deliver exceptional audio quality and clear voice communication. It is equipped with a built-in Bluetooth 5.0 module and a dual-band 2.4G/5G Wi-Fi 6 module, combined with advanced seamless roaming technology, allowing you to stay ahead in the ever-evolving wireless era. In addition, AX83H is equipped with a 2000mAh battery, with a talk time of 9 hours and a standby time of 200 hours. It is widely used in wireless scenarios such as SMEs, offices, warehouses, supermarkets, and hotels.

Yealink AX83H Key Features

 $i_{1/2}$  2.4" 240x320 TFT color screen $i_{1/2}$  Up to 9-hour talk time (in ideal conditions) $i_{1/2}$  Up to 200-hour standby time (in ideal conditions) $i_{1/2}$  Up to 200-hour standby time (in ideal conditions) $i_{1/2}$  Dual Band 2.4G/5G Wi-Fi 802.11 a/b/g/n/ac/ax $i_{1/2}$  Support IEEE802.11k/v/r roaming $i_{1/2}$  Bluetooth 5.0 for headset $i_{1/2}$  HD audio and noise cancellation $i_{1/2}$  TRANS and Mute keys, 9 configurable keys $i_{1/2}$  Local 5-way conferencing $i_{1/2}$  Type-C charging $i_{1/2}$  Wall mountable and stand mountable

ï¿1∕2 Support YDMP/YMCS

Yealink AX83H Wi-Fi handset supports 5-way voice conferencing and HD voice quality with Yealink Full-duplex, Smart Noise Filtering, and AEC technology. The five-party discussion is timeand cost-effective for real-time collaboration.

Wi-Fi brings mobility and flexibility anywhere with essential infrastructure. The integrated dual-band Wi-Fi 6 offers faster speed and greater capacity for connecting more devices. Good coverage and fast roaming for seamless AP switching make no dropped calls. Get access to a reliable, cordless calling experience with Yealink Wi-Fi handset AX83H.

Yealink AX83H - Technical Specification Audio Features

i¿½ Optimal HD audio: HD handset, HD speaker
i¿½ Hearing aid compatible (HAC) compliant
i¿½ Audio codec: G.722, PCMU (G.711μ), PCMA (G.711A), G.729, G.729A, G.729B,
G.729AB, G.726, G.723.1, iLBC DTMF: In-band, Out-of-band (RFC 2833) and SIP INFO
i¿½ Full-duplex hands-free speakerphone with AEC
i¿½ Smart Noise Cancellation Technology
i¿½ VAD, CNG, AEC, PLC, AJB, AGC

**Display and Indicator** 



## Yealink AX83H Wi-Fi Handset (AX83H)

- ï¿1/2 2.4" 240x320 TFT color screen
- ï¿1/2 Keypad backlight

ï¿1∕₂ Vibration

- ï¿1/2 Wallpaper and screensaver
- $\ensuremath{\ensuremath{\vec{12}}}$  LED for call and message waiting indication
- ï¿1/2 Multilingual user interface
- ï¿1/2 Caller ID with name, number, and avatar

Phone Features

- � 4 VoIP accounts
  � Speed dial, redial
  � Call hold/call transfer/call waiting/call forward
  � Call hold/call transfer/call waiting/call forward
  � Emergency call
  � Mute, DND
  � Auto answer
  � Auto answer
  � Hotline
  � Recall
  � Local 5-way conferencing
  ï½ Direct IP call without SIP proxy
  � Ring tone selection/import/delete
  ï½ Set date time manually or automaticall
  � Dial Plan, XML Browser, Action URL/URI
  � RTCP-XR (RFC3611), VQ-RTCPXR(RFC6035)
- ï¿1/2 Customizable softkey

### Peripherals

i¿1/2 Support Bluetooth headset - Basic functions: answer/end/mute call - Enhanced functions: redial/call hold/volume adjustment two-way synchronization

**IP-PBX** Features

� Anonymous call, anonymous call rejection
� Intercom
� Multicast paging
� Call completion
� Message Waiting Indicator (MWI)
� Call park, call pickup
� Call recording
� Voice mail

Directory

- ï¿1/2 Local phonebook up to 1000 entries
- � Blocklist
- ï¿1/2 XML/LDAP remote phonebook
- ï¿1/2 Google contacts
- ï¿1/2 Smart dialing
- ï¿1/2 Phonebook search/import/export
- ï¿1/2 Call history: All call/dialed/received/missed/forwarded

Feature Keys

ï¿1/2 2 soft keys



i¿1/2 6 function keys: dial, hang up, handsfree, voice message, mute, call transfer ï¿1/2 Navigation key and OK key

#### Interface

ï¿1/2 1 x 3.5 mm headset jack ï¿1/2 1 x Type-C port

#### Management

ï¿1/2 Configuration: browser/phone/auto-provision i¿1/2 Auto provision via FTP/TFTP/HTTP/HTTPS for mass deployment ï¿1/2 Auto-provision with PnP � TR-069 ï¿1/2 Phone lock for personal privacy protection ï¿1/2 Reset to factory, reboot ï¿<sup>1</sup>/<sub>2</sub> Package tracing export, system log i¿1/2 Supports Yealink Device Management Platform (YMDP/YMCS)

#### Network

i¿1/2 Built-in dual-band Wi-Fi: - Network standard: 2.4G&5G, IEEE802.11a/b/g/n/ac/ax -Frequency range: 2.4 GHz/ 5.0 GHz - Roaming: IEEE802.11 k/r/v i¿1/2 Built-in Bluetooth 5.0: - Connecting to Bluetooth Headset ï¿1/2 IPv4/IPv6 ï¿1/2 SIP v1 (RFC2543), v2 (RFC3261) i¿1/2 Call server redundancy supported ï¿1/2 NAT traversal: STUN mode ï¿1/2 SIP link mode: Proxy mode and peer-to-peer i¿1/2 IP Assignment: static/DHCP ï¿1/2 HTTP/HTTPS web server ï¿1/2 Time and date synchronization using SNTP ï¿1/2 UDP/TCP/DNS-SRV (RFC 3263) ï¿1/2 QoS: Layer 3 ToS DSCP, 802.11e/WMM Security


ï¿1/2 SRTP for voice ï¿1/2 TLS1.3 support ï¿1/2 HTTPS certificate manager ï¿1/2 AES encryption for configuration file (AES256) ï¿1/2 Digest authentication using MD5/MD5-sess ï¿1/2 OpenVPN, IEEE802.1X WPA, WPA2, WPA3 � Secure boot i¿1/2 GARP (Generic Attribute Registration Protocol)

Power

ï¿1/2 Power adapter: AC 100~240V input and DC 5V/1.2A output

**Environmental Factors** 

ï¿1/2 Operating humidity: 10%-95% i¿½ Operating temperature: 0 to 40°C (+32 to 104°F)





# Yealink AX83H Wi-Fi Handset (AX83H)

### ï¿1/2 Storage temperature: -30 to 70℃

**Package Features** 

i¿½ Handset size: 151.0 x 49.5 x 21 mm
i¿½ Handset weight: 126 g
i¿½ Giftbox size: 181 × 104 × 90 mm
i¿½ Carton meas: 464 × 434 × 198 mm
i¿½ Qty/CTN: 20 PCS
i¿½ G.W/CTN: 8.03 kg
i¿½ N.W/CTN: 7.36 kg
i¿½ Package contents: - Yealink AX83H Phones - Charger Cradle - Rechargeable Battery - Belt
Clip - Quick Start Guide - Power Adapter

Price: £73.50