Snom HD3 Hospitality Phone (HD3)

Product Name: Snom HD3 Hospitality Phone (HD3)
Manufacturer: Snom
Model Number: HD3

Snom HD3 Hospitality Phone (HD3)
The Snom HD3 is a cordless DECT handset designed to expand the Snom HD351W hospitality phone system. Ideal for hotels and guest accommodations, it allows for seamless communication across multiple rooms or areas.​ In addition to their own charging cradle, all handsets have the most important features for the comfort of your guest: hands-free calling, muting and call hold are integrated, individual key functions can be stored! The HD3 has an antibacterial housing to protect against germs and is easy to clean. A large visual display alerts the guest to calls or waiting messages. The handsets can be individually labeled.
Antibacterial housing - The coating of the housing offers effective protection against germs
DSGVO by Design - No data storage of guest data!
Customisation - As with almost all appliances in the Hospitality series, you can optionally order customised inserts for the base tray.

Snom HD3 Key Features

ï¿½ Antibacterial housing
ï¿½ Additional Cordless DECT handset
ï¿½ Color: gunmetal black
ï¿½ Large LED call indicator
ï¿½ Backlit Keys
ï¿½ Hearing-aid compatible (HAC)

Snom HD3 Technical Specifications
Basics

ï¿½ Product Information

ï¿½ Cordless DECT handset | Charging cradle | PN 00007011
ï¿½ Anti-bacterial housing
ï¿½ Colour: Gunmetal Black
ï¿½ Sturdy, solid construction
ï¿½ Customisable section for colour or hotel branding

ï¿½ Placement: indoor, desktop, nightstand

Dimensions and Weight

ï¿½ Dimensions (H x W x D, Approx.)

ï¿½ DECT handset: 48 mm × 21 mm × 203 mm
ï¿½ Charging cradle: 51 mm × 121 mm × 133 mm
ï¿½ DECT handset (on the charging cradle, desk mounted): 53 mm × 56 mm × 216 mm

ï¿½ Weight (Approx.)

ï¿½ DECT handset: 145 g

Snom HD3 Hospitality Phone (HD3)

ï¿½ Charging cradle: 72 g
ï¿½ DECT handset (on the charging cradle, desk mounted): 344 g

Indicators and Keys

ï¿½ DECT handset: 5 LED indicators

ï¿½ Message waiting indication (MWI): 1 red LED
ï¿½ Flash/Talk key indication: 1 green LED
ï¿½ Speakerphone mode: 1 red LED
ï¿½ Mute status indication: 1 red LED
ï¿½ Low battery indication: 1 red LED

ï¿½ Charging cradle: 1 LED indicator

ï¿½ Charging indication: 1 red LED

ï¿½ DECT handset: 23 hard keys in total
ï¿½ 12 keys (standard ITU telephone keypad), backlit
ï¿½ 4 dedicated audio keys

ï¿½ Mute (with red LED)
ï¿½ Speakerphone (with red LED)
ï¿½ Volume +
ï¿½ Volume -

ï¿½ 3 programmable function keys

ï¿½ Speed dialling

ï¿½ 4 dedicated function keys:

ï¿½ Offhook (with green LED)
ï¿½ Onhook
ï¿½ Message
ï¿½ Hold

Audio Devices and Features

ï¿½ Microphone
ï¿½ Handset earpiece

ï¿½ Hearing aid compatible (HAC)

ï¿½ External speaker

Snom HD3 Hospitality Phone (HD3)

ï¿½ Speakerphone mode

ï¿½ Built-in assignable ringtones

Interfaces and Connections

ï¿½ Power Options

ï¿½ DECT handset: Battery lithium-ion, 3.7 V, 1,000 mAh, removable, rechargeable, up to 7 h talk time, up to 120 h standby time, up to 11 h charging time
ï¿½ Charging cradle: Power adapter (VT-PLII) 100 - 240 V AC, 50/60 Hz, 150 mA|6 V DC, 450 mA, 2.7 W

ï¿½ Wired Interfaces

ï¿½ Charging cradle: coaxial power connector (socket)

ï¿½ Wireless interfaces

ï¿½ DECT

DECT technology and features

ï¿½ Standard: DECT

ï¿½ Wideband audio

ï¿½ Frequency band

ï¿½ EU & UK & AU: 1,881.792 - 1,897.344 MHz

ï¿½ Easy registration to compatible base stations

Call features

ï¿½ Quick call answer (by simple pick-up from the base/charger)
ï¿½ Speed dialling via function keys
ï¿½ Mute microphone (via dedicated function key)
ï¿½ Speakerphone mode (via dedicated function key)
ï¿½ Hold (via dedicated function key)
ï¿½ Multicast paging

Environmental conditions

ï¿½ Operating ambient temperature: 5 °C - 45 °C
ï¿½ Humidity (non-condensing): 5 % - 95 %

Package Contents

Snom HD3 Hospitality Phone (HD3)

ï¿½ Hardware

ï¿½ DECT handset HD3
ï¿½ Battery
ï¿½ Charging cradle
ï¿½ Power adapter

ï¿½ Documentation

ï¿½ Quick Installation Guide (QIG)

Snom Accessories and Compatible Devices

ï¿½ Guest room phone: HD351W (PN 00007009), HD351A (PN 00007031)
ï¿½ Power adapter: HD3 PSU

ï¿½ EU: PN 00004683
ï¿½ UK: PN 00004684
ï¿½ AU: PN 00004685

ï¿½ Battery HD3 (PN 00004627)

Please Enquire