

## Snom HD300A Analogue Guest Room Phone (HD300A)

d

Product Name: Snom HD300A Analogue Guest Room Phone (HD300A) Manufacturer: Snom Model Number: HD300A

Snom HD300A Analogue Guest Room Phone (HD300A)

Elegant, analogue room telephone for the hotel and accommodation sector The Snom HD300A is a cleverly designed, corded analogue telephone that has been specially developed for the requirements of the hotel and accommodation sector. It not only impresses with its elegant design, but also with its high level of functionality and user-friendliness. A particular highlight is the antibacterial housing, which offers effective protection against germs and therefore fulfils the high hygiene requirements of everyday hotel life. The phone's highly visible LED ensures that guests are easily alerted to incoming calls or waiting messages, which significantly increases the comfort and satisfaction of your guests.

Another advantage of the Snom HD300A is the possibility of customisation. The phone can be fitted with an individual inlay on the bottom shell, which can be easily exchanged for a personalised touch. In addition, the telephone can be flexibly mounted on the wall or used as a desktop device to fit seamlessly into any room concept.

DSGVO conform by Design: The Snom HD300A also sets standards in terms of data protection and security. It was developed in accordance with the requirements of the GDPR and does not store any personal data such as dialled phone numbers.

The Snom HD300A therefore combines style, functionality and security and is the ideal choice for modern hotels that want to offer their guests the highest level of comfort and security.

Snom HD300A Key Features

� Analogue (PSTN) device
� Anti-bacterial housing
� Hospitality features
� Customisable faceplate
� Analogue PABX support

Snom HD300A Technical Specifications Basics

ï¿1/2 Product Information

ï¿1/2 Analog guest room phone | Corded handset | PN 00007029 ï¿1/2 Colour: gunmetal black

#### ï¿1/2 Equipment

- ï¿1/2 Anti-bacterial housing
- ï¿1/2 Sturdy, solid construction
- ï¿1/2 Fully customisable faceplate for hotel branding and dialing instructions

ï¿1/2 Placement: indoor, desktop, nightstand, wall mounting

**Dimensions and Weight** 

ï¿<sup>1</sup>/<sub>2</sub> Dimensions (H x W x D, Approx.)



### Snom HD300A Analogue Guest Room Phone (HD300A)

i¿1/2 Corded handset (on the base cradle, desk mounted): 182 mm × 53 mm × 146 mm i¿1/2 Corded handset (on the base cradle, wall mounted): 216 mm × 53 mm × 56 mm

ï¿1/2 Weight (Approx.)

Indicators and Keys

ï¿1/2 2 LED indicators

ï¿1/2 Telephone base

i¿½ Mute status indication: 1 red LED i¿½ Speakerphone mode: 1 red LED

ï¿1/2 Corded handset: 19 hard keys in total

i¿1/2 12 keys (standard ITU telephone keypad) i¿1/2 3 dedicated audio keys

ī¿½ Mute (with red LED) ī¿½ Speakerphone (with red LED) ī¿½ Volume + / -

ï¿1⁄2 1 dedicated function key: Message ï¿1⁄2 3 programmable function keys: Speed dialling

Audio Devices and Features

ï¿1/2 Corded handset

iزئ Microphone iزئ Handset earpiece iزئ External speaker

ï¿1/2 Hearing aid compatible (HAC)

Interfaces and Connections

ï¿1∕2 Wired Interfaces

ï¿1∕2 Telephone base



# Snom HD300A Analogue Guest Room Phone (HD300A)

ï¿1/2 Network connectivity (PABX): RJ11-6P4C socket

ï¿1/2 Handset cord: custom socket

ï¿1/2 Corded handset

ï¿1/2 Handset cord: custom socket

Environmental conditions

ï¿1/2 Operating ambient temperature:

ï¿1/2 5 °C - +45 °C

ï¿<sup>1</sup>/<sub>2</sub> Humidity (non-condensing)

� 5 % - 95 %

Package contents

� Hardware

� Telephone base Handset Handset cord: 330 mm � Footstand Wall mount kit

ï¿1/2 Documentation

ï¿1/2 Quick Installation Guide

#### **Please Enquire**