

## Snom HD350A Analogue Guest Room Phone (HD350A)



Product Name: Snom HD350A Analogue Guest Room Phone (HD350A)

Manufacturer: Snom Model Number: HD350A

Snom HD350A Analogue Guest Room Phone (HD350A)

Elegant analogue telephone for the hotel and accommodation sector

The Snom HD350A is a cleverly designed corded analogue telephone that has been specially developed for the requirements of the hotel and accommodation sector. It not only impresses with its elegant design, but also with its high level of functionality and user-friendliness. A particular highlight is the antibacterial housing, which offers effective protection against germs and therefore fulfils the high hygiene requirements of everyday hotel life. The phone's highly visible LED ensures that guests are easily alerted to incoming calls or waiting messages, which significantly increases the comfort and satisfaction of your guests. Another advantage of the Snom HD350A is the possibility of customisation. The phone can be fitted with an individual inlay on the bottom shell, which can be easily exchanged for a personalised touch. The phone can also be flexibly mounted on the wall or used as a desktop device to fit seamlessly into any room concept. GDPR-compliant by design: The Snom HD350A also sets standards in terms of data protection and security. It was developed in accordance with the requirements of the GDPR and does not store any personal data such as dialled phone numbers. The Snom HD350A thus combines style, functionality and security and is the ideal choice for modern hotels that want to offer their guests the highest level of comfort and security.

Snom HD350A Key Features

ï¿1/2 Analogue (PSTN) device

� Anti-bacterial housing

ï¿⅓ Hospitality features

ï¿1/2 Customisable faceplate

ï¿1/2 Analogue PABX support

Snom HD350A Technical Specifications Basics

ï¿⅓ Product Information

าั¿½ Analog guest room phone | Corded handset | PN 00007030

� Colour: gunmetal black

� Equipment

� Anti-bacterial housing

� Sturdy, solid construction

ī¿½ Fully customisable faceplate for hotel branding and dialing instructions

า๊ะ่½ Placement: indoor, desktop, nightstand, wall mounting

Dimensions and Weight

� Dimensions (H x W x D, Approx.)

 $\ddot{\imath}$   $\dot{\imath}$  Corded handset (on the base cradle, desk mounted): 109 mm × 146 mm × 182

mm

ī¿½ Corded handset (on the base cradle, wall mounted): 109 mm × 56 mm × 216 mm



## Snom HD350A Analogue Guest Room Phone (HD350A)

```
آزٰ½ Weight (Approx.)
i¿1/2 Corded handset (on the base cradle): 778 g
Indicators and Keys
� Telephone base: 3 LED indicators
าั¿½ Call status indication|Message waiting indication (MWI): 1 red LED
� Mute status indication: 1 red LED
ï¿1/2 Speakerphone mode: 1 red LED
ï¿1/2 Telephone base: 27 hard keys in total
� 12 keys (standard ITU telephone keypad)
� 4 dedicated audio keys:
� Mute (with red LED)
� Speakerphone (with red LED)
� Volume +
� Volume -
� 8 programmable function keys: Speed dialling
า๊¿½ 3 dedicated function keys: Message, Emergency, Hold
Audio Devices and Features
� Telephone base
� Casing microphone
� Casing speaker
� Corded handset
ï¿⅓ Microphone
ï¿1/2 Handset earpiece
� Hearing aid compatible (HAC)
Interfaces and Connections
```

ï¿⅓ Wired Interfaces

� Telephone base



## Snom HD350A Analogue Guest Room Phone (HD350A)

ï¿1/2 Network connectivity (PABX): RJ11-6P4C socket

ï¿1/2 Handset cord: custom socket

� Corded handset

ï¿⅓ Handset cord: custom socket

**Environmental conditions** 

ï¿⅓ Operating ambient temperature:

ï¿1/2 5 °C - +45 °C

� Humidity (non-condensing)

� 5 % - 95 %

Package contents

ï¿⅓ Hardware

� Telephone base

تز½ Handset

ï¿1⁄2 Handset cord: 330 mm

ï¿⅓ Footstand

ï¿⅓ Wall mount kit

ï¿⅓ Documentation

� Quick Installation Guide

## **Please Enquire**