

# Fanvil H603W Wi-Fi IP Phone (H603W)



Product Name: Fanvil H603W Wi-Fi IP Phone (H603W)

Manufacturer: Fanvil Model Number: H603W

Fanvil H603W Wi-Fi IP Phone (H603W)

The Fanvil H603W is a hotel Wi-Fi phone with a cost-effective, multi-function, and elegant appearance. It is equipped with 6 programmable soft keys for the services hotline. H603W has built-in dual-band 2.4GHz & Di-Fi (Wi-Fi 6). It ensures stable and efficient communication in various wireless network environments with fast roaming capabilities. Made with antibacterial materials to effectively prevent bacterial growth, ensuring guest health and safety while enhancing the user experience. Additionally, it supports functions such as HD audio. It is also equipped with a high-capacity battery, offering long-lasting performance without pressure. This provides a highquality user experience and reduces hotel deployment costs.

Fanvil H603W Key Features:

آذِ2 6 programmable soft keys for service hotline

آذِ½ Built-in dual-band 2.4GHz & amp; 5GHz Wi-Fi (Wi-Fi 6)

ī స్ట్రీ Made with antibacterial materials to ensure guest health

آذًا Support IEEE 802.11k/v/r for fast roaming and automatic network switching

Title Support WPA/WPA2-PSK and 802.1X EAP encryption for secure communication

� 1900mAh battery, 8.1 hours talk time, 159 hours standby

i¿1/2 Base supports phone fast charging, up to 20W

### Fanvil H603W Technical Specifications General

� 2 SIP Lines

ï¿⅓ HD Voice

آذِر Built-in dual-band 2.4GHz & amp; 5GHz Wi-Fi (Wi-Fi 6)

ï¿1/2 Hand set / Hands-free mode

ï¿⅓ Intelligent DSS Keys (speed dial key)

� Desktop charging dock

� Optional External Power Supply

ï¿⅓ Standard Type-C interface

� Power adapter (12V/3A)

### Phone Functions

ï¿1/2 Programmable DSS keys/ Soft keys

� Action URL / Active URI

آذِ1/2 Built-in dual-band 2.4GHz & Tight Wi-Fi (Wi-Fi 6)

� 2.4GHz, 802.11 b/g/n

� 5GHz, 802.11 a/n/ac/ax

ï¿1/2 Action URL / Active URI

آزا Web dial

� Dial plan

ï¿⅓ SIP Hotspot



# Fanvil H603W Wi-Fi IP Phone (H603W)

- � Network time synchronization
- ï¿⅓ Multicast

#### **Call Functions**

- ï¿1/2 Call out / Answer
- ï¿⅓ Mute / Unmute
- ï¿1/2 Call Hold / Resume
- ï¿⅓ Speed Dial
- ï¿⅓ Hot Line
- ï¿⅓ Voice Message

#### Audio

- ï¿1/2 Wideband ADC/DAC 16KHz sampling
- ï¿⅓ HAC handset
- ī¿½ Narrowband codec: G.711A/U, G.729AB, G723.1, G726, iLBC
- � Wideband codec: G.722, Opus
- آذِ Full-duplex hands-free speakerphone with AEC
- ī సైగ్డ్ Voice Activity Detection (VAD) / Comfort Noise Generation (CNG) / Background Noise
- Estimation (BNE) / Noise Reduction (NR)/ Automatic Gain Control (AGC)
- � Packet Loss Concealment (PLC)
- آذِ1/2 Dynamic Adaptive Jitter Buffer
- าั¿½ DTMF: In-band, Out-of-Band DTMF-Relay (RFC2833) / SIP INFO
- � VQM voice quality monitoring

### Network

- ï¿1/2 IP Mode: IPv4/IPv6/IPv4&IPv6
- � IP Configuration: Static / DHCP / PPPoE
- า๊ะ่ Wi-Fi Encryption: WPA /WPA2-PSK /802.X EAP
- ï¿1/2 Network Access Control: 802.1x
- � VPN: L2TP / OpenVPN
- � VLAN: 802.1P/Q
- QoS
- ۲¿⅓ LLDP % ال
- ï¿1/2 RTCP-XR (RFC3611), VQ-RTCPXR(RFC6035)

# Power Management

- � Charging indication
- تزر Fully charged indication
- � Low battery indication
- ī¿½ Auto-power on when charging after abnormal shutdown

## Protocols

- ï¿1/2 SIP v1 (RFC2543), v2 (RFC3261) over UDP/TCP/TLS
- � RTP/RTCP/SRTP
- آز½ STUN
- � DHCP
- i¿½ IPv6
- ï¿⅓ PPPoE
- � L2TP
- ï¿⅓ OpenVPN



# Fanvil H603W Wi-Fi IP Phone (H603W)

� SNTP � FTP/TFTP � HTTP/HTTPS � TR-069

For full specs see datasheet linked above limited-time-icon.jpg

**Please Enquire**