

Yealink UVC40 E2 All-in-One USB Video Bar (UVC40 E2)

Product Name: Yealink UVC40 E2 All-in-One USB Video Bar (UVC40 E2)

Manufacturer: Yealink

Model Number: UVC40 E2

Yealink UVC40 E2 All-in-One USB Video Bar (UVC40 E2)

The Yealink UVC40 E2 is an all-in-one intelligent USB video bar designed for small and huddle rooms. It features an 8MP Sony 1/1.8-inch CMOS camera with a 120° ultra-wide field of view and 4K/30FPS video output, paired with an electric lens cap for automatic privacy protection. AI technologies including Auto Framing, Speaker Tracking, and Smart Area Exposure deliver an intelligent meeting experience. Eight built-in MEMS microphones with beamforming provide a 6-metre voice pickup range and full-duplex audio, with optional wireless or wired microphone expansion. The UVC40 E2 is compatible with Microsoft Teams, Zoom Room, and most major conferencing platforms, and supports remote device management via wired network. Yealink UVC40 E2 Technical Specifications:

Camera

• Sensor: 8MP Sony 1/1.8-inch CMOS

• Field of view: 120° ultra-wide

• PTZ: 5x e-PTZ

• Video output: 4K / 30FPS

• Electric lens cap: Auto open/close

• Camera presets: Supported

Microphone

• Built-in microphone array: 8 MEMS

• Voice pickup distance: 6 m

• Signal-to-noise ratio: 72 dB

• Dynamic range: 22–130 dB

• Sensitivity: -38 dBV/Pa

• Frequency response: 50–20,000 Hz

• Sampling rate: 48 kHz

• Bit depth: 32-bit

Speaker

• Built-in speaker: 5W high-fidelity

• Frequency response: 105–20,000 Hz

• Sensitivity: 90 dB SPL @ 1W

• Sampling rate: 48 kHz

• Sound emission angle: Forward-facing

• THD: < 5% at 5W, 1kHz

• Rated impedance: 4 ohms

• Rated power: 5W / Maximum power: 7W

Audio Technology

• Intelligent Noise Cancellation (Yealink Proprietary)

• Noise Suppression

• Echo Cancellation

• Acoustic Echo Cancellation

• Automatic Lip Sync Detection

• Automatic Gain Control

• Full-Duplex Technology

Yealink UVC40 E2 All-in-One USB Video Bar (UVC40 E2)

AI Technologies

- Auto Framing
- Speaker Tracking
- Smart Area Exposure

Interfaces

- USB 3.0 Type-B: 1
- USB 2.0 Type-A: 1
- Yealink microphone port (RJ-45, switchable to Ethernet): 1
- Power port (48V/0.7A): 1
- Security lock slot: 1
- Reset slot: 1
- Built-in Wi-Fi

Compatibility

- Microsoft Teams
- Zoom Room
- Compatible with most video conferencing platforms (UAC1.0 / UVC1.0)

Power

- Power adapter: AC 100–240V input, DC 48V/0.7A output
- Average consumption: 10.5 W
- Peak consumption: 12.4 W
- Standby consumption: 9.56 W

Environmental

- Operating humidity: 10–95%
- Operating temperature: 0°C to 40°C
- Storage temperature: -30°C to 70°C

Other Physical Features

- Dimensions (W × D × H): 60.0 × 6.8 × 8.2 cm
- Dimensions (W × D × H): 67.4 × 13.6 × 19.5 cm
- Weight: 1.37 kg

Package Contents

- 1 × Yealink UVC40 E2 all-in-one USB video bar
- 1 × VCR20 Remote Control
- 2 × AAA battery
- 1 × Power adapter
- 1 × Wall bracket and accessories
- 1 × TV mount bracket and accessories
- 1 × 7m USB cable
- 1 × Desktop Stand (Optional)
- 1 × Velcro
- 1 × Quick Start Guide
- 1 × Silicone pad

Yealink UVC40 E2 All-in-One USB Video Bar (UVC40 E2)

1½ Cable ties

Price: Â£314.10
