

Netgear Prosafe FS116P 16-Port 10/100 Desktop Switch with 8-Port POE



Product Name: Netgear Prosafe FS116P 16-Port 10/100 Desktop Switch with 8-Port POE

Manufacturer: -

Model Number: FS116P

Please Note: This product has been discontinued. Please see the Netgear Switches range for an alternative.

Netgear Prosafe FS116P 16-Port 10/100 Desktop Switch with 8-Port POE

The Netgear Prosafe FS116P Desktop Switch provides power and data from a single point, using Power over Ethernet (PoE) over a single Cat-5 cable. The Netgear 16 Port Switch with 8 port PoE sixteen Fast Ethernet ports can be used for any 10/100 Mbps link and eight of these ports can supply industry-standard IEEE 802.3af power.

Netgear FS116P Key Features

- 1/2 Data switching & Power-over-Ethernet (PoE) in one unit
- 1/2 16 data switching ports, 8 of which provide PoE
- 1/2 Reduces cables & eliminates need for dedicated electrical outlets
- 1/2 Locate wireless devices high on walls or ceilings for max coverage
- 1/2 AutoUplink auto detects speed, duplex & cable type
- 1/2 Automatically detects PoE devices & supplies power as needed
- 1/2 Compact & Flexible design at an attractive price

Advanced auto-sensing algorithm gives power only to 802.3af end devices, so no need to worry about damaging proprietary PoE or non-PoE equipment. In addition, it discontinues the power when PoE devices are disconnected. Easy and reliable, the Netgear FS116P automatically determines PoE requirements, speed, duplex, and cable type using AutoUplink.

Affordable Power over Ethernet Switching The affordably priced Prosafe 16-Port delivers PoE to any small business network that wants to simplify the installation of wireless access points and IP-based surveillance cameras. These devices are optimally installed on a ceiling or high on a wall, away from most electrical outlets. PoE eliminates the requirement for a dedicated electrical outlet to power these devices. This allows for flexibility in siting devices where AC power is difficult to access and lowers installation costs. Compact and flexible, the ProSafe FS116P is ideal for small business network that want to inexpensively use PoE to deploy wireless access points and IP-based network surveillance cameras.

Flexible Choose to plug in up to eight Ethernet or Fast Ethernet devices and mix in up to four 802.3af IP-based devices like wireless access points or IP-based network surveillance cameras. Place these 802.3af-compliant devices where they belong high up on walls and ceiling for maximum coverage or anywhere else you need them. Power and data are carried over standard Cat-5 cabling.

Plug and Play The standards-based Netgear Prosafe 16-Port senses and adjusts for network speed and cabling type automatically, for easy integration into your existing 10/100 Ethernet network. For PoE, the switch automatically detects 802.3af-compliant devices, and supplies power as needed. Front panel LEDs keep you informed of switch and PoE status.

Quiet and Compact Engineered for compact convenience, it is only 1-inch high and 4-inches deep, with a durable metal case that is easily positioned on your desktop or a wall, using the included mounting hardware. The fan-less design quietly integrates in your small office environment.

Great Value With data switching and Power over Ethernet integrated into one unit, the FS116P saves space, reduces cables and eliminates the requirement for dedicated electrical outlets lowering installation costs, simplifying installation of PoE-capable devices, and eliminating the need for electricians or extension cords. All in all a great benefit for a modest price.

Netgear Prosafe FS116P 16-Port 10/100 Desktop Switch with 8-Port POE

Netgear FS116P - Technical Specifications

Network Ports

• 16 auto speed-sensing 10/100 Mbps RJ-45 ports

Network Protocol and Standards

• IEEE 802.3i 10BASE-T
• IEEE 802.3u 100BASE-TX
• IEEE 802.1p priority tags
• IEEE 802.3x Flow Control
• IEEE 802.3af DTE Power via MDI

Performance Specifications

• Forwarding modes: Store-and-forward
• Bandwidth: 3.2 Gbps
• Network latency: Less than 20 μ s for 64-byte frames in store-and-forward mode for 100 Mbps to 100 Mbps transmission
• Buffer memory: 96 KB embedded memory per unit
• Address database size: 1,000 media access control (MAC) addresses per system
• Addressing: 48-bit MAC address
• Mean Time Between Failure (MTBF): 116,009 hours (~ 13 years)
• Acoustic noise: 0 dB

Status LEDs

• System: Power, PoE Maximum Power
• Per Port: Link, Activity, Speed, PoE Active, PoE Fault

Power Supply

• Total Power Consumption: 72W maximum
• Total PoE Power Budget: 55W maximum
• 802.3af power consumption: 55W maximum (ports 1 – 8)
• 48V DC; 1.45A (70W max); plug is localized to country of sale

Physical Specifications

• Dimensions (W x D x H): 11.3 x 4.1 x 1.1 in. (287 x 103 x 27 mm)
• Weight: 0.9 kg (2.0 lb)

Environmental Specifications

• Operating temperature: 32°F to 104°F (0°C to 40°C)
• Storage temperature: 14°F to 158°F (-10°C to 70°C)
• Operating humidity: 90% maximum relative humidity, non-condensing
• Storage humidity: 95% maximum relative humidity, non-condensing
• Operating altitude: 10,000 ft (3,000 m) maximum
• Storage altitude: 10,000 ft (3,000 m) maximum

Electromagnetic Emissions

Netgear Prosafe FS116P 16-Port 10/100 Desktop Switch with 8-Port POE

ï¿½ CE mark, commercial
ï¿½ FCC Part 15 Class A
ï¿½ VCCI Class A
ï¿½ EN 55022 (CISPR 22), Class A
ï¿½ C-Tick, Class A

Electromagnetic Immunity

ï¿½ EN 55024

Safety

ï¿½ CE mark, commercial
ï¿½ CE/LVD EN60950

Warranty

ï¿½ Switch: NETGEAR Lifetime Warranty†
ï¿½ Power supply: NETGEAR 2-year Warranty

XPressHW, Category 1

ï¿½ PRR0331

Package Contents

ï¿½ ProSafe 16-port 10/100 Switch with Power over Ethernet (FS116P)
ï¿½ AC Adapter
ï¿½ Wall-mount kit
ï¿½ Installation guide
ï¿½ Warranty/support Information card

NETGEAR Related Products

ï¿½ ProSafe 802.11g Wireless Access Point (WG302)
ï¿½ ProSafe 802.11g Wireless Access Point (WG102)
ï¿½ NIC 10/100 Low Profile PCI Network Interface Card (FA311)

Price: 150.11EUR