

## Polycom SoundPoint IP 331 VoIP Phone (IP331)



Product Name: Polycom SoundPoint IP 331 VoIP Phone (IP331)

Manufacturer: -

Model Number: 2200-12365-025

Please Note: The Polycom SoundPoint IP331 has been discontinued. For an alternative, please see the other Polycom VoIP Phones.

### Polycom SoundPoint IP 331 VoIP Phone

The Polycom SoundPoint IP 331 is an IP Phone that features two SIP lines that delivers superb sound quality as well as a wide range of supported business telephony features. The SoundPoint IP 331 has a single 10/100 Ethernet port and is designed for common areas, such as lobbies, hallways, and break rooms, as well as various wall-mounted deployments.

### Polycom SoundPoint IP 331 Key Features

- Two-line entry-level phones
- Superb sound quality and full-duplex speakerphone performance with Clarity by Polycom; acoustic technology
- Enterprise-grade feature set
- Easy to configure and use
- Integrated Power over Ethernet (PoE) support
- Interoperability with leading IP PBX and Softswitch platforms
- SIP features

### Superb Sound Quality

The Polycom IP 331 VoIP Phone features a full-duplex IEEE 1329 Type 1-compliant speakerphone with Polycom's legendary Acoustic Clarity Technology.

### Enterprise-Grade Feature Set

The Polycom IP 331 VoIP Phone delivers through an intuitive user interface a full feature set encompassing both traditional business telephony features such as call hold, park, pick-up, transfer, and three-way local conferencing, and more advanced capabilities such as shared call/bridged line appearance, hosts built-in XML microbrowser, and distinctive call treatment.

### Efficient Installation and Provisioning

The Polycom SoundPoint IP 331 is engineered to make installation, configuration, and upgrades as simple and efficient as possible. The phones' standard base stand can be reversed to become a wall mount, eliminating the need for a separate accessory.

### Make Great Things Happen with the Polycom SoundPoint IP 331 VoIP Phone

In today's Internet driven world, the ability to conduct real time communication and collaboration has become critical to an organizations survival. As the market leader in voice, video, data and Web solutions, our award-winning IP telephony and conference technology makes it easy for people to interact and maximize productivity over any network, in just about an environment, anywhere around the globe. Note: Please refer to the Polycom VoIP Phone Range Detailed Comparison Table for more information.

### Polycom SoundPoint IP 331 VoIP Phone (IP331) - Technical Specifications Lines (Directory Numbers)

- Up to 2 lines with up to 2 calls per line

### Display

- 102 x 33 pixel-graphical LCD

### Feature Keys

## Polycom SoundPoint IP 331 VoIP Phone (IP331)

- 3 context-sensitive "soft" keys
- 2 line keys with bi-color (red/green) LED
- 2 feature keys ("Menu" and "Dial")
- 4-way navigation key cluster with center "Select" key
- 2 volume control keys
- Dedicated hold key
- Dedicated headset key
- Dedicated hands-free speakerphone key
- Dedicated microphone mute key
- Headset Compatibility
- Dedicated 2.5-mm headset port compatible with most monaural mobile phone headsets

### Hearing Aid Compatibility

- Compliant with ADA Section 508 Recommendations: Subpart B 1194.23 (all)
- Hearing Aid Compatible (HAC) handset for magnetic coupling to approved HAC hearing aids
- Compatible with commercially-available TTY adapter equipment

### Audio Features

- Full-duplex hands-free speakerphone with Polycom
- Acoustic Clarity Technology: Type 1 compliant with IEEE 1329 full duplex standards
- Frequency response - 300Hz - 3300Hz for handset, headset and hands-free speakerphone modes
- Codecs: G.711 &micro;/A and G.729A (Annex B)
- Individual volume settings with visual feedback for each audio path
- Voice activity detection
- Comfort noise fill
- DTMF tone generation / DTMF event RTP payload
- Low-delay audio packet transmission
- Adaptive jitter buffers
- Packet loss concealment
- Acoustic echo cancellation
- Background noise suppression

### Call Handling Features

- Shared call / bridged line appearance
- Flexible line appearance (one or more line keys can be assigned for each line extension)
- Distinctive incoming call treatment / call waiting
- Call timer
- Call transfer, hold, divert (forward), pickup
- Called, calling, connected party information
- Local three-way conferencing
- One-touch speed dial, redial
- Call waiting
- Remote missed call notification
- Intercom
- Automatic off-hook call placement
- Do not disturb function

### Other Features

- Interoperability with Microsoft LCS 2005 for telephony and presence: Compatibility with Microsoft Office Communicator and Windows Messenger 5.1 Clients

## Polycom SoundPoint IP 331 VoIP Phone (IP331)

- Enabled for Polycom Productivity Suite
- Local feature-rich GUI
- Time and date display
- User-configurable contact directory and call history (missed, placed and received)
- Wave file support for call progress tones
- Unicode UTF-8 character support. Multilingual user interface encompassing Danish, Dutch, English (Canada/US/UK), French, German, Italian, Norwegian, Russian, Spanish, Swedish

### Protocol Support

- IETF SIP (RFC 3261 and companion RFCs)

### Network and Provisioning

- Two-port 10/100 Mbps Ethernet switch
- Manual or dynamic host configuration protocol (DHCP) network setup
- Time and date synchronization using SNTP
- FTP / TFTP / HTTP / HTTPS server-based central provisioning for mass deployments
- Provisioning and call server redundancy supported
- Web portal for individual unit configuration
- QoS Support &ndash; IEEE 802.1p/Q tagging (VLAN), Layer 3
- TOS, and DSCP
- Network Address Translation (NAT) support for static configuration and "Keep-Alive" SIP signalling
- RTCP support (RFC 1889)
- Event logging
- Syslog
- Local digit map
- Hardware diagnostics
- Status and statistics reporting

### Security

- Transport Layer Security (TLS)
- Encrypted configuration files
- Digest authentication
- Password login
- Support for URL syntax with password for boot server
- HTTPS secure provisioning
- Support for signed software executables

### Power

- Built-in, auto-sensing IEEE 802.3af Power over Ethernet (Class 1)
- External universal input AC adapter (optional;24V DC @ 500mA)

### Approvals

- FCC Part 15 (CFR 47) Class B
- ICES-003 Class B
- EN55022 Class B
- CISPR22 Class B
- AS/NZS CISPR 22 Class
- VCCI Class B
- EN55024 Class B

## Polycom SoundPoint IP 331 VoIP Phone (IP331)

- EN61000-3-2; EN61000-3-3; EN-61000-6-1
- ROHS compliant
- Anatel
- GOST
- C-tick
- CCC

### Safety

- CE Mark
- EN 60950-1
- IEC 60950-1
- NRTL
- CAB/CSA-C22.2 No. 60950-1-03
- AS/NZS 60950-1

### Operating Conditions

- Temperature: 0 to 40&deg;C (+32 to 104&deg;F)
- Relative Humidity: 5% to 95%, non-condensing

### Storage Temperature

- -40 to +70&deg;C (-40 to +160&deg;F)

### Polycom SoundPoint IP 331 VoIP Phone Comes With:

- Polycom SoundPoint IP 331 VoIP Phone console
- Handset with handset cord
- Base stand
- Network (LAN) cable
- Quick Start Guide
- Product registration card

### Size

- 6.7 in x 5.7 in x 6.9 in x 1.4 in
- (17 cm x 14.5 cm x 17.5 cm x 3.5 cm)

### Weight

- Phone weight: 1.37 lb (0.625 kg)

### Connections Illustration

## Please Enquire

Options available for Polycom SoundPoint IP 331 VoIP Phone (IP331) :

### Power Supply Required?

- Not Required -

## Polycom SoundPoint IP 331 VoIP Phone (IP331)

[Power Supply for IP321 / IP331 \(+£10.50\).](#)