

Spectralink 7710 DECT Handset



Product Name: Spectralink 7710 DECT Handset

Manufacturer: -

Model Number: 0253 0000

Please Note: The Spectralink 7710 has been discontinued. For an alternative, we highly recommend the Spectralink 7202 or Spectralink 7212.

Spectralink 7710 DECT Handset

The Spectralink 7710 DECT phone offers a wireless solution combining high demands for hygiene with enhanced responsiveness and personal safety. The Ultimate Wireless Solution for Healthcare Personnel. Spectralink 7710 Key Features

- Internal/External ring pattern
- Volume control
- Telephone book with 250 name entries (4 numbers per name)
- Auto login - roaming between 15 different installations
- Silent mode (mutes all alerts/calls)
- Alert on silent mode (choice from display flash or short ring)

The ruggedized and disinfectant resistant Spectralink 7710 is designed to enable healthcare personnel to be mobile while still within quick reach in critical situations. Special healthcare alarm icons have been developed for the handset ensuring that messages and alarms are easy, fast, and intuitive to understand. If you require a belt clip you can purchase the Polycom Kirk Belt Clip for 70xx Series [here](#)

Benefits

- Improved reaction time to medical emergencies via alarms in case of heart attack, epileptic attack, and other situations where lives are at stake
- More time to patient care and faster interaction between patient and caregiver
- Resistance to disinfectants and easy clean keypad membrane reduce the risk of spreading bacteria and diseases
- Automatic alarms - if man down, no movement, or running is detected - increase personal safety
- Tear-off string and alarm button increase safety for personnel in high risk environments
- Protection against splashing water enables caretakers to assist patients in wet rooms without detaching the handset

The high-quality TFT color display provides a clear view from all angles, and the unique color codes for each alarm category ensure that users easily can determine the type of emergency – even if the phone is sitting in a belt clip. The KIRK 70-Handset Series is designed to meet the high demands of hygiene by healthcare personnel. To avoid the spread of bacteria, the handsets are disinfectant resistant and can be cleaned with the disinfectants used in hospitals, which makes them ideal for environments where hygiene is of highest importance.

Please see the information below if you are not sure what size system or type of technology suits your needs most:

When to choose a Polycom KIRK solution or a Polycom Wi-Fi solution
The benefits of choosing a Polycom mobility solution
Polycom KIRK & SpectraLink business grade on-site mobility solutions

Spectralink 7710 DECT Handset

Spectralink 7710 Handset Technical Specifications Features

- 1/2 TFT color display (65,000 colors, 8 lines of text/icons, 128x160 pixels)
- 1/2 Li-ion battery
- 1/2 4-way navigation key
- 1/2 2 soft keys
- 1/2 CLIP (40 caller-ID presentations)*
- 1/2 Date and time in display*
- 1/2 Internal/External ring pattern*
- 1/2 Volume control
- 1/2 Telephone book with 250 name entries (4 numbers per name)
- 1/2 Auto login - roaming between 15 different installations
- 1/2 Silent mode (mutes all alerts/calls)
- 1/2 Alert on silent mode (choice from display flash or short ring)
- 1/2 List of incoming/missed/received calls (last 40 entries)*
- 1/2 Redial function from call list
- 1/2 Speed dial
- 1/2 10 different ringtones and adjustable ring volume
- 1/2 Key lock
- 1/2 Auto key lock
- 1/2 Any key answer
- 1/2 Microphone mute
- 1/2 R-key for transfer and special services
- 1/2 Adjustable alert volume (low battery/low coverage/incoming message)
- 1/2 Adjustable backlight delay (for max. battery conservation)
- 1/2 Text messaging - stores 20 messages of max. 72 characters per message*
- 1/2 10 user-defined message templates
- 1/2 2 types of chargers (w/wo USB 2.0 connection)
- 1/2 Base station location*
- 1/2 HD voice ready
- 1/2 Virtual SIM support
- 1/2 Alarm icons and messaging**
- 1/2 Disinfectant resistant
- 1/2 13 menu languages (UK, FR, DE, ES, IT, NL, CZ, PL, DK, NO, SV, FI, PT)

Approvals

- 1/2 EN 301 489-1
- 1/2 EN 301 489-6
- 1/2 Radio: EN 301 406
- 1/2 Safety: EN 60950-1

Size and Weight

- 1/2 Size: 148 x 50.4 x 21.6 mm
- 1/2 Weight: 120 g. incl. battery

Capacity Spectralink 7710

- 1/2 Active talking time: up to 20 hours
- 1/2 Standby time: up to 200 hours
- 1/2 Battery lifetime: the battery capacity will decrease to approx. 80% after 900 charging cycles. Replacement is recommended

Spectralink 7710 DECT Handset

Capacity Spectralink 7710 with Bluetooth Enabled

• Active talking time: up to 15 hours

• Standby time: up to 100 hours

Operating Temperature

• Incl. charging: -10 - +55 °C

IP Rating

According to EN60529:

• KIRK 7010: IP54 classified (dust protected and water splash proof)

• KIRK 7020/7040: IP64 classified (dust tight and water splash proof)

Tests

• Vibration test: IEC 60068-2-6

• Bump test: IEC 60068-2-27

• Drop test: IEC 60068-2-31

Please Enquire
