

Positron Telecom V-600 Asterisk PCI Card



Product Name: Positron Telecom V-600 Asterisk PCI Card

Manufacturer: -

Model Number: V600

Availability: In Stock

Positron V-600 Quad E1 T1 PCI Express Card

High density enterprise communication solution for voice, fax and videoThe V-600 from Positron Telecom is a powerful and flexible enterprise solution capable of supporting a full function PBX, T.30 fax termination on all ports, T.38 fax termination, voice and video trans-coding – all on a single board solution. The V-600 installs simply and quickly into your system as an Ethernet adapter and will accept SIP traffic without the need for application development or additional software – just configure and go. Technical Specifications

• 1/2 PCIe (1x)

• 1/2 Four E1/T1 PRI ports

• 1/2 Dedicated hardware echo cancellers per E1/T1

• 1/2 Powerful on board CPU @ 1.3Ghz

• 1/2 On board multicore DSP for media processing (15 cores)

• 1/2 SATA 2.0 controller

• 1/2 10/100/1000 Mbps Ethernet for PCI and RJ-45

Highlights

• 1/2 Installs as Ethernet adapter – just send SIP traffic, no development required

• 1/2 No CPU load on Host system

• 1/2 No Host driver required

• 1/2 Installs in ANY operating system

• 1/2 Ideal for Hosted VMWARE environments

• 1/2 Integrated PBX)

• 1/2 Unlimited boards per Host system

• 1/2 Cross Board Switching

ApplicationsVoice Transcoding Gateway 900 G.729 to G.711 simultaneous

• 1/2 Adaptive Multi Rate (AMR)

• 1/2 AMR-WB (G.722.2)

• 1/2 Enhanced Full Rate (GSM-EFR)

• 1/2 G 711

• 1/2 G.723.1

• 1/2 G.726

• 1/2 G.729AB

• 1/2 G.729.1

• 1/2 G.722.1

• 1/2 iLBC

• 1/2 Speex

Video Transcoding Gateway

• 1/2 Video Support- H.263

• 1/2 CIF/QCIF - MPEG-4 Part-2

• 1/2 CIF/QCIF- H.264 encoder (demo purposes) - Transcoding - Resizing - Frame rate adaptation- Bit-rate adaptation

• 1/2 Video Effects

• 1/2 Video mixer

Positron Telecom V-600 Asterisk PCI Card

- Text overlay

- Graphic Overlay

IP PBX with integrated Echo Cancelling and telephony ports

- Tone Detection / Generation

- Tone Relay

- Caller ID Detection / Generation

- Conferencing

- V.152

- SIP to TDM Gateway

- SRTP

Fax Server

- 200 T.38 Sessions over UDP or RTP

- 120 T.30 simultaneous faxes (V.17 at 14.4Kbps)

Audio Conferencing Server

- Adaptive Noise Reduction

- Automatic Level Control

- High Level Compensation

- Natural Level Enhancement

PBX FunctionalityExtensions

- IP Phone / ATA extensions

- Virtual Extensions

- IVRs

- Extension Templates

- Control permissions for each extension

- 3,4,5 digit extensions

Mobility Features

- Find me / Follow me

- Voice / Fax / Email to inbox

- Corporate callback

- Caller ID on call forward

Calling Methods

- VoIP

- T1/E1 Phone Lines

- Connecting Multiple PCI cards

Call Control

- Hold

- Assisted Transfer

- Blind Transfer

- Call Parking

- Do Not Disturb

- Send Calls

Positron Telecom V-600 Asterisk PCI Card

- Call forwarding rules
- Direct Inward dial (DID)
- Call Waiting
- Called ID
- Call Parking
- Call retrieve / pickup

Call Control

- Hold
- Assisted Transfer
- Blind Transfer
- Call Parking
- Do Not Disturb
- Send Calls
- Call forwarding rules
- Direct Inward dial (DID)
- Call Waiting
- Called ID
- Call Parking
- Call retrieve / pickup

Conferencing

- Simple Conference Room
- Meet Me Conference Center
- Three way conference

Music On Hold

- Custom Music on Hold
- Music on Hold included

Recording & Monitoring Call Recording Logging & Reporting

- Current Calls
- Call Logs
- Call Reporting

Auto attendant

- Dial By Extension Directory
- Dial By Name Directory

More Features

- Advanced Diagnostics
- Least cost routing
- Failover between PSTN and VoIP
- Auto phone provisioning
- Status page monitor
- Desktop paging (needs phone support)
- Multilingual support

Positron Telecom V-600 Asterisk PCI Card

Price: Â£2,298.00
