

Gigaset N300IP DECT Base Station & Gigaset C610H DECT Six Handsets Bundle



Product Name: Gigaset N300IP DECT Base Station & Gigaset C610H DECT Six Handsets Bundle

Manufacturer: -

Model Number: N300IPC610-6

Gigaset N300IP DECT Base Station & Samp; Gigaset C610H DECT Six Handsets Bundle

Please Note: The Gigaset C610H Six Handset Bundle has been discontinued. For an alternative, we highly recommend the Gigaset C430H Six Handset Bundle.

Enhance your office communications with the Gigaset N300IP DECT Base Station & Sigaset C610H DECT Six Handsets Bundle. Whats Included:

� 1 x Gigaset N300IP DECT Base Station

� 6 x Gigaset C610H Cordless DECT Phone

The Gigaset C610H a highly suitable choice. This handset is equipped with practical features for busy families with children: a direct call function that lets kids reach a designated number with just one click of a button, anonymous call silencing and a day/night mute switch to keep sleeping babies – and adults – undisturbed, and an integrated baby phone with a selectable talk-back function. The colour display of the Siemens Gigaset C610H is easy to read and navigate. And, with radiation-free ECO Mode Plus1, the Gigaset C610H is an environmentally friendly addition to your home.

- าั¿½ Enhanced family features: direct call, anonymous call silencing and integrated baby phone with talk-back option
- � Day/night switch mutes handset's ringer
- � Large TFT colour display
- ï¿1/2 Radiation-free ECO Mode Plus1
- � Programmable ringtones with 6 VIP groups
- ī¿½ Brilliant HSP™ sound quality, even when talking hands-free
- าั¿½ Modern user interface with jumbo font for extra convenience
- � Long talk/standby time of up to 12/185 hours
- ï¿1/2 Text messages with up to 612 characters
- � Easily expandable by up to 6 handsets
- ï¿1/2 Supports the L410 hands-free clip

The Gigaset N300 IP is the easy-to-configure hybrid DECT IP base station that lets users enjoy calling over both a landline and the internet. Multi-line support allows registration of up to 6 different compatible Gigaset handsets to the base station and up to 4 parallel calls (1 landline + 3 VoIP) can be made at once. All VoIP calls are in HD sound thanks to exceptional HDSP™ technology. Energy-saving2 ECO DECT means that the Gigaset N300 IP is eco-conscious as well as hi-tech.Features of the Gigaset N300 IP

- าั¿1/2 Hybrid DECT IP base station for landline and VoIP calls
- i¿½ Multi-line for up to 6 handsets and 4 parallel calls
- � HD sound on VoIP calls1
- � Energy-saving2 ECO DECT
- � Compatible with multiple Gigaset handsets
- เช่น Compatible with provisioning standards: TR069, MAC address, code based auto-configuration



Gigaset N300IP DECT Base Station & Gigaset C610H DECT Six Handsets Bundle

- i¿1/2 Expandable up to 6 VoIP accounts / numbers
- ï¿1/2 Free calls between Gigaset VoIP phones via Gigaset.net
- ï¿1/2 Email reader
- � Search in net directories and Yellow Pages

Gigaset C610H Technical Specifications Sound quality

- ï¿1/2 HSP™ for brilliant sound quality
- � Convenient hands-free
- า๊¿½ Ringer melodies | polyphonic | real sounds I downloadable
- � 6 Individual ringer melodies for VIP entries
- ï¿1/2 Adjustable handset volume
- � Headset connection | corded 2,5 mm

Convenience - phoning essentials

- � Range indoors = 50m | outdoors = 300m
- � Standby time | talk time 180h | 12h
- آذِ1/2 Phonebook | address book | entries | yes | 150
- � 20 Last dialed ... numbers
- � Automatic dialing of operator prefix
- تز½ Direct dial
- ï¿⅓ Room monitoring
- � Plug-and-play installation
- ï¿1/2 Date reminder function | alarm call

Display and menu features

- آذًا ي Display: numeric | alphanumeric | semigraphical | graphical | | | yes
- � Display: illuminated | colour
- � Pixel, Inch, Colours and Lines 128x160 | 1,8 | 65000 | 6
- � Easy-to-use text-based menu
- آزار Jumbo fonts
- � Icon-based
- ï¿1/2 Display of caller's number
- ï¿⅓ Time displayed
- ï¿1/2 Date displayed
- i¿½ Range displayed (handset to base station)
- � Charging status displayed
- � Call duration displayed

Keypad features



Gigaset N300IP DECT Base Station & Gigaset C610H DECT Six Handsets Bundle

- ï¿⅓ Illuminated keypad
- � Colour of illumination amber
- ï¿⅓ Navigation key
- ï¿⅓ Message indicator key

Messaging functions

- ï¿1/2 Up to 612 characters SMS
- Email ½ نزت

ECO DECT

- � Up to 60% less power consumption
- าั¿½ ECO Mode for reduction of transmitting power of base station by 80%
- � Radiation-free5 ECO Mode Plus
- ī స్ట్రీ Transmitting power at almost zero when handset docked

Features with more than one handset

- � Expandable to handsets
- ï¿1/2 Selective internal calls
- ï¿1/2 Internal transfer of external calls
- ï¿1/2 Parallel calls internal | external 1 | 1

Technical data

- ï¿1/2 Standards DECT | GAP Yes | yes
- آذِر Dimensions handset (H x W x D in mm) 149x49x27,5
- า๊¿½ Dimensions base station (H x W x D in mm) 45x118x136
- า๊¿½ Dimensions charger (H x W x D in mm) 29x71x76
- ï¿1/2 Battery 2xAAA
- تز1/2 Available colours 1:Black 2: White
- � Wall mountable yes

Gigaset N300IP DECT Base Station

Key Benefits for end-users:

- � Plug & play
- � Stand-alone basis
- آذِيً Multi-line: up to 4 parallel calls (3 VoIP + 1 PSTN calls)
- آذًا Multi-user: up to 6 handsets & DIP accounts/phone numbers
- i¿½ Exceptional sound quality (HDSP)1), 3)
- � Search in online directories (white and yellow pages) 2)
- าั¿½ Access to online information (e.g. emails, weather, eBay companion, encyclopedia, etc)2), 8)

Key Benefits for VoIP Providers:

- ï¿1/2 Auto-provisioning
- � Easy setup
- i¿1/2 Software upgrade / Software Downgrade

Basic IP telephony features



Gigaset N300IP DECT Base Station & Gigaset C610H DECT Six Handsets Bundle

- 17.1/2 Expandable phone system with multiline functionality for up t6 handsets
- 17.1/2 Up to SIP accounts from different providers
- T¿1/2 Assign SIP accounts individually thandsets (send & Dip receive direction specifically)
- าั¿½ Multi-Line type system (6 x VoIP + 1 x PSTN) allows: Line selection for each call via menu selection
- آذِلًا Up t4 calls in parallel (3 internet calls + 1 landline calls)
- آذِ½ Easy configuration of internet telephony (VoIP) by wizard and download of provider setting profiles (>200 providers supported)

Enhanced IP Telephony

- រី¿½ Embedded SIP VoIP with codecs: G.711, G.722, G.726, G.729AB6)
- $\c i_{\it c}$ // Gigaset.net: free of charge calls between Gigaset VoIP phones. Nickname search in Gigaset.net community.
- آذًا Auto-fallback tPSTN, if the phone cannot establish a VoIP connection
- าั¿½ VoIP supplementary services (device controlled): conference, hold/toggle, call forwarding
- تزارد Call transfer via R key Quality of service2): ToS, Diffserv, configurable DSCP values for SIP and RTP

IP features and services Online directories

- آذِرُ 2 Online directory and Yellow Page search (multiple directories supported) 2).
- تز½ Reverse search (number -> contact).
- تزير Reverse lookup online (display of caller id from online directory)
- � Link tuser defined online directory

Email

- Ti 1/2 New Emails are indicated on the handset8) by illuminated MWI-key
- تزير Read Emails on handset (up t560 characters) 2), 8)
- ï¿1/2 Delete Emails via handset2), 8).
- � Support of POP3/POP3S Email accounts2), 8)

Applications and Services

� Easy access tonline information on handset8) via screensaver and interactive InfCenter: - Weather, RSS Feeds, eBay Companion, Translator, Encyclopedia, Horoscope, Biorhythm, Unit Converter2), 8) - User defined services2), 8)

آذِا Initiate calls on handset from InfService pages (click-to-call) 2), 8)

Setup and provisioning

- � Quickstart setup software
- � Easy configuration via web server or from handset
- � Administrator friendly configuration via config file
- าั¿½ Plug and Play Auto-provisioning for retail variant via
- � MAC address Auto-configuration code
- ī స్ట్రీ Plug and Play Auto-provisioning for operator/customer variant via:
- آذِال MAC address TR069, TR104, TR106, TR111 / part 1 (part 2 on request)

System and software



Gigaset N300IP DECT Base Station & Gigaset C610H DECT Six Handsets Bundle

- า๊¿½ Firmware update directly from handset, without file handling
- า๊¿½ Firmware downgrade tfactory delivery status / last version
- ï¿1/2 DHCP client (Option 60, 114, 120)
- ï¿⅓ VLAN tagging
- $\ddot{i}_{\dot{c}}$ HTTP Proxy support incl. 1.0 compatibility for chunked messages Increased virus protection thanks tprotected operating system
- ī¿½ Clock synchronization using NTP (Network Time Protocol) server

Please Enquire