

## Yealink T42G IP Phone (SIP-T42G)



Product Name: Yealink T42G IP Phone (SIP-T42G)

Manufacturer: -

Model Number: SIP-T42G

### Yealink T42G IP Phone (SIP-T42G)

Please Note: The Yealink T42G has now been upgraded to the Yealink SIP-T42S IP Phone. The T42S has a faster, more responsive interface than the T42G and offers better overall performance.

The Yealink T42G is an enterprise Gigabit VoIP Phone that features a 2.8", 132 x 264 pixel, 4-level grayscale graphical LCD screen with backlight, support for 3 SIP accounts and up to 6 multifunctional line keys. The T42G also supports productivity-enhancing feature such as SCA, BLF List, call forward, call transfer and 3-way conference.

#### Yealink T42G VoIP Phone Key Features

- 1/2 Optima HD voice, Full-duplex speakerphone
- 1/2 2.8" 132x264-pixel 4-level grayscale graphical LCD with backlight
- 1/2 Up to 3 SIP accounts, 5-way conference
- 1/2 Dual-port Gigabit Ethernet (Router & Switch), Integrated PoE
- 1/2 6 multifunctional line keys, UP to 15 various features
- 1/2 Wall mountable, Integrated stand with 2 adjustable angles
- 1/2 Headset, EHS support

The Yealink SIP-T42G is a feature rich business VoIP phone designed for business. The design of the SIP-T42G has ergonomic recessed buttons, an adjustable stand with non slip rubber feet, and a paper label free design.

Note: Please refer to the Yealink VoIP Phone Range Detailed Comparison Table for more information.

#### Yealink SIP-T42G Technical Specifications LCD

- 1/2 192 X 64 pixels monochrome graphical (five-line display)

#### Interface

- 1/2 2 x 10/100/100 Mbps Ethernet ports,
- 1/2 1 X Handset/Headset/EHS Port

#### Hard Keys

- 1/2 31 Keys, 6 multifunctional DSS Keys
- 1/2 Up to 15 various features

#### SIP Accounts

- 1/2 Up to 3 .SIP Accounts

#### Wideband/Narrowband Codec

- 1/2 G.722, G.711 u/a, G.729A/B, G.726, G.723.1

## Yealink T42G IP Phone (SIP-T42G)

### Speakerphone/HD Voice

- 1/2 Full-duplex Hands free talking
- 1/2 Optima HD Voice

### Phone Features

- 1/2 1000 entries Phonebook, 100 entries call logs, 5 way local conferencing
- 1/2 Remote Phonebook, Call Forward/Transfer/Waiting
- 1/2 Speed Dial, DND, Keypad Lock, Dial Plan,
- 1/2 XML Browser, IP-PBX Features, BLA/SCA/BLF, Voicemail/MWI
- 1/2 Call Park/Pickup, Music on hold,
- 1/2 ACD, Hot Desking, LDAP, Anonymous Calls,
- 1/2 Anonymous Calls Rejecting

### Network Feature

- 1/2 AES encrypted configuration file, Secure RTP, TLS, 802.1x, QoS Support [802.1 P/Q(VLAN), TOS, DiffServ, HTTPS. VPN, SNTP/NTP, NAT/NAPT/STUN, DHCP/DNS/HTTP

### Security

- 1/2 802.1 P/Q (VLAN), TOS, Diffserv

### Support Accessories

- 1/2 Up to 6 Expansion module, Bluetooth, Wifi,

### Management

- 1/2 TR-069, Auto-provision, Redirect Server, BroadSoft DMS

## Please Enquire

Options available for Yealink T42G IP Phone (SIP-T42G) :

### Power Supply Required?

UK PSU required (+\$5.43), EU PSU required (+\$5.43), None - Using PoE.

### RPS Extension ID

TEXT.

### RPS Extension Password

TEXT.

### RPS Display Name

TEXT.

### RPS PBX URL

TEXT.

### RPS NAT Enabled

## Yealink T42G IP Phone (SIP-T42G)

[TEXT.](#)

**RPS Outbound Proxy**

[TEXT.](#)

**RPS SIP Port**

[TEXT.](#)

**RPS Enable Outbound Proxy**

**RPS Own Server URL**

**RPS Own Server Name**

**T4x Wall Mount Bracket**

[Required \(+\\$7.41\),](#) [Not Required.](#)

**Compatible Headsets**

[Not Required,](#) [VXI ProSet QD1027 10V \(+\\$100.77\),](#) [VXI Passport QD1027 10V \(+\\$90.15\),](#) [VXI ProSet QD1027 21V \(+\\$118.47\),](#) [Yealink YHS33 IP Headset \(+\\$47.80\),](#) [VXI Passport QD1027 21V \(+\\$107.85\).](#)

**Compatible Wireless Headsets**

[Plantronics CS540 EHS Wireless headset \(+\\$258.81\),](#) [Not Required.](#)

**Headset Adapter**

[Yealink EHS36 \(+\\$49.98\),](#) [Not Required.](#)