

## Sangoma Vega 100G Single E1/T1 Digital Gateway VS0164 · DISCONTINUED



Product Name: Sangoma Vega 100G Single E1/T1 Digital Gateway VS0164 - DISCONTINUED

Manufacturer: Sangoma Model Number: VS0164

Please Note: This product has been discontinued. For an alternative, please see the other Yeastar Single Port Gateway.

Sangoma Vega 100G Single E1/T1 Digital Gateway VS0164

The Sangoma Vega 100G VoIP gateway connects digital telephony equipment to IP networks. Each unit purchased is factory onfigured with capacity for 30 simultaneous calls. This unit cannot be expanded beyond 30 simultaneous calls. Sangoma Vega 100G Key Features

� ETSI, VN4, ISDN

ï¿1/2 NI1, NI2, AT&T 5ESS, DMS100

า๊¿½ ISO QSIG Basic Call & Dig feature transparency

i¿1/2 Channel Associated Signalling (CAS)

ï¿⅓ R2 MFC

The available Sangoma Resiliency Enablement Suite (SRES) makes the Vega 100G the most resilient gateway in it is class. In the event of a WAN failure, IP phones behind the Vega gateway can continue to call each other, be routed to a backup switch or connected directly to the PSTN. In addition, the use of the Sangoma Network Appliance Provisioning (SNAP) tool makes the VS0164 the easiest to provision gateway on the market.

Sangoma Vega 100G - Technical Specifications VoIP Interfaces (SIP)

� Audio codecs: • G.711 (a-law/μ-law) (64 kbps) • G.729a (8kbps) •

G.723.1 (5.3/6.4 kbps) • G.726

าั¿½ FAX Support – up to G3 FAX, using T.38 าั¿½ Modem Support – up to V.90, using G.711

� Up to 30 VoIP channels

#### Telephony Interfaces

า๊¿½ Primary Rate ISDN (User configurable NT/TE):

Ti, 1/2 E1 • Euro-ISDN • ISO QSIG • VN4 • CAS R2MFC

ī¿½ T1 • NI1/NI2 • AT&T 5ESS • DMS100 • CAS (RBS) • ISO QSIG

#### LAN Interfaces

『22 RJ-45s, 1000BaseT / 100 BaseTX / 10 BaseT, full / half duplex

#### Identification

� Caller ID presentation

าั¿½ Caller ID screening allows connections to be accepted only from selected call sources

تز½ SIP Registration & Digest Authentication

Operations, Maintenance and Billing



# Sangoma Vega 100G Single E1/T1 Digital Gateway VS0164 -DISCONTINUED

� HTTP(S) web server

� RADIUS Accounting & amp; Login

آذِ Remote firmware upgrade: • Auto code upgrade • Auto configuration upgrade

ï¿1/2 SNMP V1, V2 & amp; V3

آنٰ TFTP/FTP support

� VT100 – RS232/Telnet/SSH

#### Routing and Numbering

آذِاً Dial Planner – sophisticated call routing capabilities, standalone or gatekeeper/proxy integration

� Direct Dialing In (DDI)

ï¿⅓ SIP registration to multiple proxies

ï¿⅓ NAT traversal

#### Call Quality

� Adaptive jitter removal

� Comfort noise generation

� Silence suppression

� 802.1p/Q VLAN tagging

� Differentiated Services (DiffServ)

ï¿1/2 Type of Service (ToS)

� QoS statistics reporting

ï¿1/2 Echo cancellation (G.168 up to 128ms)

#### Security and Encryption

تز1/2 Management – HTTPS, SSH Telnet

� Configurable user login passwords

ï¿⅓ SIP/TLS and SRTP

#### Certification

ī¿½ EMC (CLASS B) SAFETY TELECOMS (ISDN) EN55022 EN55024 FCC Part 15 AS/NZS3548 EN60950 IEC60950 UL60950 AS/NZS60950 E1: TBR4 T1: FCC Part 68 T1: CS-03 VCCI

#### Environmental

� 0° .. 40°C

� 0% .. 90% humidity (non-condensing)

#### Indicators (LED)

ï¿⅓ Power

� ISDN: NT/TE & Link up

ï¿1/2 LAN: speed / activity

#### **Dimensions**

� 270mm(W) x 155mm(D) x 43mm(H)



# Sangoma Vega 100G Single E1/T1 Digital Gateway VS0164 - DISCONTINUED

ï¿⅓ Weight: 1.2kgs

� Rackmount ears supplied: 107mm (2-pieces)

**External Power Supply** 

ϊ¿½ 100..240 VAC, 47..63 Hz, 1..0.5 A

Program Storage

 $\ddot{i}_{\dot{c}}$  Code and configuration data are stored in FLASH and executed from RAM

## **Please Enquire**

Options available for Sangoma Vega 100G Single E1/T1 Digital Gateway VS0164 - DISCONTINUED :

## **Peace of Mind Packages**

Platinum (+£190.91), Not Required, Gold (+£127.27).