

## RTX 8430 DECT Handset



Product Name: RTX 8430 DECT Handset

Manufacturer: -

Model Number: RTX8430Handset

**Please Note:** This product has been discontinued. Please see the Snom Wireless VoIP Phones for an alternative.

### RTX 8430 DECT Handset

The RTX 8430 is an entry level wireless DECT Handset featuring a 1.4" TFT display, 2 soft keys and Wideband speakerphone. The 8430 DECT handset supports G.722 codec for HD audio and G726 codec for standard audio.

#### RTX 8430 Key Features

- ½ HD audio support (G.722)
- ½ 1.44" TFT display, 128x128
- ½ Polyphonic ringtones
- ½ Local phonebook
- ½ Central phonebook support
- ½ Headset connector, 3.5mm
- ½ Firmware upgradable over-the-air
- ½ Wideband speakerphone

#### RTX 8830 Technical Specification

##### Audio

- ½ G722 codec for HD audio
- ½ G726 codec for standard audio
- ½ HD audio speakerphone
- ½ HAC compliant

##### TFT Colour Display

- ½ 1.44"
- ½ 128 x 128 pixels
- ½ 64k colour

##### Keypad

- ½ 21 keys total
- ½ 2 soft keys
- ½ 5-way navigation key
- ½ ON- and OFF-hook keys
- ½ Key lock and auto key lock

##### Headset Jack

- ½ 3.5mm, Iphone compliant

##### Ringer

- ½ 5 ringer melodies, 6 levels
- ½ Silent ringer
- ½ Volume control

## RTX 8430 DECT Handset

½ Alerting volume, adjustable (low battery, low coverage)

### DECT

½ Frequency bands: 1880 - 1900MHz (EU) 1910 – 1930MHz (LATAM) 1920 – 1930MHz (US)

½ Power levels: 4

½ One antenna

½ Encryption supported

½ 1 system registration

### Call Features

½ Call list with 20 entries (All, received, outgoing, missed)

½ Redial from call list

½ Speed dial

½ Central phonebook support (one LDAP server)

½ Local phonebook with 50 entries (1 number/name)

½ Date and time in Idle display

½ DND support

½ CFU/CFB/CFx support

½ Call waiting

½ Conference call

### Size and Weight

½ Size: 41 x 135 x 25mm

½ Weight: 108g including batteries

### Performance

½ Talk time: 8h (NB), 7h (WB)

½ Standby time: 75hours

½ Battery type: 2 AAA NiMh, 600mAh

½ Range: Indoor: 50m Out-door: 300m

### Environmental Conditions

½ IP20 housing

½ Operating conditions: 0-40 degrees

### Reliability Spec

½ Drop height: 1m

½ Keypad lifetime: 40.000 presses

½ Keypad abrasion: Standard

### Charging

½ Charge time: 10 hours

½ EU/US/AUS/UK plugs supported

½ Table charging cradle

### Approvals

## RTX 8430 DECT Handset

• Radio: EN 301 406  
• EMC: EN 301 489-1 EN 301 489-6  
• Safety: EN 60950-1  
• FCC part 15

---

**Price: £91.55**