RTX 8430 DECT Handset



Product Name: RTX 8430 DECT Handset
Manufacturer: -
Model Number: RTX8430Handset

Please Note: This product has been discontinued. Please see the Snom Wireless VoIP Phones for an alternative.

RTX 8430 DECT Handset
The RTX 8430 is an entry level wireless DECT Handset featuring a 1.4" TFT display, 2 soft keys and Wideband speakerphone. The 8430 DECT handset supports G.722 codec for HD audio and G726 codec for standard audio.
RTX 8430 Key Features

ï¿½ HD audio support (G.722)
ï¿½ 1,44’’ TFT display, 128x128
ï¿½ Polyphonic ringtones
ï¿½ Local phonebook
ï¿½ Central phonebook support
ï¿½ Headset connector, 3.5mm
ï¿½ Firmware upgradable over-the-air
ï¿½ Wideband speakerphone

RTX 8830 Technical Specification
Audio

ï¿½ G722 codec for HD audio
ï¿½ G726 codec for standard audio
ï¿½ HD audio speakerphone
ï¿½ HAC compliant

TFT Colour Display

ï¿½ 1,44’’
ï¿½ 128 x 128 pixels
ï¿½ 64k colour

Keypad

ï¿½ 21 keys total
ï¿½ 2 soft keys
ï¿½ 5-way navigation key
ï¿½ ON- and OFF-hook keys
ï¿½ Key lock and auto key lock

Headset Jack

ï¿½ 3.5mm, Iphone compliant

Ringer

ï¿½ 5 ringer melodies, 6 levels
ï¿½ Silent ringer
ï¿½ Volume control

RTX 8430 DECT Handset

ï¿½ Alerting volume, adjustable (low battery, low coverage)

DECT

ï¿½ Frequency bands: 1880 - 1900MHz (EU) 1910 – 1930MHz (LATAM) 1920 – 1930MHz (US)
ï¿½ Power levels: 4
ï¿½ One antenna
ï¿½ Encryption supported
ï¿½ 1 system registration

Call Features

ï¿½ Call list with 20 entries (All, received, outgoing, missed)
ï¿½ Redial from call list
ï¿½ Speed dial
ï¿½ Central phonebook support (one LDAP server)
ï¿½ Local phonebook with 50 entries (1 number/name)
ï¿½ Date and time in Idle display
ï¿½ DND support
ï¿½ CFU/CFB/CFx support
ï¿½ Call waiting
ï¿½ Conference call

Size and Weight

ï¿½ Size: 41 x 135 x 25mm
ï¿½ Weight: 108g including batteries

Performance

ï¿½ Talk time: 8h (NB), 7h (WB)
ï¿½ Standby time: 75hours
ï¿½ Battery type: 2 AAA NiMh, 600mAh
ï¿½ Range: Indoor: 50m Out-door: 300m

Environmental Conditions

ï¿½ IP20 housing
ï¿½ Operating conditions: 0-40 degrees

Reliability Spec

ï¿½ Drop height: 1m
ï¿½ Keypad lifetime: 40.000 presses
ï¿½ Keypad abrasion: Standard

Charging

ï¿½ Charge time: 10 hours
ï¿½ EU/US/AUS/UK plugs supported
ï¿½ Table charging cradle

Approvals

RTX 8430 DECT Handset

ï¿½ Radio: EN 301 406
ï¿½ EMC: EN 301 489-1 EN 301 489-6
ï¿½ Safety: EN 60950-1
ï¿½ FCC part 15

Price: $115.51