

-

Product Name: Gigaset S650H Pro DECT Handset Manufacturer: -Model Number: S650H

Please Note: This product has been discontinued. Please see the Gigaset S700H PRO Cordless DECT Handset for an available alternative.

Gigaset S650H Pro DECT Handset

The Gigaset S650H Pro DECT Handset is opimised for everyday use in office environments. The first thing you notice when you hold the S650H PRO is how great it feels in your hand. The volume keys on the side brings absolute convenience while calling where the keypad is just right to dial the right number over and over again. With its high-quality polymer finish, the handset is scratch- and disinfectant resistant.

Gigaset S650H Key Features

ïزئ Next generation user interface on 1,8" TFT illuminated display

ï¿1/2 Side keys for volume adjustment during a call

ï¿1/2 Up to 12 hours of talk time. It supports your activities during the day, without re-charging

ïزئ Easy installation. Unpack, connect and conduct a call

i¿1/2 Profiles for personal, meeting and noisy environments

iز/2 Handsfree talking with brilliant HDSP/CAT -IQ 2.0 sound quality and high maximum volume

i¿1/2 Full compatibility with Gigaset N510 Single and N720 DECT IP Multicell systems

ï¿1/2 Modern design with convenient size and proportions

� Searchable local phonebook with up to 500 vCards and corporate phonebook via PBX (XML, LDAP)

ï¿1/2 Support of Net provider features via menu

ï¿1/2 Vibrating alert

ï¿¹/₂ Silent charger mode during parallel ringing

ï¿1/2 Headset connection via Bluetooth® or 2.5 mm jack

ïزئ Convenient data exchange via Bluetooth® or micro-USB

ï¿1/2 PIN-protected keylock for optimum line security

ï¿1/2 Charging via any micro-USB

ï¿1/2 Scratch- and disinfectant resistance

The S650H handset is loaded with Gigaset&Isquo;s business features enriched with Bluetooth, vibrate and audio profiles. This adapts the phone to fit to your personal needs in specific situations. The micro-usb port prepares the S650H PRO for future software updates to support Gigaset DECT networks. This makes the handset fit perfectly to the N720 DECT IP Multicell and N510 IP single cell System from Gigaset pro. Of course it can also be connected to other GAP compatible base stations in both single- and multicell environments.

Gigaset S650H - Technical Specifications Additional Features

ï¿1/2 Organiser with calendar and reminder functions

ï¿1/2 Email-Reader 1

ï¿1/2 Info services 1

ï¿1/2 Screensaver (picture, slideshow, clock, info service) 1

ï¿1/2 Battery charge also in power off state

� Warning tones when out of the DECT range and visa versa

i¿1/2 Silent charger mode during parallel ringing with other phone registered at the same user



Gigaset QuickSync - Software

i¿½ Software free to download for Windows and OSX. Connect via micro-USB or Bluetooth®.

- ï¿1/2 Synchronize your handset directory with Microsoft Outlook®
- ï¿1/2 Upload of caller pictures / screensaver pictures
- ï¿1/2 Upload sounds (ringtones) from computer to handset

ï¿1/2 Firmware update

- ï¿¹/₂ Computer telephony integration (CTI):
- ï¿1/2 Direct dialling of Microsoft Outlook® contacts
- ï¿1/2 Display of incoming calls on the computer both on Windows and OSX

Compatibility

- ï¿1/2 Optimized and recommended for:
- ï¿1/2 Gigaset pro Single cell systems e.g. N510IP PRO
- ï¿1/2 Gigaset pro Multicell systems e.g.. N720IP PRO
- i¿1/2 GAP compatible DECT base stations (single and multicell systems)

Interfaces

� DECT

- ï¿1/2 Bluetooth®
- ï¿1/2 Bluetooth® headset (hands free and headset profile)
- ïزئ Data exchange and firmware update with Gigaset QuickSync
- ï¿¹/₂ vCard exchange with mobile phones
- � Micro-USB
- ï¿1/2 Charging function
- i¿1/2 Data exchange and firmware update with Gigaset QuickSync
- ï¿1/2 2,5 mm headset connector

DECT range

� Indoor range: up to 50 meters � Outdoor range: up to 300 meters

Green office

ï¿1/2 Up to 60% less energy consumption, thanks to an energy-saving power supply

Operation time

ï¿1/2 Up to 12 hours of talk time ï¿1/2 Up to 300 hours of standby time

User interface

� Illuminated, graphical 1,8&Idquo;-TFT Colour display, 128 x 160 Pixel, up to 8 lines and 65.000 colours

ï¿1/2 Intuitive, modern user interface with icons, display keys, five way navikey, function keys and side keys

Phonebook and dialling

 \ddot{i}_{2} Address book with up to 500 vCard entries \ddot{i}_{2} vCard entries: first and last name, three numbers, email, date reminder, VIP melodies and



picture caller ID

� PBX-directory access with search (LDAP and XML) 1
� Public online directory search with auto lookup 1
� 3 separate calls lists (missed/incoming/outgoing) with 20 entries each with CLIP/CNIP and time/date 1
� Redialling of last 20 numbers entered
� Short dial keys (soft keys, 9 numeric keys)

- ï¿1/2 Mute key, key lock and flash key
- ï¿1/2 Automatic redial function

Receiving calls

- ï¿1/2 Caller indication displayed via CLIP, picture CLIP and CNIP 1
- i، المانين المانين
- ï¿1/2 Anonymous call silencing 1
- ï¿1/2 Vibrating alert

Missed calls

- i¿1/2 Signalled via display and illuminated message waiting indicator
- ï¿1/2 List showing up to 20 missed calls with caller indication 1
- ï¿1/2 Local missed call list behind 3rd party single and multicell systems with GAP 1
- ï¿1/2 Direct dialling of the missed call list

Audio

- ï¿1/2 HD Audio supporting HDSP™/CAT -IQ 2.0
- ï¿1/2 Hands free talking with excellent audio quality
- ï¿1/2 Side keys for easy volume adjustment
- ï¿1/2 22 selectable ringer melodies with 5 volume levels and crescendo
- i¿1/2 Selectable audio profiles (personal, silent and loud)
- ï¿1/2 Headset via Bluetooth or 2,5-mm jack

Keypad

- ï¿1/2 Illuminated and scratch resistant
- ï¿1/2 Message waiting key with blinking LED
- ï¿1∕2 Separate R-key
- ï¿1/2 Profile key to apply personal, silent and loud settings directly
- ï¿1/2 Side keys for volume adjustment
- ï¿1/2 Keylock (#-key) with PIN protection

Environmental conditions

- ï¿1/2 Operating temperature between +5 to +45° C
- ï¿¹/₂ Storage temp between -15 to +60°C
- ı
¿ $^{1\!\!2}$ Relative Humidity between 20% and 75%, non condensating

Dimensions

- ï¿1/2 Handset 151 x 49 x 26 mm
- ï¿1/2 Charger 40 x 81 x 80 mm
- ï¿1/2 Packaging 224 x 166 x 60 mm
- ï¿1/2 Overall weight of the sales packaging approx. 330 g



Contents of the packaging

� Handset
� Battery cover
� 2 AAA Batteries (NiMH)
� Belt clip
� Charger
� Power adapter for charger
� Security leaflet

Please Enquire

Options available for Gigaset S650H Pro DECT Handset :

Base Station Required?

Not Required, N720IP (+373.25EUR), N300IP (+42.98EUR), N510IP (+56.91EUR).