

Akuvox SP-R53P IP Phone



Product Name: Akuvox SP-R53P IP Phone

Manufacturer: -

Model Number: SP-R53P

Please Note: This product is no longer available. To find an alternative, please see our VoIP Phone Comparison Charts.

Akuvox SP-R53P IP Phone

The Akuvox SP-R53P is a feature rich IP phone that is cost effective, easy to set up and a fantastic fit to help boost communication and productivity in a business environment. The SP-R53P offers a smooth user experience and clear HD Voice characteristics. Along with this the SP-R53P offers local 3-way conferencing, multi-Languages Support, Speed Dial, Call on Hold, Mute, Auto-answer, Redial and DND which are perfect for office based environments. Akuvox SP-R53P IP Phone Key Features

ï¿1/2 3 Lines (Supports 3 SIP accounts)

� Network Packet Capture

� Phonebook (500 groups)

า๊¿½ 2.9'' 132*64 Graphical LCD with Backlight

17:1/2 HTTP/HTTPS Web Server for Management

ï¿1/2 Audiocodes Chipset

ï¿⅓ HD Voice

The SP-R53P supports 3 SIP accounts, offers auto provisioning using FTP/TFTP/HTTPS/PnP, Auto Redial and Call Return. It also operates with a Audiocodes Chipset and 35 Keys (with 4 Soft Keys) . As a very cost-effective and powerful IP solution, the SP-R53P is perfect in busy business environments and work productivity. Akuvox IP Phone SP-R53P - Technical Specifications

Phone Features:

ï¿1/2 3 Lines (Support 3 SIP accounts)

آزار Support Call Waiting, Call Forward, Call Transfer

تزار Call on Hold, Mute, Auto-answer, Redial, DND

ï¿1/2 Local 3-Way Conference

ï¿⅓ Volume Adjustable, Ring tones Selectable

ï¿1/2 Speed Dial, Hotline

� Daylight Saving Time

� Network Packet Capture

17.1/2 Country Ringtone Signal

� Direct IP call

ï¿1/2 Auto Redial, Call Return

آزِ½ Dial Plan

ï¿1/2 XML Browser

ï¿⅓ Hot Desking

ï¿1/2 Keypad Lock

ï¿1/2 Action URL/URI

آزا Phonebook (500 groups), Blacklist (100 groups), Call logs (100 entries)

17.1/2 5 Remote Phone Book URL Supported

LDAP ½'¿ï

ï¿⅓ Multi-Languages Support

IP-PBX Features:



Akuvox SP-R53P IP Phone

- า๊¿1/2 SMS. Voicemail. MWI Message Noti?cation
- ï¿1/2 Music on hold, Intercom
- � BLF (Busy Lamp Field)
- � Call Pickup, Group Call Pickup
- � Call Recording
- � Anonymous Call, Anonymous Call Rejection

Audio Features:

- ï¿⅓ HD Voice
- ï¿1/2 Wideband Codec: G.722
- ï¿1/2 Narrowband Codec: PCMA, PCMU, G.729, G723_53, G723_63, G726_16, G726_24,
- G726_32, G726_40
- � VAD, CNG, Echo Canceller
- ï¿1/2 Full-Duplex Speakerphone

Security Features:

- ï¿1/2 Support HTTPS (SSL)
- � Support SRTP for Voice Data Encryption
- ï¿1/2 Support Login for Administration
- آزار SIP Over TLS

Network Features:

- ï¿1/2 SIP v1(RFC2543), V2(RFC3261)
- ï¿1/2 Static IP/DHCP for IP con?guration
- تزار 3 DTMF modes: In-Band, RFC2833, SIP INFO
- تز½ HTTP/HTTPS Web Server for Management
- ï¿⅓ NTP for Auto Time Setting
- � TFTP/FTP/HTTP/HTTPS Protocols
- � 802.1Q VLAN

Administration Features:

- า๊¿½ Auto provisioning using FTP/TFTP/HTTP/HTTPS/PnP
- تزاري Dial through IP PBX Using Phone Number
- � Dial through IP PBX Using URL Address
- ī¿½ Configuration Manamements with web, keypad on the phone, and Auto Provisioning
- ۳¿⅓ SNMP
- � TR069

Physical Features:

- ï¿1/2 Audiocodes Chipset
- า๊ะ่% 2.9'' 132*64 Graphical LCD with Backlight
- ï¿1/2 35 Keys (with 4 Soft Keys)
- រី¿½ 5 LED Lights (1 Power Light, 3 Account Lights and 1 Voice Mail Light)
- i¿1/2 RJ9 Handset Jack and Headset Jack
- � 2 RJ45 10/100M Ethernet Jacks
- า๊ะ่ AC Power Adapter: Input: AC 100-240V; Output: DC 5V/1A
- � PoE: IEEE 802.3af
- าั¿½ Giftbox Size:202*239.5*102.5 (mm),weight: 1.19 kg



Akuvox SP-R53P IP Phone

Please Enquire