

## Panasonic KX-HDV130 IP Phone - White



Product Name: Panasonic KX-HDV130 IP Phone - White

Manufacturer: Panasonic

Model Number: KX-HDV130

### Panasonic KX-HDV130 IP Phone - White

The Panasonic KX-HDV130 White IP Phone delivers the ideal balance of high quality and sleek design, alongside a range of value-adding features. Designed to suit business buyers who demand technology that provides the reliable, flexible performance their businesses require, the KX-HDV130 makes professional-grade communications more accessible than ever.

### Panasonic KX-HDV130 Key Features

- 2 SIP accounts
- 132 x 64 pixel 2.3 inch graphical LCD with backlight
- HD Voice (G.722)
- Up to 500 phonebook
- 3-way conference call support
- Compatible with Broadsoft UC one
- 2 x 10/100M ports, PoE
- Low standby power consumption
- XML Application Interface
- 2 Programmable keys / Line keys
- Plug and Play configuration
- Changeable angle stand
- Wall mounting (Optional)

### Panasonic KX-HDV130 - Technical Specifications

#### Display

- LCD Display Monochrome Graphical
- LCD Size 132 x 64 pixel 2.3 inch Graphical LCD
- LCD Contrast 6 levels
- LCD Backlight On/Auto/Off

#### Install Options

- Desk Mount Tilt Yes - 2 positions
- Wall Mount KX-A440 (optional)
- Power Adaptor KX-A423 (optional)

#### Audio Features

- Handset, Speaker, Headset Volume 8 levels (includes echo cancellation and distortion prevention)
- Ringtones 32
- Ringer Volume 8 levels + Off
- Headset Port RJ9 jack
- Electronic Hook Switch Control Port -
- Audio Codec G.711a-law / G.711µ-law / G.722 (wideband) / G.729a
- HD Voice Yes
- Speaker Phone Yes

#### Keys

- Programmable Keys 2

## Panasonic KX-HDV130 IP Phone - White

### Software Features

- Phone Book (Local) 500
- LDAP Remote Phonebook Yes
- XML Remote Phonebook Yes
- Call Log Entries 30 incoming calls + 30 outgoing calls
- Conferencing 3 parties (within terminal & multi-party dependent on server)
- XML Application Yes
- Music on Hold Supplied by Host Service (PBX / SIP Server)

### IP Features

- SIP Accounts 2
- SIP Compatibility RFC 3261 Standard SIP Server, Asterisk, Broadsoft, CommuniGate Pro, Panasonic IP PBX
- IP Version IPv6 / IPv4
- DHCP Client Yes
- DNS Yes
- HTTP Yes
- HTTPS Yes
- SNTP Client Yes
- VLAN (802.1q) Yes
- QoS (DiffServ) Yes

### Configuration

- Plug & Play Configuration Server based configuration, TR-069
- Manual Configuration Internal web Configurator, Local (LCD based) network configuration

### Interface

- Ethernet Ports 2
- Ethernet Interface 10/100 Mbps
- PoE (Power over Ethernet) Yes
- Power Consumption
  - PoE Stand-by: approx. 2.2 W (ECO mode off), 1.9 W (ECO mode on) Talking: 2.3 W (ECO mode off), 2.0 W (ECO mode on) Max: 2.8 W
  - WAC Adaptor Stand-by: 2.0 W (ECO mode off), 1.3 W (ECO mode on) Talking: 2.1 W (ECO mode off), 1.4 W (ECO mode on) Max: 2.8 W
- Operating Environment 0 °C - 40 °C (32 °F - 104 °F)
- Dimensions (Width x Depth x Height; excluding the handset, stand attached)
- Colour: White. Also available in black. High position: 167 mm x 165 mm x 148 mm Low position: 167 mm x 173 mm x 115 mm
- Weight (with handset, handset cord and stand) 691 g

**Price: £39.60**

Options available for Panasonic KX-HDV130 IP Phone - White :

### UK PSU

Required (+£3.80),

## Panasonic KX-HDV130 IP Phone - White

Not Required.