

Draytek Vigor 2925Fn Dual-WAN Router Firewall



Product Name: Draytek Vigor 2925Fn Dual-WAN Router Firewall Manufacturer: -Model Number: 2925Fn

Draytek Vigor 2925Fn Fibre Router

The Draytek Vigor 2925Fn series are equipped with SFP WAN port for Fiber connection. Vigor2925 Series is the IPv6 ready dual WAN broadband security firewall router. It ensures the business continuity for today and the future IPv6 network. Its one gigabit Ethernet WAN port can accept various high-speed Ethernet-based WAN links via FTTx/xDSL/Cable. The 2 USB ports are for 3G/4G LTE mobile broadband access. Draytek Vigor 2925Fn Features

ï¿1/2 Fiber Router (SFP WAN port)

- ï¿1/2 Support IPv6 & amp; IPv4 network
- ïزئ Dual Gigabit Ethernet WAN port for failover and load-balancing
- ï¿1/2 4 x Gigabit LAN ports with multiple subnets
- ï¿1/2 2 USB 2.0 ports for 3G/4G mobile, FTP server and network printers
- i¿1/2 Object-based SPI Firewall and CSM (Content Security Management) for network security
- i¿1/2 VLAN for secure and efficient workgroup management
- i¿1/2 50 VPN tunnels with comprehensive secure protocols (25 SSL VPN options)
- i¿1/2 VPN load-balancing and backup for site-to-site applications
- ï¿¹/₂ CVM (Central VPN Management)
- i¿1/2 Supports Smart Monitor Traffic Analyzer (50-nodes)
- ï¿1/2 Flexible Network Management

With the multi-WAN accesses, Vigor2925 routers support bandwidth management functions such as failover and load-balancing, making them ideal solutions for reliable and flexible broadband connectivity for the small business office. The specifications cover many functions that are required by modern day businesses, including secure but easy to apply firewall, comprehensive VPN capability, Gigabit LAN ports, USB ports for 3G/4G mobile dongles, FTP servers and network printers, VLAN for flexible workgroup management, and much more. Draytek Vigor 2925Fn - Technical Specifications WAN Feature

i¿½ Ethernet WAN IPv4 - DHCP Client, Static IP, PPPoE, PPTP, L2TP, 802.1p/q Multi-VLAN
Tagging IPv6 - Tunnel Mode: PPP, TSPC, AICCU, 6rd* (6rd will be supported by firmware v3.7.3)
i¿½ Dual Stack: DHCPv6 Client, Static IPv6
i¿½ USB WAN PPP
i¿½ Outbound Policy-based Load-balance
i¿½ WAN Connection Failover
i¿½ S0,000 NAT Sessions

Network Feature

i¿½ DHCP Client/Relay/Server
i¿½ IGMP Snooping/Proxy Version 2 and Version 3
i¿½ Dynamic DNS
i¿½ NTP Client
i¿½ Call Scheduling
i¿½ RADIUS Client
i¿½ DNS Cache/Proxy
i¿½ UPnP 30 sessions
i¿½ Multiple Subnets



Draytek Vigor 2925Fn Dual-WAN Router Firewall

i¿½ Port-based/Tag-based VLAN (802.1q) i¿½ Layer-2 QoS (802.1p)

ï¿¹/₂ Routing Protocol: Static Routing RIP V2

� Route Policy

VPN

� Up to 50 VPN Tunnels
� Protocol : PPTP, IPsec, L2TP, L2TP over IPsec
� Encryption : MPPE and Hardware-based AES/DES/3DES
� Authentication : MD5, SHA-1
� IKE Authentication : Pre-shared Key and Digital Signature (X.509)
� LAN-to-LAN, Teleworker-to-LAN
ï½ DHCP over IPsec
ï½ DHCP over IPsec
ï½ IPsec NAT-traversal (NAT-T)
ï½ Dead Peer Detection (DPD)
ï½ VPN Pass-through
ï½ VPN Wizard
ï½ SSL VPN (Up to 25 Tunnels)
ï½ VPN Trunk (Load Balance/Backup)

Firewall

� Multi-NAT, DMZ Host, Port-redirection and Open Port
� Object-based Firewall, Object IPv6, Group IPv6
� MAC Address Filter
� SPI (Stateful Packet Inspection) (Flow Track)
� DoS / DDoS Prevention
� IP Address Anti-spoofing
� E-mail Alert and Logging via Syslog
� Bind IP to MAC Address
� Time Schedule Control
� User Management

USB

� 3.5G (HSDPA)/4G (LTE) as WAN
 � Printer Sharing
 � File System : * Support FAT32 File System * Support FTP Function for File Sharing * Support Samba for File Sharing*

Bandwidth Management

 � QoS : Class-based Bandwidth Guarantee by User-defined Traffic Categories Guarantee Bandwidth for VoIP DiffServ Code Point Classifying 4-level Priority for Each Direction (Inbound/Outbound) Bandwidth Borrowed
 � Session Limitation Default & amp; Specific Limitation
 � Bandwidth Limitation Default & amp; Specific Limitation Auto Adjustment by Exceeding Session/Available Bandwidth
 � TOS/DSCP QoS Mapping

Network Management

ï¿1/2 Web-Based User Interface (HTTP/HTTPS)



Draytek Vigor 2925Fn Dual-WAN Router Firewall

ï¿1/2 Quick Start Wizard

- ï¿1/2 CLI (Command Line Interface, Telnet/SSH)
- ï¿1/2 Administration Access Control
- ï¿1/2 Configuration Backup/Restore
- ï¿1/2 Built-in Diagnostic Function
- ï¿1/2 Firmware Upgrade via TFTP/FTP/HTTP/TR-069
- � Logging via Syslog
- ï¿1/2 SNMP Management MIB-II (v2/v3)
- ï¿1/2 Management Session Time Out
- ï¿1/2 2-level management (Admin/User Mode)
- � TR-069
- � TR-104

ï¿1/2 LAN Port Monitoring

- ï¿1/2 Support Smart Monitor (Up to 50 nodes)
- i¿1/2 Central AP Management (Up to 20 APs)

Content Security Management

ï¿1/2 IM/P2P Applications

- i¿1/2 GlobalView Web Content Filter (Powered by CYREN-90) *
- ï¿1/2 URL Content Filter
- � URL Keyword Blocking (Whitelist and Blacklist)
- � Java Applet, Cookies, Active X, Compressed, Executable, Multimedia File Blocking
- ï¿1/2 Excepting Subnets

Wireless AP

i¿½ IEEE802.11n Compliant (2.4GHz)
i¿½ Wireless Client List
i¿½ Wireless LAN Isolation
i¿½ 64/128-bit WEP
i¿½ WPA/WPA2
i¿½ Hidden SSID
i¿½ WPS
i¿½ MAC Address Access Control
i¿½ Access Point Discovery
i¿½ WDS (Wireless Distribution System)
i¿½ 802.1x Authentication
i¿½ Wireless Rate-control
i¿½ IEEE802.11e: WMM (Wi-Fi Multimedia)

ï¿1/2 SSID VLAN Grouping with LAN Port*

ï¿1/2 10. Declaration of Conformity *Firmware Upgradeable

Please Enquire