

Cyberdata SIP RGB Strobe (011376)



Product Name: Cyberdata SIP RGB Strobe (011376)

Manufacturer: CyberData

Model Number: 011376

Cyberdata SIP RGB Strobe 011376

The Cyberdata SIP RGB Strobe 011376 operates as a visual alerting device. The device can be set up as part of a ring group (call group) with the Strobe engaged as notification of incoming calls.

Cyberdata SIP RGB Strobe 011376 Features

- Meets ADA requirements for telephony signaling and notification
- Multiple colors, Blink rate and brightness can be selected for each of the different activation methods
- Program or listen to up to 10 multicast addresses
- SIP activation
- Mailbox Message Waiting Indication
- Multicast activation
- Cisco SRST support
- Event-controlled relay
- Tamper sensor
- Web-based setup
- PoE-powered

The SIP RGB Strobe may also be activated by being part of a Multicast group. When audio is detected on a specific Multicast address and port, the strobe will activate. Through a web page setup, you can have the SIP Strobe respond to message waiting signals by blinking. When the message has been heard, the strobe stops blinking.

Multiple colors, Blink rate and brightness can be selected for each of the different activation methods. Users may also use CyberData's HTTP command set to directly access the strobe's functions.

Cyberdata SIP RGB Strobe 011376 - Technical Specifications

New Features:

- Ethernet I/F 10/100 Mbps
- Protocol SIP RFC 3261 Compatible
- Power Input PoE 802.3af compliant or +8 to +12VDC @ 1000mA Regulated Power Supply
- Flash rate 5 user-defined scenes
- LED MTBF 100,000 Hours
- On-Board Relay 1A at 30 VDC
- Operating Temperature -10 degrees C to 50 degrees C (14 degrees F to 122 degrees F)
- Payload Types G711, A-law and µ-law
- Dimensions Length: 4.5 inches [115 mm], Width: 2.1 inches [55 mm], Height: 4.5 inches [115 mm]
- Warranty 2 years Limited
- Weight / Boxed Weight 1.0 lbs. (0.45 kg) / 2.0 lbs. (0.90 kg)
- Part Number 011376 (replaces 011087)

Price: £587.30