

## CyberData Video Outdoor VoIP Intercom with Keypad (011414)



Product Name: CyberData Video Outdoor VoIP Intercom with Keypad (011414) Manufacturer: CyberData Model Number: 011414

Please Note: The item does not include the pictured optional weather shroud (011215) or Flush Mount Box

CyberData SIP-enabled H.264 Video Outdoor Intercom with Keypad (011414) The CyberData 011414 SIP-enabled h.264 Video Outdoor Intercom with Keypad is perfect for secure access settings requiring video and two-way communication. With excellent color and low light capability, the CyberData SIP-enabled h.264 Video Intercom can increase the security of any VoIP installation.

CyberData 011414 Key Features

ï¿1/2 PoE 802.3af enabled (Powered-over-Ethernet)

ï¿1/2 SIP compliant

ï¿1/2 Adjustable camera angle

ï¿1/2 12-key keypad with backlight

ï¿<sup>1</sup>/<sub>2</sub> Programmable speed dial

ï¿1/2 Full-duplex voice operation

ïزئ Supports SRST (Survivable Remote Site Telephony) in a Cisco environment

ï¿1/2 Network web management

i¿1/2 Network adjustable speaker volume and microphone sensitivity

ï¿1/2 Network downloadable firmware

 $\ddot{i}_{2}$  Doubles as a paging speaker

ï¿1/2 Dry relay contact for auxiliary control (controls external power)

ï¿1/2 Door closure and tamper alert signal

ï¿1/2 Optional Weather Shroud for even greater weather protection

ï¿1∕2 IP65 rated enclosure

ï¿1∕2 Conformal coated PCBA

ï¿1/2 Optional Security Torx screws with driver kit

ï¿1/2 Downloadable alert, ringtones and callout messages

The Weather Shroud can be purchased separately for even greater weather protection. Based on one of our most popular devices, the new Video Outdoor Intercom can be installed in nursing care facilities, schools and universities, daycare facilities, retail establishments, highway tolls, needing color video and clear two way audio. CyberData 011414 - Technical Specifications Ethernet I/F

� 10/100 Mbps

Protocol

ï¿1/2 SIP RFC 3261 Compatible

Power Input

i¿½ PoE 802.3af compliant or i¿½ +8 to +12VDC @ 1000mA i¿½ Regulated Power Supply

Speaker Output



## CyberData Video Outdoor VoIP Intercom with Keypad (011414)

� 1 Watt Peak Power

**On-Board Relay** 

1A at 30 VDC

**Operating Temperature** 

ï¿1/2 -10° C to 50° C (14° F to 122° F)

Payload Types

ï¿1/2 G711, A-law and μ-law

Video Codec

ï¿1/2 H.264 Baseline

Camera Resolution

� 320 x 240

SIP Video Payload

ï¿1/2 Baseline profile @ 320x240

Video Lens Angle

ï¿1/2 72 degrees

Dimensions

� Length: 7.480 inch [190 mm] � Width: 2.284 inch [58 mm] � Height: 5.118 inch [130 mm]

Weight

� Weight 2.8 lbs. (1.27 kg) � Box Weight 4.0 lbs. (1.81 kg) � Weather Shroud is 1.2 lbs. (0.54 kg)

Warranty

ï¿1/2 2 years limited

Part Number

ïزئ 011414 ïزئ 011215 Weather Shroud (sold separately)

## Price: £1,038.10



## CyberData Video Outdoor VoIP Intercom with Keypad (011414)