

## AVer CAM530 PTZ Camere with HDMI & USB, optical zoom: 12X, 1080p@60fps max, color: black



Product Name: AVer CAM530 PTZ Camere with HDMI & USB, optical zoom: 12X, 1080p@60fps max, color: black

Manufacturer: -

Model Number: 61V8U00000BK

Please Note: This product is no longer available. To find an alternative, please see our IP Video Conferencing solutions.

AVer CAM530 PTZ Camere with HDMI & USB, optical zoom: 12X, 1080p@60fps max, color: black

The AVer CAM530 is designed to meet the unified communications and collaboration needs of a variety of businesses. Widely compatible and ideal for numerous applications and integration with other equipment, its full HD 1080p 60fps capability ensure high-quality real-time communication whether in conference rooms or industrial environments. Moreover, CAM530 provides both a USB and HDMI connection, perfect for software- or cloud-based video collaboration and other applications that require very high quality video.

### AVer CAM530 Key Features

- Full HD 1080p 60fps
- Pan:  $\pm 130^{\circ}$ ;  $0.45^{\circ}$  step
- Tilt:  $+90^{\circ}/-25^{\circ}$ ;  $0.25^{\circ}$  step
- Field of view (H):  $72.5^{\circ}$  (wide)  $\sim 6.3^{\circ}$  (tele)
- Sensor: 1/2.8 low lux CMOS 2M pixel
- Resolution: full HD 1080p (1920x1080), HD 720p (1280x720), PAL (1024x576), VGA (640x480), QVGA (320x240), QQVGA (160x120) at 60fps, 30fps and 15fps
- Scan: progressive
- Zoom: 18X total zoom (12X optical zoom)
- Lens focal length: 3.9mm (wide)  $\sim 47.3$ mm (tele)
- Lens F#: 1.8 (wide)  $\sim 2.8$  (tele)
- Auto Iris
- S/N ratio:  $> 50$ dB
- Minimum illumination: 1 lx (50 IRE, F1.6, shutter 1/30)
- 2D and 3D denoise
- Backlight compensation
- Flip, mirror
- Minimum working distance: 1.5 meter
- Include table/wall/ceiling mount
- Kensington slot

### AVer CAM530 - Technical Specifications

#### Package contents

- Camera
- Remote control
- 5m USB cable to PC (USB2.0 mini B to PC)
- Power supply
- Quick-start guide
- Tabletop/wall/ceiling mount
- 6.35mm tripod mounting screw
- Velcro

## AVer CAM530 PTZ Camere with HDMI & USB, optical zoom: 12X, 1080p@60fps max, color: black

• 3m HDMI cable  
• RS232 adapter

### System requirements\*

• Windows®; 7/ 8/8.1/10  
• Mac OS®; X 10.7 or higher  
• Google Chromebook version 29.0.1547.70, Platform 4319.79.0

### Environmental data

• Physical characteristics: 0~40°C  
• Operation humidity: 20%~80%  
• Storage temperature: -20~60°C  
• Storage humidity: 20%~80%

### Camera

• Full HD 1080p 60fps  
• Pan: ±130°; 0.45°/step  
• Tilt: +90°/-25°; 0.25°/step  
• Field of view (H): 72.5° (wide) ~ 6.3° (tele)  
• Sensor: 1/2.8 low lux CMOS 2M pixel  
• Resolution: full HD 1080p (1920x1080), HD 720p (1280x720), PAL (1024x576), VGA (640x480), QVGA (320x240), QQVGA (160x120) at 60fps, 30fps and 15fps  
• Scan: progressive  
• Zoom: 18X total zoom (12X optical zoom)  
• Lens focal length: 3.9mm (wide) ~ 47.3mm (tele)  
• Lens F#: 1.8 (wide) ~ 2.8 (tele)  
• Auto Iris  
• S/N ratio: >50dB  
• Minimum illumination: 1 lx (50 IRE, F1.6, shutter 1/30)  
• 2D and 3D denoise  
• Backlight compensation  
• Flip, mirror  
• Minimum working distance: 1.5 meter  
• Include table/wall/ceiling mount  
• Kensington slot

### Hardware requirements\*

• 2.4 GHz Intel®; Core 2 Duo processor  
• 2 GB RAM or more  
• Hard drive space for recorded videos  
• USB 2.0 port

### Physical characteristics

• Package dimensions: 370 x 252 x 275mm  
• Package weight: 4.16kg/9.17lbs  
• Camera: 180 x 140 x 182mm/1.5kg  
• Remote control: 200 x 50 x 20mm/0.091kg

## AVer CAM530 PTZ Camere with HDMI & USB, optical zoom: 12X, 1080p@60fps max, color: black

### Warranty\*\*

ĩ½ 3-year: camera  
ĩ½ 1-year: accessories

### Remote control

ĩ½ IR (Infrared)  
ĩ½ 10 camera presets (100 presets via VISCA)

### Power supply

ĩ½ AC 100V ~ 240V  
ĩ½ Consumption: EIAJ 12, 4A

### Compliance and tools

ĩ½ YUV, MJPEG, H.264 SVC, AVC (high and base profile)  
ĩ½ Multi-stream capable  
ĩ½ USB 2.0  
ĩ½ UVC (USB Video Class) 1.1 with H.264 extension  
ĩ½ VISCA via RS232\*  
ĩ½ HDMI 1.3  
ĩ½ DIP Switch  
ĩ½ Downloadable diagnostic tool, field firmware upgrade tool, App for advanced features and settings

\*Please check AVer product web page for compatible VISCA commands and devices.

**Please Enquire**

---