

Sangoma PBXact UC2000 Phone System - 2000 users



Product Name: Sangoma PBXact UC2000 Phone System - 2000 users

Manufacturer: -

Model Number: PBXT-UCS-2000

Please Note: This product has been discontinued.

Sangoma PBXact UC2000 Phone System - 2000 users

The Sangoma PBXact UC System 2000 is Sangoma's powerful, feature rich solution, ideal for large contact centres or enterprise office deployments. It comes complete with support for advanced features and applications like unified communications, contact center operations and IP trunking.

PBXact UC System 2000 Key Features

Ti21/2 Supports up to 2000 users or endpoints and 1500 simultaneous calls.

� Console, Web GUI, SSH, IPMI management interface

آز½ 2 x Gigabit Network Ports, 1x IPMI, 1x DB9 & DB9 & Samp; 1x VGA

آزئ 6 PCI Express slots (for analog, BRI, PRI, E1, T1, J1 and GSM interfaces)

าั¿½ Dual redundant internal AC modular power supplies

Zero Touch Provisioning Designed specifically for PBXact, Sangoma's line of IP Phones auto-provision themselves out-of-box using the Redirection Service and EndPoint Manager Module.

PBXact UC System 2000 - Technical Specifications Included Sangoma Modules

17:1/2 All PBXact appliances includes the follow enhanced modules:

ï¿1/2 Call Recording Reports

� Class of Service

� Conference Pro

ï¿⅓ Extension Routing

آز½ Fax Pro

� Park Pro

آز½ Page Pro

ï¿⅓ SysAdmin Pro

ï¿1/2 Voicemail Notify

ï¿1/2 Voicemail Reports

ï¿⅓ XMPP Pro

17.1/2 Optional Modules available at time of purchase

General Features

� Flexible Time Based Call Routing

ï¿1/2 Built in Conference Bridge/Service

آز½ Fax to Email

ï¿1/2 Hunt/Ring Groups

ï¿⅓ Music On Hold

ï¿1/2 Voice Mail Blasting

� Follow Me/ Find Me Calling

� Personal IVRs

ï¿⅓ Wake Up Calls



Sangoma PBXact UC2000 Phone System - 2000 users

- ï¿1/2 Support for Video Calling
- � Secure Communications (SRTP/TLS)
- ï¿⅓ Directory
- � Announcements
- � Dictation
- � Calling Queues (ACD/IVR)

Telephony Support

- آذًا⁄ Open Standards Support for Multiple Signaling Protocols: SIP, IAX2, PRI/T1/E1,
- POTS/Analog, ISDN, GSM
- � WebRTC Browser Based Calling (thru UCP)
- ï¿⅓ Soft Phone Support
- าั¿½ Specialty Device Support Door Phones, Overhead Paging, Strobe Alerts, Paging Gateways, Voice Gateways, Failover Devices

Administration

- ï¿1/2 System Dashboards
- ï¿⅓ Integrated Intrusion Detection
- រ៉េ្ស Bulk Import Utilities (Trunks, Extensions, Users, Phone Numbers)

Calling Features

- � Three Way Calling
- تزرير Voice Mail Voicemail to Email
- � Caller ID
- � Call Transfer
- � Call Recording
- ï¿⅓ Do Not Disturb
- ï¿1/2 Call Forwarding
- ï¿⅓ Call Waiting
- īപ്2 Call History CallDetail Records and Call Event Logging
- ï¿⅓ Speed Dials
- � Caller Blacklisting
- ï¿1/2 Paging/Intercom
- ï¿⅓ Call Screening
- ï¿⅓ DISA

Multiple Language Support

- تز½ English
- ï¿⅓ Bulgarian
- ï¿⅓ Chinese
- ï¿⅓ German
- ï¿⅓ Hebrew
- � Hungarian
- تز½ Italian
- � Portuguese
- ï¿⅓ Russian
- ï¿⅓ Swedish
- آز½ Spanish
- ï¿⅓ Japanese

End User Applications



Sangoma PBXact UC2000 Phone System - 2000 users

ï¿1/2 User Control Panel (UCP)

Please Enquire

Options available for Sangoma PBXact UC2000 Phone System - 2000 users :

PBXact 3rd Party Phones Module

Not Required, Required (+\$946.17).

PBXact Call Center Module

Not Required, Required (+\$6,470.93).

PBXact High Availability Module

Not Required, Required (+\$1,576.68).

XactView V3 20 User Packs

Not Required, Required (+\$146.58).

XactView V3 Additional Locations

Not Required, Required (+\$146.58).

XactView V3 Queue Licenses

Not Required, Required (+\$67.50).

PBXact Support

Gold Support (+\$1,661.55), Not Required, Platinum Support (+\$2,492.26), Bronze Support (+\$830.71).

Extended Warranty

Not Required, Required (+\$6,390.37).

PBXact Remote Install

Not Required, Required (+\$2,735.57).