

## Snom M15 SC DECT Phone



Product Name: Snom M15 SC DECT Phone

Manufacturer: -

Model Number: M15SC-UK

**Please Note:** This product has been discontinued. For an alternative, please see the other Snom Wireless IP Phones.

### Snom M15 SC DECT Phone

The Snom M15 SC is a high-performance, cordless DECT VoIP phone to be used with single-cell bases. This modern DECT telephone is easy to use and perfect for everyday business needs.

With a wide 1.7 inch panoramic display, illuminated keypad, and excellent voice transmission, the snom M15 SC is a hardworking device with numerous functions.

#### Snom M15 SC Key Features

- ½ Up to 7 days battery life in stand-by and 7 hours talk time
- ½ Voicemail LED notification light
- ½ Illuminated keypad
- ½ Integrated belt clip
- ½ 2.5mm headphone jack
- ½ GAB compatible

The snom M15 SC is the perfect choice for small/home offices as it meets all the requirements of the modern day working environment at an affordable price.

#### Snom M15 SC - Technical Specifications

##### Hardware

- ½ Backlit graphic LCD display 90 x 65 pixels
- ½ 2.5mm headphone jack wire
- ½ Speakerphone
- ½ Up to 7 days battery life in stand-by
- ½ Up to 7 hours talk time
- ½ Voicemail LED notification light
- ½ Illuminated keypad
- ½ Integrated belt clip

##### Features

- ½ Call history lists
- ½ Local directory and network
- ½ Call forwarding
- ½ Call divert
- ½ Hold function
- ½ Intercom function between cordless devices connected to the M200 SC base
- ½ Mute function
- ½ Up to 10 numbers with speed dial
- ½ Range up to 50 m indoors
- ½ Compatible with GAB bases
- ½ Over-the-air software updates

##### Interoperability

- ½ Broadsoft®; BroadWorks
- ½ Asterisk based platforms

## Snom M15 SC DECT Phone

• Metaswitch networks  
• Genband®;

### Specifications

• Dimensions: 174 x 49 x 31 mm  
• Batteries: 2.4V / 550 mAh Ni-MH  
• Input voltage: 6V  
• Wall mountable charger base  
• Acoustic device supports (HAC)  
• Environmental conditions:  
• Operating temperature: from -5°C to 45°C  
• Non-operating temperature: from -5°C to 60°C  
• Humidity: up to 95% (non-condensing)

• Included in the package:

• Cordless M15 SC  
• Charger base  
• Wire for charger base  
• Batteries  
• Quick start guide (QIG)

• Colour: Black

• Manufacturer warranty: 2 years

### Compliance

• CE Marking  
• IEC60950 safety

### Protocols

• SIP (RFC3261)  
• DHCP, NTP  
• HTTP / HTTPS / TFTP  
• LDAP (Directory)  
• Dual Stack IPv4 / IPv6

### Compatibility

• Comprehensive features only in conjunction with the M200 SC base station

### Please Enquire

## Snom M15 SC DECT Phone

Options available for Snom M15 SC DECT Phone :

### **Need Product Setup / Training / Support?**

Required - 30 minutes (+£40.00), Required - 1 Hour (+£65.00), Not Required.