

Sangoma FreePBX Phone System 75 - 75 users or 45 calls



Product Name: Sangoma FreePBX Phone System 75 - 75 users or 45 calls

Manufacturer: Sangoma

Model Number: FPBX-PHS-0075

Sangoma FreePBX Phone System 75 - 75 users or 45 calls

The Sangoma FreePBX Phone System 75 is cost effective and feature rich, making it ideal for small to medium-sized businesses and branch office deployments. The Sangoma FreePBX 75 business communications solution also features simple and seamless integration with Sangoma's IP phone range.

Sangoma FreePBX 75 Key Features

- 1/2 FreePBX Distro Pre-loaded

- 1/2 75 Users / 45 Calls

- 1/2 3x GB Network / 1x Serial Console (RJ45) / 1x VGA

- 1/2 1 PCI Express Slot

- 1/2 Zero Touch Provisioning

- 1/2 User-Friendly GUI

User Control PanelUCP provides each user with a web based login to allow easy control of their personal experience from any device.Desktop IntegrationAdd-ons such as Zulu UC provide deep integration with MS Outlook and web browsers to provide features like click-to-call from web and emails, SMS, FAX, presence control, and more.

Sangoma FreePBX 75 - Technical Specifications

Business Features

- 1/2 Flexible time-based call routing

- 1/2 Built in conference bridge/service

- 1/2 Fax to email

- 1/2 Hunt / Ring groups

- 1/2 Music on hold

- 1/2 Voicemail blasting

- 1/2 Follow me / Find me calling

- 1/2 Personal IVRs

- 1/2 Wake up calls

- 1/2 Support for video calls, IM and presence

- 1/2 Secure communications (SRTP/ TLS)

- 1/2 Directory and dictation

- 1/2 Calling queues (ACD/IVR)

- 1/2 Customisable announcements

Telephony Support

- 1/2 SIP V1/V2

- 1/2 IAX2

- 1/2 PRI/T1/E1

- 1/2 POTS/Analog

- 1/2 ISDN

- 1/2 Soft phone support

- 1/2 WebRTC -Browser-based calling (thru UCP)

- 1/2 Specialty device support -Door phones -Overhead paging -Strobe alerts -Paging & voice gateways -Failover devices

Administration

Sangoma FreePBX Phone System 75 - 75 users or 45 calls

- ½ Bulk import utilities -Trunks, extensions, users and phone numbers
- ½ System dashboards
- ½ Integrated intrusion detection

Calling Features

- ½ Three way calling
- ½ Voicemail -Voicemail to email
- ½ Caller ID
- ½ Call transfer
- ½ Call recording
- ½ Do not disturb
- ½ Call forwarding
- ½ Call waiting
- ½ Call history -Call detail records and call event logging
- ½ Speed dials
- ½ Caller blacklisting
- ½ Paging / Intercom
- ½ Call screening
- ½ DISA

Multiple Language Support

- ½ English
- ½ Bulgarian
- ½ Chinese
- ½ German
- ½ Hebrew
- ½ Hungarian
- ½ Italian
- ½ Japanese
- ½ Portuguese
- ½ Russian
- ½ Swedish
- ½ Spanish

End User Applications

- ½ User Control Panel (UCP)

Administration

- ½ Bulk import utilities -Trunks, extensions, users and phone numbers
- ½ System dashboards
- ½ Integrated intrusion detection

Physical Features

- ½ Unit dimensions: 350 x 290 x 60mm (WxDxH)
- ½ Unit weight: 1.90kgs (4.2lbs)
- ½ Single external 100~240v power supply

Price: £590.10

Sangoma FreePBX Phone System 75 - 75 users or 45 calls
