

# Sangoma FreePBX Phone System 75 - 75 users or 45 calls



Product Name: Sangoma FreePBX Phone System 75 - 75 users or 45 calls

Manufacturer: Sangoma

Model Number: FPBX-PHS-0075

Sangoma FreePBX Phone System 75 - 75 users or 45 calls

The Sangoma FreePBX Phone System 75 is cost effective and feature rich, making it ideal for small to medium-sized businesses and branch office deployments. The Sangoma FreePBX 75 business communications solution also features simple and seamless integration with Sangoma's IP phone range.

Sangoma FreePBX 75 Key Features

� FreePBX Distro Pre-loaded

ï¿1/2 75 Users / 45 Calls

� 3x GB Network / 1x Serial Console (RJ45) / 1x VGA

� 1 PCI Express Slot

� Zero Touch Provisioning

� User-Friendly GUI

User Control PanelUCP provides each user with a web based login to allow easy control of their personal experience from any device. Desktop Integration Add-ons such as Zulu UC provide deep integration with MS Outlook and web browsers to provide features like click-to-call from web and emails, SMS, FAX, presence control, and more.

Sangoma FreePBX 75 - Technical Specifications

**Business Features** 

� Flexible time-based call routing

ï¿1/2 Built in conference bridge/service

آز½ Fax to email

ï¿⅓ Hunt / Ring groups

ï¿⅓ Music on hold

� Voicemail blasting

� Follow me / Find me calling

� Personal IVRs

ï¿⅓ Wake up calls

ï¿⅓ Support for video calls, IM and presence

تز½ Secure communications (SRTP/TLS)

� Directory and dictation

� Calling queues (ACD/IVR)

� Customisable announcements

## Telephony Support

ï¿⅓ SIP V1/V2

آ¿½ IAX2 مرزة

� PRI/T1/E1

� POTS/Analog

ï¿⅓ ISDN

ï¿⅓ Soft phone support

i¿1/2 WebRTC -Browser-based calling (thru UCP)

ī¿½ Specialty device support -Door phones -Overhead paging -Strobe alerts -Paging & Door phones -Overhead paging -Paging & Door phones -Paging & Door p

### Administration



# Sangoma FreePBX Phone System 75 - 75 users or 45 calls

- ī సై Bulk import utilities -Trunks, extensions, users and phone numbers
- ï¿⅓ System dashboards
- ï¿⅓ Integrated intrusion detection

## Calling Features

- � Three way calling
- � Voicemail -Voicemail to email
- ï¿⅓ Caller ID
- ï¿1/2 Call transfer
- � Call recording
- ï¿⅓ Do not disturb
- � Call forwarding
- � Call waiting
- า๊ะ่ 2 Call history Call detail records and call event logging
- ï¿⅓ Speed dials
- � Caller blacklisting
- � Paging / Intercom
- � Call screening
- ï¿⅓ DISA

### Multiple Language Support

- تز½ English
- ï¿⅓ Bulgarian
- ï¿⅓ Chinese
- ï¿⅓ German
- � Hebrew
- ï¿⅓ Hungarian
- ان الانتارية الناتات
- ï¿⅓ Japanese
- � Portuguese
- ï¿⅓ Russian
- ï¿⅓ Swedish
- ï¿⅓ Spanish

## **End User Applications**

## ï¿1/2 User Control Panel (UCP)

### Administration

- រ៉េះ Bulk import utilities -Trunks, extensions, users and phone numbers
- � System dashboards
- � Integrated intrusion detection

### **Physical Features**

- � Unit dimensions: 350 x 290 x 60mm (WxDxH)
- � Unit weight: 1.90kgs (4.2lbs)
- � Single external 100~240v power supply

Price: £590.10



# Sangoma FreePBX Phone System 75 - 75 users or 45 calls