

Sangoma FreePBX Phone System 75 - 75 users or 45 calls



Product Name: Sangoma FreePBX Phone System 75 - 75 users or 45 calls Manufacturer: Sangoma Model Number: FPBX-PHS-0075

Sangoma FreePBX Phone System 75 - 75 users or 45 calls The Sangoma FreePBX Phone System 75 is cost effective and feature rich, making it ideal for small to medium-sized businesses and branch office deployments. The Sangoma FreePBX 75 business communications solution also features simple and seamless integration with Sangoma's IP phone range. Sangoma FreePBX 75 Key Features

i¿½ FreePBX Distro Pre-loaded i¿½ 75 Users / 45 Calls i¿½ 3x GB Network / 1x Serial Console (RJ45) / 1x VGA i¿½ 1 PCI Express Slot i¿½ Zero Touch Provisioning i¿½ User-Friendly GUI

User Control PanelUCP provides each user with a web based login to allow easy control of their personal experience from any device.Desktop IntegrationAdd-ons such as Zulu UC provide deep integration with MS Outlook and web browsers to provide features like click-to-call from web and emails, SMS, FAX, presence control, and more. Sangoma FreePBX 75 - Technical Specifications Business Features

i¿½ Flexible time-based call routing
i¿½ Built in conference bridge/service
i¿½ Fax to email
i¿½ Hunt / Ring groups
i¿½ Music on hold
i¿½ Voicemail blasting
i¿½ Follow me / Find me calling
i¿½ Personal IVRs
i¿½ Wake up calls
i¿½ Support for video calls, IM and presence

i¿½ Secure communications (SRTP/ TLS)

� Directory and dictation

- � Calling queues (ACD/IVR)
- ï¿1/2 Customisable announcements

Telephony Support

i¿½ SIP V1/V2
i¿½ IAX2
i¿½ PRI/T1/E1
i¿½ POTS/Analog
i¿½ ISDN
i¿½ Soft phone support
i¿½ WebRTC -Browser-based calling (thru UCP)
i¿½ Specialty device support -Door phones -Overhead paging -Strobe alerts -Paging & amp; voice gateways -Failover devices

Administration



Sangoma FreePBX Phone System 75 - 75 users or 45 calls

 $i_{\dot{c}}i_{2}$ Bulk import utilities -Trunks, extensions, users and phone numbers $i_{\dot{c}}i_{2}$ System dashboards

ï¿1/2 Integrated intrusion detection

Calling Features

� Three way calling
� Voicemail -Voicemail to email
� Caller ID
� Call transfer
� Call recording
� Do not disturb
� Call forwarding
� Call forwarding
� Call waiting
� Call history -Call detail records and call event logging
� Speed dials
� Caller blacklisting
� Call screening
ï½ DISA

Multiple Language Support

i ز½ English i ز½ Bulgarian i ز½ Chinese i ز½ German i ز½ Hebrew i ز½ Hungarian i ز½ Italian i ز½ Italian i ز½ Japanese i ز½ Portuguese i ز½ Russian i ز½ Swedish i ز½ Spanish

End User Applications

ï¿1/2 User Control Panel (UCP)

Administration

i¿½ Bulk import utilities -Trunks, extensions, users and phone numbers i¿½ System dashboards i¿½ Integrated intrusion detection

Physical Features

i¿½ Unit dimensions: 350 x 290 x 60mm (WxDxH) i¿½ Unit weight: 1.90kgs (4.2lbs) i¿½ Single external 100~240v power supply

Price: £590.10



Sangoma FreePBX Phone System 75 - 75 users or 45 calls