

Grandstream GXV3370 IP Video Phone - DISCONTINUED



Product Name: Grandstream GXV3370 IP Video Phone - DISCONTINUED

Manufacturer: Grandstream

Model Number: GXV3370

Please Note: This product is EOL, please see the other Grandstream GXV3470 or Grandstream GXV3480.

Grandstream GXV3370 IP Video Phone

The Grandstream GXV3370 IP Video Phone is a powerful desktop video phone for enterprise users. It features a 7" touch screen, advanced megapixel camera for HD video conferencing, built-in WiFi and Bluetooth, Gigabit network speeds and innovative telephony functionalities. GXV3370 also runs on Android 7.0 and has flexible SDK support for custom apps. Grandstream GXV3370 IP Video Phone Key Features

- 16 lines with up to 16 SIP accounts
- Built-in mega-pixel camera for video calling with privacy shutter
- Runs on Android 7.0 operating system
- Built-in Bluetooth for syncing with mobile devices and connecting Bluetooth headset
- Dual-switched auto-sensing 10/100/1000Mbps network ports
- Integrated dualband WiFi (2.4GHz & 5GHz)

The GXV3370 is fully interoperable with nearly all major SIP platforms on the market and can be seamlessly integrated with Grandstream's portfolio including SIP based security cameras, door systems, IP PBXs, and video conferencing systems and services. This video phone is the perfect choice for users looking for an integrated video communications solution for their desktop. Grandstream GXV3370 IP Video Phone Technical Specification

General

- Protocols/Standards: SIP RFC3261, TCP/IP/UDP, RTP/RTCP, HTTP/HTTPS, ARP, ICMP, DNS (A record, SRV, NAPTR), DHCP, PPPoE, SSH, TFTP, NTP, STUN, SIMPLE, LLDP-MED, LDAP, TR-069, 802.1x, TLS, SRTP, IPv6, OpenVPN
- Network Interfaces: Dual switched 10/ 100/ 1000 Mbps ports with integrated PoE/PoE+
- Graphic Display: 7" 1024x600 capacitive touch screen (5 points) TFT LCD
- Camera: Tilttable mega-pixel CMOS camera with privacy shutter, 720p 30fps
- Integrated Bluetooth 4.0 + EDR
- WiFi: dual-band 802.11a/b/g/n (2.4GHz & 5GHz)
- Auxiliary Ports: RJ9 headset jack (allowing EHS with Plantronics headsets), 3.5mm stereo headset with microphone, USB port, SD, HDMI-out (1.4 up to 720p 30fps)
- Feature Keys: 2 function touch keys VOLUME +/-, 3 dedicated Android touch keys HOME, MENU, and BACK
- HD Audio: HD handset and speakerphone with support for wideband audio
- Base Stand: built-in stand with multiple adjustable angles. Wall mountable.
- QoS: Layer 2 QoS (802.1Q, 802.1p) and Layer 3 (ToS, DiffServ, MPLS) QoS
- Security: User and administrator level passwords, MD5 and MD5-sess based authentication, 256-bit AES encrypted configuration file, TLS, SRTP, HTTPS, 802.1x media access control
- Multi-language: English, German, Italian, French, Spanish, Portuguese, Russian, Croatian, Chinese, Korean, Japanese, and more
- Upgrade/Provisioning: Firmware upgrade via TFTP / HTTP / HTTPS or local HTTP upload, mass provisioning using TR-069 or AES encrypted XML configuration file

Voice Codecs and Capabilities

- G.711

Grandstream GXV3370 IP Video Phone - DISCONTINUED

- 1/2 G.722 (wide-band)
- 1/2 G.726-32
- 1/2 iLBC
- 1/2 G.729A/B
- 1/2 In-band and out-of-band
- 1/2 DTMF (In audio, RFC2833, SIP INFO)
- 1/2 VAD
- 1/2 CNG
- 1/2 AEC
- 1/2 PLC
- 1/2 AJB
- 1/2 AGC
- 1/2 ANS

Video Codecs and Capabilities

- 1/2 H.264 BP/MP/HP
- 1/2 Video resolution up to 720p
- 1/2 Frame rate up to 30 fps
- 1/2 Bit rate up to 2Mbps
- 1/2 3-way video conference (720p 30fps)
- 1/2 Anti-flickering
- 1/2 Auto focus and auto exposure

Telephony Features

- 1/2 Hold
- 1/2 Transfer
- 1/2 Forward (unconditional/no-answer/busy)
- 1/2 Call park/pickup
- 1/2 7-way audio conference(including the host)
- 1/2 Shared-call-appearance (SCA) / bridged-line-appearance (BLA)
- 1/2 Virtual MPK
- 1/2 Downloadable contacts (XML, LDAP, up to 1000 items)
- 1/2 Call record(local and server)
- 1/2 Call log (up to 1000 records)
- 1/2 Call waiting
- 1/2 Auto answer
- 1/2 XML customisation of screen
- 1/2 Click-to-dial
- 1/2 Flexible dial plan
- 1/2 Hot desking
- 1/2 Personalized music ringtones and music on hold
- 1/2 Server redundancy & fail-over

Sample Applications

- 1/2 Local apps: Contacts, Call History, File Manager, MPK, Settings, Browser, Voicemail, Clock, Recorder, GS Market, etc.
- 1/2 Support 3rd party apps: Skype, Google Hangouts, Skype for Business, etc. API/SDK available for advanced custom application development

Power & Green Energy Efficiency

- 1/2 Universal power adapter included: Input: 100-240VAC 50-60Hz; Output 12VDC 1.5A

Grandstream GXV3370 IP Video Phone - DISCONTINUED

Integrated PoE* 802.3af Class 3, PoE+ 802.3at, Class 4 *USB enabled only when power supply or PoE+ is used.

Temperature and Humidity

½ Operation: 0°C to 40°C

½ Storage: -10°C to 60°C

½ Humidity: 10% to 90% Non-condensing

Package Content

½ GXV3370 phone

½ Handset with cord

½ Universal power supply

½ Network cable

½ Screen cleaning cloth

½ Quick installation guide

½ GPL license

½ Wall mount bracket

Compliance

½ FCC: Part 15 (CFR 47) Class B; UL 60950 (power adapter); Part68 (HAC), CE : EN55022 Class B, EN55024, EN61000-3-2, EN61000-3-3, EN60950-1, EN62479, RoHS, RCM: AS/ACIF S004; AS/NZS CISPR22/24; AS/NZS 60950; AS/NZS 4268, EAC

Please Enquire

Options available for Grandstream GXV3370 IP Video Phone - DISCONTINUED :

Need Product Setup / Training / Support?

Required - 30 minutes (+£40.00), Required - 1 Hour (+£65.00), Not Required.