

## Fanvil X210-V2 High-end Enterprise IP Phone



Product Name: Fanvil X210-V2 High-end Enterprise IP Phone

Manufacturer: Fanvil

Model Number: X210-V2

### Fanvil X210-V2 High-end Enterprise IP Phone

The Fanvil X210-V2 is a high-end enterprise IP phone for users who need to get access to flexible and advanced features to handle medium to high call volumes in their daily work. The X210 features 10 DSS keys on a 4.3" main color display, plus up-to 96 DSS keys (32 physical) on two additional 2x3.5" side color displays. HD audio, built-in Bluetooth, Wi-Fi connectivity, IP camera/SIP door phone integration and many other advanced features, make the X210 a highly productive business phone solution.

### Fanvil X210-V2 Key Features

- 20 SIP lines, 3-way conference, hotspot
- HD audio on speakerphone and handset
- 4.3" main colour display
- Built-in Bluetooth
- 2x3.5" side colour displays for DSS keys
- Up to 106 DSS keys (42 tri-coloured physical keys)
- Dual Gigabit ports integrated PoE
- Wi-Fi connectivity (via Wi-Fi dongle)
- Support EHS headset
- Video Codec H.264 support for receiving video calls
- Stand with 2 adjustable angles of 40 and 50 degrees
- Compatible with major platforms: 3CX, Asterisk, Broadsoft, Metaswitch, Avaya etc.

4.3" main colour display, 2x3.5" side colour displays for DSS keys  
Elegantly designed and featuring a large 4.3" high-resolution colour display and two convenient 3.5" side colour displays make using this IP phone more intuitive than ever.

HD audio for speakerphone and handset  
Support for Opus and a larger audio cavity bring abundant, strong low-frequency effect. The speakerphone adopts full net coverage delivering crystal clear, life-like voice communication

Unified design with two side displays for up to 106 DSS keys  
Three page-switch buttons, enable the side displays to set up to 96 DSS keys (32 physical), plus 10 DSS keys on the main display. Up to 106 DSS keys are available in total for BLF, speed dial, group broadcasting and many more functions.

### Fanvil X210-V2 Technical Specifications

#### Generic

- 20 SIP Lines
- HD Voice
- Support receiving Video Call
- PoE Enabled
- 3 LCDs (Main + DSS)
- Handset/ Handsfree/ Headset Mode
- Intelligent DSS Keys
- Optional External Power Supply

#### Video

- Video Codec: H.264

## Fanvil X210-V2 High-end Enterprise IP Phone

• Video call resolution: QCIF/ CIF/ VGA

### Call Features

- Call out/ answer/ reject
- Mute/ Unmute (microphone)
- Call Hold/ Resume
- Call Waiting
- Intercom
- Caller ID Display
- Speed Dial
- Anonymous Call (Hide Caller ID)
- Call Forwarding (Always/ Busy/ No Answer)
- Call Transfer (Attended/ Unattended)
- Call Parking/ Pick-up (Depending on the server)
- Redial
- Do-not-disturb
- Auto-Answering
- Voice Message (on the server)
- 3-way conference
- Hot Line
- Hot Desking

### Phone Features

- Local Phonebook (2,000 Entries)
- Remote phonebook (XML, LDAP, 2,000 Entries)
- Call logs (in/ out/ missed, 1,000 entries)
- Black/White List Call Filtering
- Screen saver
- Voice Message Waiting Indication (VMWI)
- Programmable DSS/Softkeys
- Network Time Synchronisation
- Built-in Bluetooth 2.1: Support Bluetooth Headset
- Support WiFi Dongle
- Support Plantronics wireless headset (through Plantronics APD-80 EHS Cable)
- Support Jabra Wireless headset (Through Fanvil EHS20 EHS Cable)
- Support Recording (through Flash Drive or Server Recording)
- Action URL/ Active URI
- uaCSTA

For a full list of technical specifications, please see the datasheet.

**Price: £155.90**

Options available for Fanvil X210-V2 High-end Enterprise IP Phone :

### Need Product Setup / Training / Support?

Not Required, Required - 1 Hour (+£65.00), Required - 30 minutes (+£40.00).

### Power supply unit

Not Required, UK-PSU-5V-2A (+£6.30).

## Fanvil X210-V2 High-end Enterprise IP Phone

### **Wired Headset**

Not Required, [Fanvil HT201 \(+£31.00\)](#), [Fanvil HT202 \(+£43.00\)](#).

### **Wireless Headset**

Not Required, [Jabra Pro 920 Mono DECT Headset \(+£163.60\)](#).

### **USB Dongle**

Not Required, [Fanvil WF20 \(+£21.60\)](#).