



Product Name: Konftel Cam20 & EGO & Hub (KTEL_C20EGO)

Manufacturer: Konftel Model Number: 951201081

Konftel Cam20 & EGO & amp; Hub (KTEL_C20EGO)

The Konftel C20EGO is the perfect video collaboration solution for small huddle rooms, combining the Konftel Cam20 4K conference camera and the brilliant Konftel Ego speakerphone with OmniSound® audio quality. The Konftel OCC Hub brings everything together into one convenient kit, so a single USB cable is all you need to connect the camera, the sound unit and the room's screen to the collaboration app on your laptop.

Konftel C20EGO Key Features

ï¿1/2 4K Ultra HD

� 105° field of view

� One Cable Connection Hub

� Meeting size: up to 6 people

� USB 3.0

� OmniSound® with HD audio

Konftel C20EGO Technical Specifications General

ï¿⅓ Meeting size: up to 6 people

� USB 3.0

ï¿⅓ HDMI

ï¿⅓ Bluetooth with HD

� NFC for easy pairing

ï¿⅓ 4K Ultra HD

� OmniSound®with HD audio

ï¿1/2 8x digital zoom

� USB for collaboration

ï¿1/2 Easy installation

ï¿1/2 Free software updates

ï¿1/2 105° field of view

EPTZ ½ EPTZ

ï¿⅓ One Cable Connection Hub

� Simultaneous output signal via HDMI and USB

ï¿1/2 Remote control

� Two-year warranty

Speaker Phone

ï¿⅓ General:

ï¿⅓ Meeting size: Up to 6 people

آز½ Bluetooth

ï¿1/2 Small and portable

� OmniSound® with HD audio

� LCD screen

12/2 Supports Skype for Business, Cisco Jabber, Avaya Equinox and other meeting tools.

� Stream music in HD (A2DP)

ï¿⅓ Wireless headset connection

� Two-year warranty

� Product name: Konftel Ego



ï¿1/2 Item number: 910101081

ī¿½ Contents: Konftel Ego, USB cable (900103388), soft case and Quick guide

าั¿½ Product documentation: Manual in Chinese, English, French, German, Japanese, Korean,

Portuguese, Russian, Spanish and Swedish. Quick Reference Guide in English

تز1/2 Warranty: 2 years

ï¿1/2 Size: 145x135 mm, height 32 mm

� Weight: 230 g � Colour: Licorice black

ï¿1/2 User Interface:

� Display: Colour LCD, 128x160 pixels, 1.77"

าั¿¼ Keypad: Touchscreen buttons, call, end call, volume up, volume down, mute, Bluetooth

ï¿1/2 Power Supply:

ī సై Battery: 1000 mAh Li-ion, up to 15 hours of call time, 60 hours standby

� AC adapter: Power and charging via USB

� Connectivity:

� USB: 2.0 Micro B

12/2 Bluetooth®: Bluetooth 4.0 (HFP, HSP, AVRCP, A2DP)

� Approvals

ї
¿½ Security: EN 60950-1:2006/A1:2010. EN 60950-1:2006/A12:2011. EN

60950-1:2006/A2:2013. IEC 60950-1:2005/A1:2009/A2:2013

፲¿½ EMC: EN 55022:2010. EN 55024:2010. EN 55032:2012. EN 61000-3-2:2014. EN 61000-3-3:2013. EN 300 328 V1.9.1:2015. EN 301 489-1 V1.9.2:2011. EN 301 489-17

V2.2.1:2012. EN 300 330

� Connection To Devices

ï¿1/2 Headsets: Headset port: 3.5 mm

ï¿1/2 Audio Specifications

T¿½ Technology: OmniSound® with support for HD audio, full duplex, automatic echo cancellation and noise suppression

� Microphone: Omnidirectional 360 ̊

าั¿½ Reception area: Up to 6 people - Frequency: 50–24,000 Hz (music), 50–7000

Hz (speech)

ï¿1/2 Volume: 87 dB SPL 0.5 m

ï¿⅓ Additional Features

ï¿1/2 Audio streaming in HD: A2DP/AVRCP



ī సైస్తో Software updates: The Konftel PC Suite upgrades the software via USB

تائ Environment

ï¿1/2 Temperature: 5° – 40°C

า๊ะู่ Relative humidity: 20 – 80% condensation-free

Camera

ï¿⅓ General

� Meeting size: up to 12 people

ï¿⅓ USB 3.0

HDMI ½;ï

4K Ultra HD

EPTZ ½ EPTZ

� USB for collaboration

� Easy installation

ï¿1/2 Free software updates

� 123° field of view

� 8x digital zoom

آزٰ Simultaneous output signal via HDMI and USB

� Remote control

� Two-year warranty

� Product name: Konftel Cam20

ï¿1/2 Item number: 931201001

� Device type: USB conference camera

ī¿½ Contents: Konftel Cam20, 5 m USB cable (type A/type B), remote control with two AAA

batteries, Quick guide, safety declaration 12½ Product documentation: Manual in English

ï¿⅓ Warranty: 2 years

 $\ddot{\imath}$ Size: 194 x 34 x 42 mm without bracket

ï¿⅓ Weight: 0.34 kg

� Colour: Charcoal black

ï¿⅓ Camera

ï¿1/2 Video modes: 4K Ultra HD/30 fps

� Zoom: 8x digital zoom

ï¿⅓ Focus adjustment: Auto

ï¿1/2 Wide angle: 123°

آزا Presets: 255

آز½ Pan tilt: Digital PTZ (EPTZ)

� Digital video format: YUY2, MJPEG, H.264, NV12

ï¿1/2 Camera control: UVC 1.5/IR Remote

� Remote control: Included

� Connectivity

ï¿1/2 USB: USB 3.0 type B



آز½ System Requirements
� Operative system: Windows 7, 8, 10, Mac OS X, Linux
ï¿⅓ Additional Requirements
� Software updates: Yes
تز½ Environment
� Temperature: –10°C ~ 40°C
OCC Hub
� Contents
� Konftel OCC Hub (900102149), 3 m USB 3.0 cable , 5 m USB cable (type A/mini B) for Konftel 55/55Wx/300IPx/300Wx/300Mx, 5 m USB cable (type A/micro B) for Konftel Ego, AC adapter (EU, US, AU, UK), Velcro® tape, Quick guide, safety declaration. (Konftel OCC Hub, updated cable length: 2.5 meter.)
ï¿⅓ Size
� 182 x 78 x 32 mm
تز½ Weight
� 365g
� Video
� Resolution up to 2048 x 1152. Colors in 16 Bits and 32 Bits supported
ï¿⅓ Connections
$\ddot{1}$ 1 x USB 3.0 for computer connection. 2 x USB 2.0 for connecting conference cam and speakerphone. 1 x HDMI for connecting screen
� Power Adapter
� AC 100 – 240V, DC 5V/4A
� Temperature



تزاري operation 0 – 40 °C, storage -20 – 70 °C

ï¿⅓ Warranty

� 2 years

Price: £380.90