



Product Name: Konftel Cam20 & EGO & Hub (KTEL_C20EGO) Manufacturer: Konftel Model Number: 951201081

Konftel Cam20 & amp; EGO & amp; Hub (KTEL_C20EGO) The Konftel C20EGO is the perfect video collaboration solution for small huddle rooms, combining the Konftel Cam20 4K conference camera and the brilliant Konftel Ego speakerphone with OmniSound® audio quality. The Konftel OCC Hub brings everything together into one convenient kit, so a single USB cable is all you need to connect the camera, the sound unit and the room's screen to the collaboration app on your laptop. Konftel C20EGO Key Features

� 4K Ultra HD � 105° field of view � One Cable Connection Hub � Meeting size: up to 6 people � USB 3.0 � OmniSound® with HD audio

Konftel C20EGO Technical Specifications General

- i¿½ Meeting size: up to 6 people
 i¿½ USB 3.0
 i¿½ HDMI
 i¿½ Bluetooth with HD
 i¿½ NFC for easy pairing
 i¿½ AK Ultra HD
 i¿½ OmniSound®with HD audio
 i¿½ 8x digital zoom
 i¿½ USB for collaboration
 i¿½ Easy installation
 i¿½ Free software updates
 i¿½ 105° field of view
 i¿½ EPTZ
- ï¿1/2 One Cable Connection Hub
- ï¿1/2 Simultaneous output signal via HDMI and USB
- ï¿1∕2 Remote control
- ï¿1⁄2 Two-year warranty

Speaker Phone

ï¿1/2 General:

- ï¿1/2 Meeting size: Up to 6 people
- � Bluetooth
- ï¿1/2 Small and portable
- ï¿1/2 OmniSound® with HD audio

ï¿1/2 LCD screen

- ï¿1/2 Supports Skype for Business, Cisco Jabber, Avaya Equinox and other meeting tools.
- ï¿1/2 Stream music in HD (A2DP)
- ï¿1/2 Wireless headset connection
- ï¿1/2 Two-year warranty
- ï¿1/2 Product name: Konftel Ego



� Item number: 910101081
� Contents: Konftel Ego, USB cable (900103388), soft case and Quick guide
� Product documentation: Manual in Chinese, English, French, German, Japanese, Korean, Portuguese, Russian, Spanish and Swedish. Quick Reference Guide in English
� Warranty: 2 years
� Size: 145x135 mm, height 32 mm
� Weight: 230 g
� Colour: Licorice black

ï¿1∕2 User Interface:

i¿½ Display: Colour LCD, 128x160 pixels, 1.77" i¿½ Keypad: Touchscreen buttons, call, end call, volume up, volume down, mute, Bluetooth

ï¿1/2 Power Supply:

� Battery: 1000 mAh Li-ion, up to 15 hours of call time, 60 hours standby � AC adapter: Power and charging via USB

ï¿1/2 Connectivity:

� USB: 2.0 Micro B � Bluetooth®: Bluetooth 4.0 (HFP, HSP, AVRCP, A2DP)

� Approvals

� Security: EN 60950-1:2006/A1:2010. EN 60950-1:2006/A12:2011. EN 60950-1:2006/A2:2013. IEC 60950-1:2005/A1:2009/A2:2013 � EMC: EN 55022:2010. EN 55024:2010. EN 55032:2012. EN 61000-3-2:2014. EN 61000-3-3:2013. EN 300 328 V1.9.1:2015. EN 301 489-1 V1.9.2:2011. EN 301 489-17 V2.2.1:2012. EN 300 330

ï¿1/2 Connection To Devices

ï¿1/2 Headsets: Headset port: 3.5 mm

ï¿1/2 Audio Specifications

i¿½ Technology: OmniSound® with support for HD audio, full duplex, automatic echo cancellation and noise suppression

ï¿1/2 Microphone: Omnidirectional 360 ̊

i¿¹/₂ Reception area: Up to 6 people - Frequency: 50–24,000 Hz (music), 50–7000 Hz (speech)

� Volume: 87 dB SPL 0.5 m

ï¿1/2 Additional Features

ï¿1/2 Audio streaming in HD: A2DP/AVRCP

ï¿1/2 Software updates: The Konftel PC Suite upgrades the software via USB

ï¿1/2 Environment

ï¿1/2 Temperature: 5° – 40°C

ï¿1/2 Relative humidity: 20 – 80% condensation-free

Camera

� General

i¿½ USB 3.0
i¿½ HDMI
i¿½ 4K Ultra HD
i¿½ EPTZ
i¿½ EPTZ
i¿½ Easy installation
i¿½ Free software updates
i¿½ 123° field of view
i½ 8x digital zoom
i¿½ Simultaneous output signal via HDMI and USB
i¿½ Remote control
i¿½ Two-year warranty
i¿½ Product name: Konftel Cam20
i¿½ Item number: 931201001
i¿½ Contents: Konftel Cam20, 5 m USB cable (type)

ï¿1/2 Meeting size: up to 12 people

� Contents: Konftel Cam20, 5 m USB cable (type A/type B), remote control with two AAA batteries, Quick guide, safety declaration

� Product documentation: Manual in English

ï¿1/2 Warranty: 2 years

� Size: 194 x 34 x 42 mm without bracket

ï¿1/2 Weight: 0.34 kg

ï¿1/2 Colour: Charcoal black

� Camera

ï¿1/2 Video modes: 4K Ultra HD/30 fps

ï¿1/2 Zoom: 8x digital zoom

ï¿1/2 Focus adjustment: Auto

ï¿1⁄2 Wide angle: 123°

ï¿1/2 Presets: 255

ï¿¹/₂ Pan tilt: Digital PTZ (EPTZ)

ï¿1/2 Digital video format: YUY2, MJPEG, H.264, NV12

ï¿1/2 Camera control: UVC 1.5/IR Remote

ï¿1/2 Remote control: Included

ï¿1∕2 Connectivity

ï¿1/2 USB: USB 3.0 type B



- ï¿1/2 System Requirements
- ï¿1/2 Operative system: Windows 7, 8, 10, Mac OS X, Linux
- ï¿1/2 Additional Requirements
- ï¿1/2 Software updates: Yes
- ï¿1/2 Environment
- ï¿1/2 Temperature: –10°C ~ 40°C

OCC Hub

ï¿1∕₂ Contents

i¿½ Konftel OCC Hub (900102149), 3 m USB 3.0 cable , 5 m USB cable (type A/mini B) for Konftel 55/55Wx/300IPx/300Wx/300Mx, 5 m USB cable (type A/micro B) for Konftel Ego, AC adapter (EU, US, AU, UK), Velcro® tape, Quick guide, safety declaration. (Konftel OCC Hub, updated cable length: 2.5 meter.)

� Size

- � 182 x 78 x 32 mm
- � Weight
- � 365g
- � Video
- ï¿1/2 Resolution up to 2048 x 1152. Colors in 16 Bits and 32 Bits supported
- ï¿1/2 Connections
- $i_{\dot{c}}$ 1 x USB 3.0 for computer connection. 2 x USB 2.0 for connecting conference cam and speakerphone. 1 x HDMI for connecting screen
- ï¿1/2 Power Adapter
- ï¿1/2 AC 100 240V, DC 5V/4A
- ï¿1/2 Temperature



ï¿1/2 operation 0 – 40 °C, storage -20 – 70 °C

� Warranty

� 2 years

Price: £380.90