

## CyberData InformaCast Enabled Ceiling Speaker (011504)



Product Name: CyberData InformaCast Enabled Ceiling Speaker (011504)

Manufacturer: CyberData Model Number: 011504

CyberData InformaCast Enabled Ceiling Speaker (011504)

The CyberData InformaCast Enabled Ceiling Speaker (011504) is an economical Power-over-Ethernet (PoE 802.3af) and Voice-over-IP (VoIP) public address product that plays InformaCast and multicast messages. It easily connects to your PoE network with a single Ethernet cable connection. The device's small footprint allows the speaker to be discreetly mounted in your ceilings.

CyberData InformaCast Enabled Ceiling Speaker (011504) Key Features

- រី¿½ Capable of receiving Singlewire InformaCast and multicast messages
- า๊¿½ Supports Singlewire InformaCast High Quality Audio
- าั¿½ TLS security for autoprovisioning and web-based configuration
- าั¿½ Supports audio prioritisation for 10 multicast paging groups
- � Network-adjustable speaker volume
- ī స్ట్రీ User upgradeable firmware via web interface or autoprovisioning
- � 802.11q VLAN tagging
- រី¿½ Configurable event generation for device health and status monitoring
- ï¿⅓ High efficiency speaker driver
- i 2½ Small footprint

CyberData InformaCast Enabled Ceiling Speaker (011504) Technical Specification Product Specifications

- ï¿1/2 Ethernet I/F: 10/100 Mbps
- آزٰ½ Protocol: RTP
- าั¿½ Notification Software: Singlewire InformaCast v4.0 and above
- � Power Input: PoE 802.3af
- ï¿1/2 Audio Output: 802.3af SPL 99 dB @ 1 meter
- آذِرُ Payload Types: G.711 a-law, G.711µ-law, and G.729
- � Network Security: TLS/SSL 1.2
- ī¿½ Operating Range: Temperature: -40˚ C to 55˚ C (-40˚ F to 131˚ F)
- Humidity: 5-95%, non-condensing
- ї ${\it i}$ ሪ Storage Temperature: -40˚ C to 70˚ C (-40˚ F to 158˚ F)
- ï¿1/2 Storage Altitude: Up to 15,000 ft. (4573 m)
- រី¿½ Dimensions: 201.5 mm [7.93 in.] Grill Diameter 170 mm [6.70 in.] Can Diameter 89.4 mm [3.52 in.] Can Depth
- � Weight: 1.09 kg [2.4 lbs]
- ï¿1/2 Boxed Weight: 1.32 kg [2.9 lbs]
- آذًا Compliance: CE; EMC Directive Class A EN 55032 & EN 55024, LV Safety Directive EN 60950-1, RoHS Compliant, FCC; Part 15 Class A, Industry Canada; ICES-3

Class A, IEEE 802.3 Compliant i¿½ Warranty: 2 Years Limited i¿½ Part Number: 011504

Price: £381.90