



Product Name: Yealink T58A Teams Edition IP Phone (T58A\_TEAMS) Manufacturer: -Model Number: T58A\_TEAMS

Please Note: This product is end of life. For an alternative, see the Yealink MP58.

Yealink T58A Teams Edition IP Phone (T58A\_TEAMS)

The Yealink T58A\_TEAMS is designed for C-level and executive rooms, offering great flexibility. The T58A not only features a 7-inch adjustable multi-point touch screen, but also owns a Teams-tailored user interface and a faster response speed, all of these make collaboration easier than ever.

Yealink T58A\_TEAMS Key Features

ï¿<sup>1</sup>⁄<sub>2</sub> 7 inch (1024 x 600) capacitive adjustable touch screen

- � Optimal HD audio
- ï¿1/2 Based on Android OS
- ï¿1/2 Microsoft Teams-tailored user interface
- ï¿1/2 Supports Office 365, and upgradability of device applications to Teams or SFB
- ï¿1/2 Built-in Bluetooth, supports Bluetooth headset
- ï¿1/₂ Built-in Wi-Fi (Pending)
- ï¿1/2 USB 2.0 port, supports USB headset
- ï¿1/2 Dual-port Gigabit Ethernet, PoE support
- ï¿1/2 Full-duplex hands-free speakerphone with AEC
- i¿1/2 Supports Microsoft/Yealink/Unify Square Device Management Platform

Presenting a standalone voice solution and an unparalleled audio clarity, the T58A is armed with Yealink's Optima HD Voice technology. The T58A provides the added flexibility for executives and professionals with its Bluetooth connectivity and the ability of USB headset connection.

Yealink T58A\_TEAMS - Technical Specifications Audio Features

i¿½ HD voice: HD handset, HD speaker
i¿½ Hearing aid compatible (HAC) handset
i¿½ Audio codec: SILK, Opus, G.722, G.722.1, G.722.1C, G.711 (A/µ), G.723, G.726, G.729AB, ILBC
i¿½ Full-duplex hands-free speakerphone with AEC
i¿½ VAD, CNG, AEC, PLC, AJB, AGC

Call Handling Features

� P2P call � Cloud PSTN call � Call hold/Call mute/Call transfer/Call forward � Group SimRing � Second forwarded if unanswered

i¿1/2 Block calls without caller ID

**Conference Features** 

ï¿1/2 One-Click Join



- ï¿1/2 Add a Participant to existing meeting
- ï¿1/2 Conference Mute/Unmute participants

ï¿1/2 Display Meeting Info

- ï¿<sup>1</sup>/<sub>2</sub> Calendar access to my meetings
- ï¿1/2 Show acceptance status per participant
- ï¿1/2 Schedule Teams meeting

Presence and Contacts

- ï¿1/2 Corporate Directory Access
- ï¿<sup>1</sup>/<sub>2</sub> Show contact picture
- ï¿1/2 Call history: placed/received/missed
- ï¿1/2 Synchronised call logs

#### Phone Features

- ï¿1/2 Single sign-in
- ï¿1∕2 Visual voicemail
- ï¿1/2 Change VM playback speed
- ï¿1∕2 Phone lock
- � Screensaver
- ï¿1∕2 Power Saving
- ï¿1∕2 Supports USB Headset
- ï¿<sup>1</sup>/<sub>2</sub> Supports Bluetooth headset, Wi-Fi (Pending)

**Display and Indicator** 

- � 7" 1024 x 600 capacitive adjustable touch screen
- ï¿1/2 Vertical tilt angle adjustable: 48°
- ï¿1/2 5 points multi-touch surface
- ï¿1/2 Multilingual user interface
- ï¿1/2 Modern Teams interface, Full keyboard
- ï¿1/2 LED for call and message waiting indication
- ï¿<sup>1</sup>/<sub>2</sub> Caller ID with name, number and photo
- ï¿1/2 Presence status control: available, busy, DND, be right back, off work, away

#### Interface

i $_{i_{2}}$  Dual-port Gigabit Ethernet i $_{i_{2}}$  Power over Ethernet (IEEE 802.3af), class 3 i $_{i_{2}}$  Built-in Bluetooth, supports Bluetooth headset i $_{i_{2}}$  Built-in Wi-Fi (Pending) i $_{i_{2}}$  2 x USB port i $_{i_{2}}$  1 x Security lock port i $_{i_{2}}$  1 x RJ9 (4P4C) handset port i $_{i_{2}}$  1 x RJ9 (4P4C) headset port

#### Management

ïزئ Configuration: browser/phone/Auto provisioning and Device Management Platform

ï¿1/2 Provisioning priority management

ï¿<sup>1</sup>/<sub>2</sub> Auto Provisioning via Activation Code



- تزيالي Yealink Redirection and Provisioning Service (RPS)
- ï¿1/2 QoE (Monitoring Reports)

ï¿1/2 Reset to factory, reboot

- ï¿1/2 Package tracing export, system log
- ï¿1∕2 Screenshot via URL
- ï¿1/2 View license status
- i¿1/2 Supports Microsoft Device Management Platform
- ï¿1/2 Supports Yealink Device Management Platform
- ï¿1/2 Supports Unify Square Device Management Platform

Network and Security

� SIP v1 (RFC2543), v2 (RFC3261)
� IPv4/IPv6
� IP Assignment: Static/DHCP
ï½ HTTP/HTTPS web server
ï½ Time and date synchronisation using SNTP
ï½ SRTP for voice, Transport Layer Security (TLS)
� HTTPS certificate manager
� Digest authentication using MD5/MD5-sess
� IEEE802.1X

Other Physical Features

� Colour: Classic Grey
� External Yealink AC adapter (optional): AC 100~240V input and DC 5V/2A output
� Power consumption (PSU): 1.5W-4.5W
� Power consumption (PoE): 2.3W-6.0W
� Dimension (W\*D\*H\*T): 259.4mm\*220mm\*215mm\*42.6mm
� Operating humidity: 10~95%
� Operating temperature: -10~50°C (+14~122°F)

Package Features

� Package content:- Yealink SIP-T58V IP phone- Handset with handset cord- Ethernet Cable (2m CAT5E FTP Cable)- Stand- Quick Start Guide- Power Adapter (Optional)
� Qty/CTN: 5 PCS
� N.W/CTN: 9.3 kg
� G.W/CTN: 10.4 kg
� Giftbox size: 324 mm\*293 mm\*128 mm
� Carton Meas: 680 mm\*303 mm\*332 mm

# **Please Enquire**

Options available for Yealink T58A Teams Edition IP Phone (T58A\_TEAMS) :

#### **Compatible Headsets**

JPL Connect-1 monaural headset and disconnect cord (+£65.20), Grandstream GUV3000 HD USB Headset (+£35.00), Yealink YHS33 IP Headset (+£35.10), JPLConnect-2 binaural headset and disconnect cord (+£76.25), Grandstream GUV3005 HD USB Headset with busy-light (+£68.00), Not Required, Yealink UH33 USB Headset



### (+£24.00).

## **Compatible Wireless Headsets**

Plantronics CS540 EHS Wireless headset and adapter (+£215.06), Not Required, Plantronics CS520 Binaural wireless EHS headset and adapter (+£260.89), Jabra Pro 920 Mono with remote handset lifter (+£155.00).

#### **Power Supply Required?**

None - Using PoE, UK-PSU-5V-2A (+£8.60).

### **Expansion Module Required?**

Not Required, Yealink EXP50 Colour-screen Expansion Module (+£66.50).

## USB Dongle Required?

Yealink Bluetooth USB Dongle BT41 (+£21.00), Not Required, Yealink WF50 USB WIFi Dongle (+£27.50).