

## Grandstream GWN7615 802.11ac Wave-2 Enterprise WiFi Access Point



Product Name: Grandstream GWN7615 802.11ac Wave-2 Enterprise WiFi Access Point

Manufacturer: Grandstream

Model Number: GWN7615

### Grandstream GWN7615 802.11ac Wave-2 Enterprise WiFi Access Point

The Grandstream GWN7615 is an enterprise performance 802.11ac Wave-2 WiFi access point to create scalability for medium to high user density environments. It offers dual-band 3x3:3 MU-MIMO technology and a sophisticated antenna design for maximum network throughput and expanded WiFi coverage range. To ensure easy installation and management, the GWN7615 uses a controller-less distributed network management design in which the controller is embedded within the product's web user interface.

#### Grandstream GWN7615 Key Features

- 1.75Gbps aggregate wireless throughput and 2x Gigabit wireline ports
- Dual-band 3x3:3 MU-MIMO technology
- Self power adaptation upon auto detection of PoE or PoE+
- Support 200+ concurrent WiFi client devices
- Up to 175-meter coverage range
- Advanced QoS to ensure real-time performance of low-latency applications
- Anti-hacking secure boot and critical data/control lockdown via digital signatures, unique security certificate/random default password per device
- Embedded controller can manage up to 50 local GWN series APs; GWN.Cloud offers unlimited AP management; GWN Manager offers premisebased software controller

The GWN7615 is also supported by GWN.Cloud and GWN Manager, Grandstream's cloud and on-premise WiFi management platforms. It is the ideal WiFi AP for voice-over WiFi deployments and offers a seamless connection with Grandstream's WiFi-capable IP phones. With support for advanced QoS, low-latency real-time applications, mesh networks, captive portals, 200+ concurrent clients per AP and dual Gigabit network ports with PoE/PoE+, the GWN7615 can be used to create a scalable solution as big or small as needed for the deployment scenario, from office buildings to retail locations, hotels and more.

#### Grandstream GWN7615 Technical Specification

##### WiFi Standards

- IEEE 802.11 a/b/g/n/ac (Wave-2)

##### Antennas

- 3 dual band internal antennas
- 2.4GHz, gain 3dBi
- 5 GHz, gain 3dBi

##### WiFi Data Rates

- IEEE 802.11ac: 6.5 Mbps to 1300Mbps
- IEEE 802.11a: 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- IEEE 802.11n: 6.5 Mbps to 450 Mbps
- IEEE 802.11b: 1, 2, 5.5, 11Mbps
- IEEE 802.11g: 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- \*Actual throughput may vary depending on many factors including environmental conditions, distance between devices, radio interference in the operating environment and mix of devices in the network

## Grandstream GWN7615 802.11ac Wave-2 Enterprise WiFi Access Point

### Frequency Bands

• 2.4 GHz Radio: 2412 – 2484 MHz  
• 5 GHz Radio: 5180-5825 MHz

### Channel Bandwidth

• 2.4G: 20 and 40MHz  
• 5G: 20, 40, and 80MHz

### WiFi and System Security

• WEP, WPA/WPA2-PSK, WPA/WPA2 Enterprise, anti-hacking secure boot and critical data/control lockdown via digital signatures, unique security certificate and random default password per device

### MIMO

• 3x3 2.4G(MIMO)  
• 3x3 5G(MU-MIMO)

### Coverage Range

• Up to 175 meters  
• \*coverage range can vary based on the environment

### Maximum TX Power

• 2.4G: 26 dBm  
• 5G: 24 dBm  
• \*Maximum power varies by country, frequency band and MCS rate

### Receiver Sensitivity

• 2.4G: 802.11b: -96dBm@1Mbps, -88dBm@11Mbps; 802.11g: -93dBm @6Mbps, -75dBm@54Mbps; 802.11n 20MHz: -73dBm @MCS7; 802.11n 40MHz:-70dBm @MCS7  
• 5G: 802.11a: -92dBm @6Mbps, -74dBm @54Mbps; 802.11ac 20MHz: -67dBm@MCS8; 802.11ac: HT40:- 63dBm @MCS9; 802.11ac 80MHz: -59dBm @MCS9

### SSIDs

• 16 SSIDs per access point

### Concurrent clients

• 200+

### Network Interfaces

• 2x autosensing 10/100/1000 Base-T Ethernet Ports

### Auxiliary Ports

## Grandstream GWN7615 802.11ac Wave-2 Enterprise WiFi Access Point

• 1x Reset Pinhole, 1x Kensington lock

### Mounting

• Indoor wall or ceiling mount, kits included

### LEDs

• 3 x tri-color LEDs for device tracking and status indication

### Network Protocols

• IPv4, IPv6, 802.1Q, 802.1p, 802.1x, 802.11e/WMM

### QoS

• 802.11e/WMM, VLAN, TOS

### Network Management

• Embedded controller can manage up to 50 local GWN APs

• GWN.Cloud offers a free cloud management platform for unlimited GWN APs

• GWN Manager offers premise-based software controller for up to 3,000 GWN APs

### Power and Green Energy Efficiency

• PoE 802.3af/ 802.3at;

• Max Consumption: 12.5W

### Environmental

• Operation: 0°C to 40°C

• Storage: -10°C to 60°C

• Humidity: 10% to 90% Non-condensing

### Physical

• Unit Dimension: 205.4 x 205.4 x 45.9mm;

• Unit Weight: 500g

• Entire Package Dimension: 258 x 247 x 86mm;

• Entire Package Weight: 867.3g

### Package Content

• GWN7615 802.11ac Wireless AP, Mounting Kits, Quick Start Guide

### Compliance

• FCC, CE, RCM, IC

**Grandstream GWN7615 802.11ac Wave-2 Enterprise WiFi  
Access Point**

**Price: £69.60**

---