



Product Name: Yealink T31P Entry Level IP Phone (SIP-T31P)

Manufacturer: Yealink Model Number: T31P

Please Note: This unit is powered by PoE and does not include a mains power supply as standard. If mains power is required, this can be added via the product options above.

Please Note: This product is compatible with Zoom.

Yealink T31P Entry Level IP Phone (SIP-T31P)

The Yealink T31P features an extra-large 132x64-pixel graphical LCD with backlight that brings clear visual experience for users. The T31P offers support for two VoIP accounts and includes local 5-way conferencing to maximise productivity. Working with the adjustable multi-angle stand, the T31P IP phone ensures you to work in different situation. Meanwhile, the T31P features built-in Power over Ethernet (PoE) and superb high definition (HD) sound quality. Easy-to-use and powerful features together with reasonable price deliver excellent voice communications solution. Yealink T31P Key Features

� Yealink HD Voice

าั¿1/2 2.3" 132x64-pixel graphical LCD with back-light

ï¿1/2 Two-port 10/100M Ethernet Switch

� PoE support

� Opus codec support

ï¿1/2 Up to 2 SIP accounts

ï¿1/2 Local 5-way conferencing

ï¿1/2 Support EHS Wireless Headset

ï¿⅓ Unified Firmware

� Support YDMP/YMCS

ï¿1/2 Stand with 2 adjustable angles

� Wall mountable

Stronger Performance, More Possibilities

Equipped with a powerful chip, the T31P features a stronger computing ability and more upgraded functions, which ensures a higher productivity and smoother office experience. Due to great performance, T31P is capable of offering more services for different business demands. Superior HD Audio, Better Communication

The Yealink T31P series provides distraction-free communications with industry leading Smart Noise Filtering Technology, which delivers excellent sound quality without extraneous noises and allows fluent conversations.

Classic Design, Practical Details

Designed by Yealink original team, T31P inherits the design concept of Yealink IP phone family. The advanced design including modern appearances and ergonomic details enables an easier and friendly operation experience to users.

All in One Platform, Convenient Management

Proven reliability and integrations for Yealink Device Management Platform, installed the unified firmware, T31P is simple to deploy and manage, which allows a significant reduction in the operation and maintenance cost.

Yealink T31P - Technical Specifications

Audio Features

آزٰ HD voice: HD handset, HD speaker

ï¿⅓ Smart Noise Filtering



- ï¿1/2 Wideband codec: Opus, G.722
- � Narrowband codec: G.711(A/μ), G.723.1,G.729AB, G.726, iLBC
- آذِر DTMF: In-band, Out-of-band (RFC 2833) and SIP INFO
- าั¿1/2 Full-duplex hands-free speakerphone with AEC
- ï¿1/2 VAD, CNG, AEC, PLC, AJB, AGC

Phone Features

- � 2 VoIP accounts
- ï¿1/2 Call hold, mute, DND
- ï¿1/2 One-touch speed dial, hotline
- ï¿1/2 Call forward, call waiting, call transfer
- ï¿1/2 Group listening, SMS, emergency call
- � Redial, call return, auto answer
- � Local 5-way conferencing
- � Direct IP call without SIP proxy
- ï¿1/2 Ring tone selection/import/delete
- 17:1/2 Set date time manually or automatically
- آز½ Dial plan
- ï¿1/2 XML Browser, action URL/URI
- ï¿1/2 Integrated screenshots
- � RTCP-XR, VQ-RTCPXR
- ï¿1/2 Enhanced DSS Key

Directory

- ï¿1/2 Local phonebook up to 1000 entries
- آزِيً Black list
- � XML/LDAP remote phonebook
- تز½ Smart dialing
- ï¿1/2 Phonebook search/import/export
- า๊¿½ Call history: dialed/received/missed/forwarded

IP-PBX Features

- īస్ట్ Busy Lamp Field (BLF), Bridged Line Apperance(BLA)
- ï¿1/2 Anonymous call, anonymous call rejection
- � Hot-desking, voice mail
- ï¿⅓ Flexible seating
- � Call park, call pickup
- � Executive and Assistant
- � Centralised call recording
- � Visual voice mail
- � Call recording

Display and Indicator

- � 2.3" 132x64-pixel graphical LCD with backlight
- � LED for call and message waiting indication
- าั¿½ Dual-colour (red or green) illuminated LEDs forline status information
- 12/2 Intuitive user interface with icons and soft keys
- � Multilingual user interface
- � Caller ID with name and number
- � Power saving



Feature keys

ï¿1/2 2 line keys with LED

าั¿½ 6 features keys: transfer, message, headset, redial, mute, hands-free speakerphone

� 5 navigation keys

� Volume control keys

Interface

� 2 x RJ45 10/100M Ethernet ports

าั¿½ Power over Ethernet (IEEE 802.3af), class 2

� 1 x RJ9 (4P4C) handset port

� 1 x RJ9 (4P4C) headset port

Other Physical Features

� Colour: Classic Grey

� Wall mountable

ī¿1/2 External Yealink AC adapter AC 100~240V input and DC 5V/600mA output

� Power consumption (PSU): 2-3W

� Power consumption (PoE): 3-4W

าั¿½ Dimension (W*D*H*T): 188mm*189mm*162mm*50mm

� Operating humidity: 10~95%

� Operating temperature: -10~50°C (+14~122°F)

Management

� Configuration: browser/phone/auto-provision

าั¿½ Auto provision via FTP/TFTP/HTTP/HTTPS for mass deploy

ï¿1/2 Auto-provision with PnP

� Zero-sp-touch, TR-069

آزا Phone lock for personal privacy protection

� Reset to factory, reboot

� Package tracing export, system log

Network and Security

ï¿1/2 SIP v1 (RFC2543), v2 (RFC3261)

ï¿1/2 Call server redundancy supported

� NAT traversal: STUN mode

� Proxy mode and peer-to-peer SIP link mode

� IP assignment: static/DHCP

� HTTP/HTTPS web server

า๊¿½ Time and date synchronisation using SNTP

� UDP/TCP/DNS-SRV (RFC 3263)

� QoS: 802.1p/Q tagging (VLAN), Layer 3 ToSDSCP

ï¿⅓ SRTP for voice

ï¿1/2 Transport Layer Security (TLS)

ï¿⅓ HTTPS certificate manager

ï¿1/2 AES encryption for configuration file

� Digest authentication

ï¿1/2 OpenVPN, IEEE802.1X

ï¿⅓ IPv6

� LLDP/CDP/DHCP VLAN

ICE ½٪ iCE



Package Content

ï¿1/2 Yealink SIP-T31P IP phone

ï¿1/2 Handset with handset cord

� Ethernet Cable (1.5m CAT5E UTP Cable)

آز½ Stand

� Quick Start Guide

� Power Adapter (Optional)

Price: £28.10

Options available for Yealink T31P Entry Level IP Phone (SIP-T31P):

Need Product Setup / Training / Support?

Required - 30 minutes (+£40.00), Not Required, Required - 1 Hour (+£65.00).

Power Supply Required?

Not Required, UK PSU Required (+£4.70).

Headset

YHS36 Headset (+£32.00), Not required, YHS34 Headset (+£24.60).

Wireless Headset

WH63-Teams (+£91.40), Not Required, WH62-DUAL-TEAMS (+£116.00).