

## Sangoma H20 Wireless DECT Headset



Product Name: Sangoma H20 Wireless DECT Headset

Manufacturer: Sangoma Model Number: 1TELH020LF

Sangoma H20 Wireless DECT Headset

The Sangoma H20 is designed to take advantage of the the Switchvox Desktop softphone and Zulu Softphone for FreePBX/PBXact. Connect the H20 directly to your workstation via the supplied USB cable and enjoy great audio and video calls. The H20 is also compatible with Sangoma D-Series and S-Series IP phones too, so that you have the flexibility to use either your desk phone or softphone (or both).

Sangoma H20 Key Features

ï¿1/2 Hands-Free Productivity

� Superior sound Quality

� Noise Cancellation

� Superior Call Handling

ï¿⅓ All-Day Battery Life

ï¿⅓ On-call LED

Sangoma H20 Technical Specification Compatible Desk Phones

� S206, S305, S406, S505, S705 � D60, D62, D65, D80

Compatible Softphones

ï¿⅓ Switchvox Desktop Softphone

ï¿1/2 FreePBX/PBXact: Zulu UC

Visual Indicator

า๊¿½ LED indicates call status, pairing status and other events

 $\"{i}$ έ $\rlap{1}$ 2 PC or Desk phone LED to indicate the active connection type

**Desk Phone Connections** 

ї $^{1}$ 2/ $^{1}$ 2/ $^{1}$ 2/ $^{1}$ 3 RJ-11 for handset, RJ-11 for phone body (or headset port), RJ-45 for EHS AUX

PC Connections

17:1/2 Standard USB cable to PC with micro-USB connector on H20 Cradle

Toggle Mode

าั¿½ Toggle button to switch between PC and Desk Phone mode

Call Control

ī సై Multi-function button support to answer, end, or reject calls

Volume Control and Microphone Mute

ï¿1/2 Button controls on headset



## Sangoma H20 Wireless DECT Headset

Microphone

� Noise-canceling wideband microphone

Speaker

ï¿1/2 Wideband speaker

Range

آذِ½ For U.S. DECT, up to 350 feet from H10 DECT Headset base to headset. For European DECT, up to 120 meters from H10 DECT Headset base to headset

Wireless Standard

آذِر (CAT - IQ) U.S. DECT and European DECT

Frequencies

� U.S. DECT: 1.92 - 1.93 GHz. EU DECT: 1.88 - 1.90 GHz

Sound Quality

T¿½ DSP noise reduction; echo cancellation; tone control; wideband and narrowband audio

**Audio Indicator** 

 $\ddot{\imath}$  Tones indicate incoming calls, low battery, volume level, microphone muting and other events

Wearing Style

ï¿1/2 Headband and ear hook

ï¿⅓ Long boom arm

**Battery Type** 

ï¿1/2 Lithium Ion-Polymer

**Battery Capacity** 

ï¿1/2 A300 mAh, typical

**Battery Talk Time** 

آز½ Up to eight hours

**Battery Standby Time** 

ï¿1/2 At least 36 hours

**Battery Charge Time** 



## Sangoma H20 Wireless DECT Headset

� 20% charge in less than 20 minutes

� 50% charge in less than 45 minutes

ï¿⅓ Full charge in less than three hours

**Battery Lifetime** 

ï¿⅓ Minimum 1000 charge cycles

Battery Shelf Life

 $\ddot{\iota}_{\dot{\ell}}$  Headset battery holds charge for six months in the off state before recharge is required

Dialtone Adjustment Switch and Microphone Volume Switch

រី¿½ Electromechanical switches. Dialtone adjustment switch and microphone volume level set manually

**Dimensions** 

� 97 mm x 75 mm x 120 mm

Operating Environment

ī¿½ -0˚C to +40˚C; Up to 95% Rh non-condensing

Limited Warranty

ï¿⅓ One year

**Optional Accessories** 

� Electronic Hook Switch (EHS): EHS adds remote answer/disconnect convenience

ī¿1/2 EHS ADAPTER: Compatible with S406,S505,S705 (SKU:PHON-ACCS-EHS30-SNG)

 $\ddot{\iota}_{2}^{1/2}$  EHS CABLE: Compatible with D60,D62,D65,D80 (SKU:1TELHC01LF)

Price: \$201.24