Yealink MVC800 2nd Generation Microsoft S4B/Teams Room System (MVC800-GEN2)

Product Name: Yealink MVC800 2nd Generation Microsoft S4B/Teams Room System (MVC800-GEN2)
Manufacturer: -
Model Number: MVC800-GEN2

Please Note: This product has been discontinued. Please see the Microsoft Teams Conferencing range.

Please Note: The Yealink MVC800 Advance Replacement Service option from the dropdown above is for year 1 and 2 combined and per year for years 3-5

Please Note: The Yealink MVC800 Return to Base Warranty Service option from the dropdown above is 1yr Renewal Year 3 onward (Year 3,4 & 5 only)

Yealink MVC800 2nd Generation Microsoft S4B/Teams Room System (MVC800-GEN2)
The Yealink MVC800 is a native and easy-to-use video conferencing solution specially designed for Microsoft Teams rooms. MVC 800 includes two or three VCM34 array microphones (up to 4 units can be connected) and a UVC80 USB PTZ camera with 12x optical zoom to meet the requirements of medium to large meeting rooms.
Yealink MVC800 Key Features

ï¿½ One Cable Technology
ï¿½ 3 Microphone Array
ï¿½ Yealink Camera Control Plug-in
ï¿½ Auto Framing
ï¿½ Wireless Content Sharing
ï¿½ Device Management

Native Microsoft Teams-Tailored User Interface, Smooth Conference ExperienceNative Microsoft Teams-tailored user interface offers a one-touch meeting join. Designed with the idea of multi-function all-in-one, the MTouch II touch panel allows you easily perform call control, camera control, content sharing and other functions. At the same time, MTouch Ⅱ has a built-in Human Motion Sensor that the conference system can be automatically waken up and you can immediately start the conference.
Auto-framing & smart noise proof technologyYealink UVC80 camera allows for the auto-framing of all participants present at a meeting, freeing your hands and focusing on the meeting itself. Meanwhile, with the Yealink camera control plug-in and camera presets supported, the mechanical pan, tilt and zoom can be easily done quietly in one step. Empowered with 12x optical zoom, UVC80 supports 1080P / 60-frame video calls that conducts business to capture everyone in the meeting room clearly. As for the audio, the VCM34 array microphone supports 20ft/360° voice pickup range and works with Yealink Soundbar together to guarantee you a high-quality audio solution. Also, Yealink Noise Proof technology effectively eliminates background distractions and noises that you can enjoy a crystal-clear voice even in a noisy environment.
Content sharing in real timeThe unique wireless content sharing solution provides participants with maximum flexibility, that a one-click content sharing can be simply realised by plugging into the WPP20 only. With a high resolution of 1080P / 30 frames, it provides users with a better content sharing experience. Besides, the wired content sharing is also available by connecting to the USB-C port or HDMI port.
Simple to deploy, easy to useWith the VCH port, MCore is specially designed for the video

Yealink MVC800 2nd Generation Microsoft S4B/Teams Room System (MVC800-GEN2)

meeting rooms that the deployment can be easily extended. At the same time, its all-in-one design with the feature of cable management ensure the stability of the wire connection, and the most appropriate deployment can be achieved according to the layout of the meeting room. One CAT5e is totally enough to connect the TV area and the conference table area and to complete the data transmission and power supply, no additional power supply or extension cable is needed, which not only simplifying the deployment but also effectively reducing deployment costs.
Manage your devices remotelyThis solution supports Yealink Device Management Platform/Cloud Service, you can flawlessly manage, monitor, configure, update and diagnose all Yealink audio and video devices peripherals on this platform remotely.

Yealink MVC800 Technical Specifications
Package Content

ï¿½ MCore Mini-PC
ï¿½ MTouch II touch panel
ï¿½ UVC80 USB PTZ camera
ï¿½ Two or three VCM34 array microphones
ï¿½ Yealink soundbar
ï¿½ WPP20 wireless presentation pod (optional)

Preload

ï¿½ Windows 10 IoT Enterprise X64
ï¿½ Windows 10 IoT Enterprise License
ï¿½ Microsoft Teams Rooms App, support Skype for Business on-premise/online and Teams meetings
ï¿½ Yeallink RoomConnect

MCore Mini-PC

ï¿½ 8th-gen Intel® QUAD-CORE i5
ï¿½ Memory: 8GB (2 x 4GB)
ï¿½ Storage: 128GB SSD
ï¿½ 2 x HDMI video output with CEC supported
ï¿½ Bluetooth and WiFi
ï¿½ 1 x Yealink VCH port,connect to MTouch II
ï¿½ 4 x USB3.0 Type-A
ï¿½ 1 x 10/100/1000M Ethernet port
ï¿½ 1 x Power port
ï¿½ 1 x Security lock slot
ï¿½ Built-in cable management

MTouch II Touch Panel

ï¿½ 8-inch IPS screen
ï¿½ 1280 x 800 resolution
ï¿½ 10-point capacitive touch screen
ï¿½ 3.5mm headset jack
ï¿½ Human Motion Sensor
ï¿½ Angle adjustable bracket (28° ~ 50°)
ï¿½ 1080P/30FPS FHD for sharing
ï¿½ Support wired and wireless content sharing
ï¿½ Built-in WiFi AP for Yealink wireless presentation device

Yealink MVC800 2nd Generation Microsoft S4B/Teams Room System (MVC800-GEN2)

ï¿½ HDMI/USB-C video input

UVC80 USB PTZ Camera

ï¿½ 1920 x 1080 video resolution
ï¿½ 60 frame rate
ï¿½ 12x optical zoom
ï¿½ Field of view (diagonal): 78.5°
ï¿½ Auto-framing
ï¿½ Camera presets
ï¿½ Pan range: 200°
ï¿½ Tilt range: 60°
ï¿½ 1 x Line-in (3.5mm)
ï¿½ 1 x Line-out (3.5mm)
ï¿½ 1 x Yealink Microphone port (RJ-45)
ï¿½ 1 x USB 2.0 Type-B
ï¿½ 1 x USB 2.0 Type-A
ï¿½ 1 x Power port
ï¿½ 1 x Security lock slot
ï¿½ 1 x Reset slot

VCM34 Array Microphone

ï¿½ Built-in 3-microphone array
ï¿½ 360° 20ft (6-meter) voice pickup range
ï¿½ Cascade connection up to 4 units
ï¿½ Mute button with bicolor LED

Yealink Soundbar

ï¿½ Frequent response：100Hz - 20KHz
ï¿½ S/N：≥70dB
ï¿½ 1 x Line-in (3.5mm)

Package Features (2 x VCM34)

ï¿½ N.W/CTN: 9.7Kg
ï¿½ G.W/CTN: 11.9Kg
ï¿½ Carton Meas: 600mm x 545mm x 285mm

Package Features(3x VCM34)

ï¿½ N.W/CTN:10.1Kg
ï¿½ G.W/CTN:12.1Kg

Price: £2,800.00

Options available for Yealink MVC800 2nd Generation Microsoft S4B/Teams Room System (MVC800-GEN2) :

Yealink MVC800 2nd Generation Microsoft S4B/Teams Room System (MVC800-GEN2)

Advance Replacement Service

Not Required,   Required (+£426.00).

Return to Base Warranty Service

Not Required,   Required (+£331.63).